# High Power Lasers... Another approach to Fusion Energy

John Sethian
Plasma Physics Division
Naval Research Laboratory
Washington, DC





# Main points of the talk

## Fusion Energy based on lasers and direct drive targets

Can lead to an attractive electricity generating power plant

### Developing Laser Fusion as an integrated system

Simultaneously addressing the science and engineering

### **Direct Drive Pellet Designs**

Computer Models show target gain > 150 (need > 100 for energy)

Underlying codes backed with experiments

### **KrF Lasers**

Attributes: Beam uniformity, wavelength, cost, scaling to large systems

Technologies for rep-rate & efficiency look good,

Biggest challenge: durability of pressure foil

# Progress made in the other Laser IFE components

# The Naval Research Laboratory (NRL)




- •NRL is the Navy's Corporate Research Laboratory
  - 3000 employees, (900 PhDs + 400 MSc)
  - \$800 M /year budget
- ·Field sites:
  - Washington DC (Main site)
  - Stennis, MS
  - Monterey, CA
  - · Chesapeake Bay, MD

NRL conducts a broadly-based multidisciplinary program of scientific research and advanced technology

Radar

**GPS** 


Viking (First useable satellite)



NRL Leads a National Program to develop the science and technologies for Laser Fusion Energy:

The NRL Nike Program and the High Average Power Laser (HAPL) Program

# The laser fusion energy concept



# Why we like fusion energy with lasers, direct drive targets and solid wall chambers

# •Physics and engineering looks good:

- Target simulations show high gains (>150) needed for energy
- Lasers appear to be able to meet physics & engineering requirements

## Inherent Engineering Advantages:


- Complex components (laser, target factory) are separated from the reaction chamber
- Modular nature of the components

## Reduced risk and cost of development:

- Laser made of identical beam lines
- Substantial technical progress since program started 4 years ago

# The fastest, least expensive and least risky approach to develop fusion energy:

Develop the key science and technologies together, using the end goal of a practical power source as a guide



# The High Average Power Laser (HAPL) Program:

An integrated program to develop the science and technology for

Laser Fusion Energy

6 Government labs, 9 Universities, 13 Industries



### **Government Labs**

- 1. NRL
- 2. LLNL
- 3. SNL
- 4. LANL
- 5. ORNL
- 6. PPPL

### **Universities**

- I. UCSD
- 2. Wisconsin
- 3. Georgia Tech
- 4. UCLA
- 5. U Rochester, LLE
- 6. PPPL
- 7. UC Santa Barbara
- 8. U North Carolina
- 9. UC Berkeley


### **Industry**

- 1. General Atomics
- 2. Titan/PSD
- 3. Schafer Corp
- 4. SAIC
- 5. Commonwealth Tech
- 6. Coherent
- 7. Onyx
- 8. DEI
- 9. Mission Research Corp
- 10. Northrup
- 11. Ultramet, Inc
- 12. Plasma Processes, Inc
- 13. Optiswitch Technology


# TARGET PHYSICS

# Inertial Fusion Energy (IFE) with Lasers

- 1. An array of laser beams symmetrically illuminate a spherical shell of DT fuel
- 2. Lasers *ablate* outer layer of pellet. Ablated material expands outward
- 3. Core driven inward by rocket effect Compressed to very high density (1000 x solid)
- 4. Localized "hot spot" ignites
- 5. Fusion burn propagates through fuel




### Why we like direct drive for laser fusion




Physics is simpler --key issue is hydrodynamic stability
Higher efficiency --better coupling of laser to fuel
Targets relatively simple (cheap) to fabricate
No preferred illumination direction
Simpler operational issues: no hohlraum debris to recycle


# The target has to make enough energy to run the power plant and have enough left over to produce electricity


A Target "Gain" of > 100 x should be sufficient\*



# NRL Nike Program has the proper tools to develop and evaluate the physics of high gain target designs








2 "self built" 256-Processor supercomputers allow high resolution simulations of pellet implosions



# High Gain Direct drive requires control of Rayleigh Taylor Instability: Need to minimize both the initial mass modulations and the growth rate



Amplitude of mass modulations

 $A(t) = A_{o} e^{\gamma t}$ Initial m

- Rayleigh Taylor growth factor

**STEP #1:** 

a. Raise Isentrope (lower the density) of the ablator

Initial mass modulation Laser non-uniformities Target non-uniformities

**STEP #2:** 

- a. Use a Smooth Laser Beam
- b. Reduce Laser Imprinting

13


c. Make target outer surface smooth

# Current high gain target designs: Ablator: DT+ Foam Fuel: Pure DT

Sector of Spherical Target (NRL Design)


This design is very flexible. It can (and has been) modified to meet the requirements for a power plant:

Fabrication
Injection- acceleration
Injection- survival
Emissions
Recycling




# Target gains > 160 are predicted with 2D computer simulations

NRL FAST CODE: high precision 2D calculations that include all relevant modes and non-uniformities in the target and laser




Laser = 2.5 MJ

Similar predictions from University of Rochester, LLE and Lawrence Livermore National Lab



# NRL target physics codes (aka FAST) have been benchmarked with experiments on Nike Laser



# The Laser

### What do we need for a Fusion Laser?

Can be repetitively pulsed (~ 5 pulses/second) (means you have to be able to cool it easily)

Capable of High Energy per pulse (~50,000 Joules)

Short pulse length (4-8 nsec)

Very smooth laser beam (minimize  $A_0$ , seed for instability)

Ultra-violet (UV) wavelength (minimizes instabilities, maximizes coupling)

Low cost technology

Efficient (> 6% total)

Robust & Durable ( 2 years = 300,000,000 shots)

# Two types of lasers are being developed for IFE:

DPSSL (Mercury-LLNL)
Diode pumped solid state laser




KrF Laser (Electra-NRL): electron beam pumped gas laser



# Key Components of an electron-beam pumped KrF Laser

Energy + (Kr+ F<sub>2</sub>)  $\Rightarrow$  (KrF)\* + F  $\Rightarrow$  Kr + F<sub>2</sub> + h $\nu$  ( $\lambda$  = 248 nm)



# The advantages of a KrF laser

Can be repetitively pulsed (~ 5 pulses/second) Capable of High Energy per pulse (~50,000 Joules) Short pulse length (4-8 nsec) Very smooth laser beam (minimize  $A_0$ , seed for instability) Ultra-violet (UV) wavelength (minimizes instabilities, maximizes coupling) Low cost technology (Industrial, pulsed power technology) Efficient (> 6% total) (Predict 7%, based on recent R&D) Robust & Durable (Good progress)

# The key issues for KrF are being addressed with the Electra and Nike Lasers at NRL

### **Electra:**

400-700 J laser light 500 keV/100 kA/100 nsec up to 5 Hz

Develop technologies for:

Rep-Rate,

Durability,

Efficiency,

Cost




## Nike:

3-5 kJ laser light 750 keV, 500 kA, 240 nsec single shot


E-beam physics on full scale diode Laser-target physics





# The electron beam, hibachi, and KrF physics




# Experiments and 2-D models show "Transit Time" Instability in large area, low impedance diodes










# In accordance with theory, slotting the cathode and adding microwave absorbers eliminates the instability



### **Experimental Fast Fourier transform of instability amplitude:**








# The Hibachi



# We have increased the electron beam energy into the gas by eliminating the anode & patterning the electron beam



Agrees with LSP models by MRC


**Expect** ~ 82% @ 1,000 keV (IFE)

# Orestes KrF Physics Code combines relevant physics into a single "first principles" code


Electron Deposition
Laser Transport

Plasma Chemistry
Amplified Spontaneous Emission


24 species, 122 reactions



### **Orestes becomes Electra**



# Electra: ~ 10% intrinsic efficiency as an oscillator ...expect ~ 11 % as an amplifier



# Based on our research, an IFE-sized KrF system is projected to have a wall plug efficiency of > 7% (meets goal)

Pulsed Power	Advanced Switch	87%
Hibachi Structure	No Anode, Pattern Beam	82%
KrF	Based on Electra exp'ts	11%
Optical train to target	Estimate	95%
Ancillaries	Pumps, recirculator	95%
Total		7.1%

> 6 % is adequate for fusion target gains > 100... and latest designs have 2D gains ~ 160



# We are developing three techniques to cool the foil

Convection cooling by the laser gas
 Pro: Successful operation @ 1 Hz (foil


temp < 200°C)

Con: Foil temperature rises to 350-500°C @ 5 Hz operation


Conduction cooling to hibachi ribs

Pro: Simple, efficient cooling system

Con: Requires close rib spacing which challenges e-beam transport through hibachi (may be reduced with advanced materials)




Mist cooling of the foil (developed by Georgia Tech)
 Pro: Successful demonstration @5 Hz (foil temp < 140°C)</li>
 Con: More complex system, lowers e-beam transport efficiency (to ~77%)



# Electra as a repetitively pulsed laser:

300 J/pulse @ 1 shot/second in a 10,000 second run (2 hrs, 45 min)



Also: 700 J/shot @ 1 shot/second (700 W) in 400 second bursts 400 J/pulse @ 5 shots/second (2,000 W) in 100 second bursts


# Electra produces 700 Joules. For Fusion we need 2,400,000 Joules How do we get there from here?


WHERE WE ARE NOW.....

Electra - 700 J output

WHERE WE WANT TO BE....

IFE-sized Amplifier- 50,000 J output






Two electron -beams: 500 keV, 100 kA, 140 nsec 30 cm x 100 cm each beam

Eight electron - beams: 1000 keV, 175 kA, 400 nsec 50 cm x 100 cm each beam


# The other principal components:

Optics
Target Fabrication
Target Injection
The First Wall




# **Final Optic:**

Grazing Incidence Aluminum Mirror meets IFE requirements for reflectivity (>99% @ 85°) and required long term damage threshold (8 J/cm²)



stiff, lightweight, cooled, neutron resistant substrate




### **Improvements**

Lifetime should be improved by using Al alloys that have high yield strength in their annealed state

Pure Al: 20MPa Al 2024 (3% Cu) 97 MPa Al 7075 (3% Zn) 147 MPa

> Mark Tillack UCSD

## Target fabrication: We have mass-produced foam shells that *almost* meet all the specifications



X-Ray picture of batch produced foam shell 4 mm dia, 400  $\mu$  wall

Produced 22 shells/min,

controls shell diameter


5 mm diameter, +/- 40 um (< 1 %)

Automatic feedback process

- ✓ Diameter: 4-5(4.1\*) mm ± 0.2 mm
- ✓ CH foam wall: 250-300(290\*) µm
- ✓ High-Z coat: 500 Å
- ✓ Density: 20-120(100\*) mg/cc
- ✓ Pore size: ~ 1 µm
- × CH full density overcoat: 1-5 μm

**Triple Orifice Generator** 


× Non-concentricity: <1%\*



Not to scale


**Brian Vermillion (GA) Diana Schroen and Jon Streit (Schaffer)** 

## DT ice grown over a foam underlay is smoother and thermally more robust than a pure DT layer... exceeds IFE specs of < ~ 1 um RMS



#### **Target Injector / Tracking Progress**


- ♦ Light gas gun injector in <u>rep-rate</u> operation
- ♦ Achieved 400 m/sec (need 50-400 m/sec)
- **♦** Demonstrated separable sabot
- ♦ Target placement accuracy +/-10 mm (need ~5 x better)



Whats left:

Better placement Target engagement R..Petzoldt, B. Vermillion, D. Goodin, G. Flint, et al General Atomics


# We need to predict the spectra, fluence and pulse shape of the target emissions incident on the first wall.. aka the "threat spectra"




the big unknown...where is this transition? Threat spectra may depend critically on this !!

## Time near Ignition is the key to determining the threat spectra


Lagrangian constant-mass zones from BUCKY run of HAPL case



## We have been using a chamber threat spectra based on a pure hydro model





#### The ions pose the biggest threat to the first wall



We have established a "chamber operating" window that simultaneously meets the requirements for efficiency, wall survival, and target injection:

First wall is tungsten armor bonded to low activation ferritic steel 1 mm W armor, 3.5 mm FS, T  $_{\rm coolant}$  = 575°C, Max Surface = 2400 °C





based on work by Rene Raffray, UCSD

## Three issues for long term (3-5 year) survival of the first wall

1) Helium retention


2) Bonding W to Steel base

3) Thermo-mechanical Fatigue

## Helium Retention: Experiments show may be not be a problem at IFE Conditions


Amount of retained helium is lowered significantly when:

Dose is spread out over large number of cycles Sample is flash annealed to prototypical temperatures




# Bond strength: We are using the Oak Ridge High Intensity Infrared Arc Lamp to study the long term integrity of the Tungsten-Steel bond





**Exposure cycles** 



No degradation of bond after 10,000 shots but interface temperature was 900 °C, (lamp too intense)

# Thermo-mechanical fatigue: We are using an array of facilities to expose FW materials to expected target emissions

#### **BIG ISSUE...DOES OBSERVED ROUGHENING LEAD TO MASS LOSS?**

#### X-rays:

**XAPPER** 

Latkowski (LLNL)

Z [confirmation]
Tanaka (SNL)



#### lons:

**RHEPP** 

Renk (SNL)



#### Laser:

Dragonfire
Najmabadi (UCSD)



#### **Experiments:**

Spectra

Surface temperature

TEM: sub-surface cracks

#### **Modeling:**

**Predict** 

Surface temperature

Sub surface cracks

Stress modeling to get


evolution of fatigue


Blanchard (Wisc)

#### Thermo-mechanical fatigue experiments and modeling

Long term exposure of tungsten with shows surface will crack...

Laser T<sub>0</sub> = 500 °C ∆T = 2000 °C






But modeling shows cracks should stop before they get to the substrate:

Modeling also shows pre "castellating" the surface will arrest cracks at a shallower depth

J. Blanchard (Wisc)
N. Ghoneim (UCLA)



### Main points of the talk

#### Fusion Energy based on lasers and direct drive targets

Can lead to an attractive electricity generating power plant

#### Developing Laser Fusion as an integrated system

Simultaneously addressing the science and engineering

#### **Direct Drive Pellet Designs**

Computer Models show target gain > 150 (need >100 for energy)
Underlying codes backed with experiments

#### **KrF Lasers**

Attributes: Beam uniformity, wavelength, cost, scaling to large systems

Technologies for rep-rate & efficiency look good,


Biggest challenge: durability of pressure foil

#### Progress made in the other Laser IFE components

### TARGET PHYSICS-THE DETAILS

### High Gain Direct drive requires control of Rayleigh Taylor Instability:

Requires minimizing both the initial mass modulations & the growth rate



Amplitude of mass modulations

 $A(t) = A_{o} e^{\gamma t}$ Initial m

Rayleigh Taylor growth factor

**STEP #1:** 

a. Raise Isentrope (lower the density) of the ablator

52


Initial mass modulation
Laser non-uniformities
Target non-uniformities

**STEP #2:** 

- a. Use a Smooth Laser Beam
- b. Reduce Laser Imprinting


c. Make target outer surface smooth

## Step 1: Lower the growth rate by raising the isentrope of *just* the ablator.



 $\gamma \sim$  0.9 (kg)<sup>1/2</sup> - 3 kV<sub>a</sub> where V<sub>a</sub>  $\propto$  1/n

Takabe H. and Bodner 1985 Phys. Fluids 28 3676




Fusion gain  $= \infty n^2$ 

53

#### How to raise Isentrope of just the Ablator

- --preheat the ablator (decrease density), to mitigate Rayleigh Taylor growth,
- --but keep the fuel cold (dense), to maximize gain



#### Can be done with radiation


- 1. Foot produces low energy x-rays from high Z layer outside target
- 2. Ablator made of CH Foam + DT (ablator)
- 3. Radiation stops in foam to heat ablator
- 4. Radiation does not get to pure DT so fuel stays cold


#### Can be done with shocks


- 1. Tailor laser pulse shape to launch low intensity shocks through ablator.
- 2. Time shocks to dissipate before getting into fuel

#### STEP #2a Smooth Laser Beam:

#### The NRL Nike KrF laser produces very uniform laser beams








For 50% of the FWHM diameter:
Power tilts < 2%
Quadratic curvature : < 3%
RMS speckle non- uniformity:
0.3 - 1.3% (all modes)


## Step #2b Reduce "Imprinting" (Effectively smooth laser even further)

Experimental results show a thin high-Z outer layer (e.g. 1200 Å Pd) substantially reduces the effective laser non-uniformity....
I.E. reduces "seed" for instability

X-Ray Streak radiographs of ablatively accelerated planar targets




Distance across target (μm)



Distance across target (μm)

## High Z layer provides early time, very uniform, x-ray illumination of target




 $(mg/cm^3)$ : 0


Max Karasik, et al.

#### Step 2c: Make target outer surface very smooth

Thin Au/Pd coatings with smooth surface finish: high DT permeability and high IR reflectivity.




## NRL's large computer clusters allow routine high resolution simulations of pellet implosions.




2 "Self-built" 256-processor supercomputer clusters "NOX" and "SOX" Processors: NOX 2.4 GHz Xeon, SOX 1.8 GHz Opteron Interconnect: Switched Myrinet 2000

## The Nike KrF laser accelerates planar targets at close to the same conditions as in a high gain target.



#### Nike is ideally suited to study hydrodynamics in planar geometry



## NRL target physics codes (aka FAST) have been benchmarked with experiments on Nike Laser

