### Reports of the Fusion Energy Science Advisory Committee

## **Strategic Planning**

### for

## **U.S. Fusion Energy Sciences Program**

The attached reports include:

1. Transmittal letter from FESAC Acting Chair

2. FESAC Report initially drafted by FESAC Strategy Panel

3. Minority Report of FESAC members

These reports were transmitted to the DOE Office of Science on December 30, 2014



Office of **Research** 

December 30, 2014

Dr. Patricia M. Dehmer Acting Director Office of Science U.S. Department of Energy 1000 Independence Avenue, S.W. Washington, DC 20585

Dear Dr. Dehmer:

I am writing to respond to your April 8, 2014 charge to the Fusion Energy Sciences Advisory Committee (FESAC) to "assess the priorities among continuing and potential new FES program investments required to ensure that the U.S. is in a position to exert long term leadership roles within and among Burning Plasma Science-Foundations, Burning Plasma Science-Long Pulse, and Discovery Plasma Science (DPS)." You also asked that four specific budget scenarios be examined.

FESAC chartered a Panel led by Prof. Mark Koepke (West Virginia Univ.) to address this charge. Prof. Koepke is also the FESAC Chair. Hence, at the request of OFES, I served as Acting FESAC Chair for purposes of reviewing the Panel report.

FESAC commends the Panel for their hard work addressing the charge and developing the draft report. The Panel's extensive discussions regarding priorities for the Fusion Energy Sciences (FES) Program provided valuable input for both the report and future directions of the Fusion Energy Sciences (FES) Program.

FESAC reviewed the report initially on September 22-23, 2014. The report was revised based on comments at that meeting and reviewed again by FESAC on October 10, 2014. This letter contains the production version final report incorporating changes discussed at the October 10, 2014 meeting.

The Panel report generated intense discussion at both meetings. Excluding ex-officio members, 11 members of the 20 total FESAC membership were eligible to vote on the report. The report, subject to several revisions, was approved by a vote of 6-3 at the October 10, 2014 meeting, with two members eligible to vote not present. FESAC agreed at the October 10 meeting to also provide a separate "minority" comment. The final approved report and the minority comment are attached. The minority comment is signed by those voting "no" and one member not present for the vote.

In addition to forwarding the report, FESAC provides the following comments:

a) As evidenced in the public record, there is partial consensus, and significant disagreement, within the community regarding the top-level FES Program vision, strategy and associated priorities. Much of this derives from differing views on the degree to which the FES program is a "science" program versus a "fusion energy development" program. This is not just a question of the DPS funding level, but also the nature of the science and engineering effort and facilities associated with the Burning Plasma Science program.

The lack of adequate consensus on top-level vision, strategy, and priorities makes it difficult for more technically oriented groups, such as Prof. Koepke's panel, to achieve widespread acceptance of recommended strategic initiatives and associated program-wide FES investments. FESAC recommends more extensive senior level HQ/field discussions be held to produce a

vision and strategy with wider acceptance. This will simplify the development of detailed objectives and specific program initiatives by future groups similar to this panel.

- b) The Panel did not perform a detailed analysis of the budget options in the charge sufficient to develop, for example, individual site, facility, and initiative budgets. *Further analysis by DOE OFES is necessary to produce a credible 10-year budget plan.*
- c) FESAC recognizes the necessity of proper management of conflict-of-interest issues, and recommends OFES structure FESAC to enable voting participation on future reports by as many FESAC members as possible.

Please contact me if you have questions.

Sincerely,

Christopher J. Keane Vice President for Research Professor of Physics Acting Chair Fusion Energy Sciences Advisory Committee (FESAC)

cc: E. Synakowski (DOE/FES) S. Barish (DOE/FES)

FESAC:

- A. Bhattacharjee (PPPL) T. Carter (UCLA) B. Cohen (LLNL) A. Dasgupta (NRL) J. Foster (University of Michigan) C. Greenfield (GA) R. Groebner (GA) C. Hegna (University of Wisconsin) V. Izzo (UCSD) J. Kim (FAR-TECH) M. Koepke (West Virginia University) G. Neilson (PPPL) G. Patello (PNNL) J. Rapp (ORNL) D. Rej (LANL) S. Reves (LLNL) R. Rosner (University of Chicago) F. Skiff (University of Iowa) J. Steadman (University of South Alabama) L. Sugiyama (MIT) S. Zinkle (University of Tennessee)
- E. Zweibel (University of Wisconsin)

## **Report on Strategic Planning**

### **Priorities Assessment and Budget Scenarios**

**Control of Burning Plasmas** 

**Fusion Predictive Modeling** 

**Fusion Nuclear Science** 

**Discovery Plasma Science** 

U.S. Department of Energy Office of Science

December 2014

### Preface

Fusion, the energy source that powers our sun and the stars, offers the promise of a nearly limitless high-density energy source that does not emit greenhouse gases. Fusion energy could therefore fulfill one of the basic needs of modern civilization: abundant energy with excellent safety features and modest environmental impact that is available to all nations.

This report's recommendations have been formulated to enhance and direct areas of U.S. scientific and engineering leadership in coordination with the rapidly expanding international capabilities to realize the prospect of a global fusion energy future at the earliest realistic date. This report provides the basis of a strategic plan with a 10-year vision that includes priority research recommendations to enable the U.S. to make decisive contributions in pursuit of the frontier in fusion nuclear science.

The quest for controlled fusion energy—replicating on earth the energy of the Sun—is a noble scientific challenge. After six decades of research, magnetic fusion science has successfully progressed to the threshold of the magnetic fusion energy era. This is an era characterized by burning plasma, steady-state operation, advanced materials that can withstand the harsh environment inside a fusion reactor, and safe regeneration of the fusion fuel from within the reactor.

Throughout its history, the quest for fusion has been a global effort with strong U.S. leadership, especially in diagnostics, experimental research, theory, simulation, and computation. Now the world is engaged in a unique international burning plasma experiment, ITER, to demonstrate the net production of controlled fusion power. ITER is expected to establish the scientific feasibility of magnetic fusion energy by resolving fusion nuclear science issues associated with demonstrating practical fusion energy. As the ITER construction project proceeds, international colleagues are building other large-scale facilities with capabilities that complement those in the U.S. Their particular choices in developing these new international facilities provide two opportunities for the U.S. The first is for the U.S. to initiate and grow a new subprogram in fusion nuclear science, including the design of a new world-class facility, an area not being addressed internationally. The second is for the U.S. to selectively engage in international collaborations to access parameter regimes not otherwise available in the U.S.

The Panel members are indebted to the research community for its thoughtful previous studies and its broad input to this report. The Panel considered this input, leaving no options off the table and resolving conflicts when they occurred, to reach a consensus. The U.S. fusion community looks forward to this transformative era in fusion research, which will lay the foundations for a world-leading subprogram and facility in fusion nuclear science. The challenges would be daunting for a single nation, but with renewed commitment, investment, innovation, and collaboration, a technological advance of immense benefit to the U.S. and to the world will be at hand.

### Table of Contents

Preface Executive Summary		
Chapter 1	Introduction and Background	1
Chapter 2	Burning Plasma Physics: Foundations	9
Chapter 3	Burning Plasma Science: Long Pulse	19
Chapter 4	Discovery Plasma Science	27
Chapter 5	Partnerships with Other Federal and International Research Programs	35
Chapter 6	Budgetary Considerations	43
Appendices		
Appendix A: Summary of Initiatives and Recommendations		51
Appendix B: Charge Letter		56
Appendix C: Panel Roster		58
Appendix D: Panel Process and Meetings		59
Appendix E: Community White Papers received for Status and Priorities, and Initiatives		
Appendix F: Community Workshops and Presentations		
Appendix G: Leveraging and Partnership Opportunities with DOE, other Federal and International Partners		

80

Appendix H: References

### **Executive Summary**

This report presents a vision that will allow the U.S. to remain a world leader in fusion research by pursuing the most promising scientific opportunities that lead to fusion energy development. Following that vision ensures that the U.S. will play a significant role in ITER, develop a science program that leads to a U.S. Fusion Nuclear Science Facility (FNSF), and lay a strong foundation for a U.S. "Generation ITER-FNSF" workforce.

The Strategic Planning Panel of the Fusion Energy Sciences Advisory Committee (FESAC) was charged by the Department of Energy's Office of Science to assess priorities within the DOE Fusion Energy Science domestic fusion program for the next 10 fiscal years (2015 through 2024). In answering the Charge, the Panel acknowledges the quality and value of previous FESAC reports and Research Needs Workshops (Appendix H) and the outstanding input of the fusion community.

The Panel concludes that with a bold 10-year strategy the U.S. will continue as a world leader in fusion research. This strategy includes resolving prioritized scientific and technical gaps to allow the pursuit of the most promising scientific opportunities leading to fusion energy development and strengthening international partnerships. The strategy also transitions the U.S. to a fusion energy program bounded by realistic budgets and guided by a "2025 Vision."

The vision, developed by this Panel, is the starting point for this report's recommendations and consists of the following elements:

- Enable U.S. leadership in burning plasma science and fusion power production research, including programs planned for ITER—the world's premier upcoming fusion facility;
- Provide the scientific and technological basis for a U.S. Fusion Nuclear Science Facility (FNSF)—a critical next step towards commercial fusion power; and

 Continue U.S. leadership in discovery plasma science, fusion-related technology, and other areas needed to realize the promise of fusion energy and develop the future fusion workforce.

With this vision, the U.S. can participate significantly in the successful operation of ITER, initiate a broad fusion nuclear science program with the intent to construct, operate, and host researchers at a U.S. Fusion Nuclear Science Facility (FNSF), and create a pioneering research atmosphere for a U.S. "Generation ITER-FNSF" workforce that leads in global scientific discoveries and technological innovation.


To realize Vision 2025, the Panel makes four primary recommendations:

- Control of Burning Plasmas
- Fusion Predictive Modeling
- Fusion Nuclear Science
- Discovery Plasma Science

These four recommendations are detailed in Chapters 2 through 5.


### Vision 2025

Fusion Energy Sciences Advisory Committee




### **Control of Burning Plasmas**

The FES experimental program needs an integrated and prioritized approach to achieve significant participation by the U.S. on ITER. Specifically, new proposed solutions will be applied to two long-standing and ubiquitous issues relevant to tokamak-based burning fusion plasma: dealing with unwanted transients and with the interaction between the plasma boundary and material walls.



### **Fusion Predictive Modeling**

The FES theory and simulation subprogram should develop the modeling capability to understand, predict, and control both burning, long pulse fusion plasmas, and plasma-facing components. Such a capability, when combined with experimental operational experience, will maximize the U.S. operational contribution and the interpretation of ITER results for long pulse, burning plasmas, as well as the U.S. contribution to the design requirements for future fusion facilities. This endeavor must encompass the regions from the plasma core through surrounding materials and requires coupling nonlinear, multi-scale, multi-disciplinary phenomena in experimentally validated, theory-based models.



### **Fusion Nuclear Science**

A fusion nuclear science subprogram should be created to provide the science and technology understanding for informing decisions on the preferred plasma confinement, materials, and tritium fuel-cycle concepts for a Fusion Nuclear Science Facility (FNSF), a proposed U.S.-based international centerpiece, beyond 2025. FNSF's mission would be to utilize an experimental plasma platform having a long-duration pulse (up to one million seconds) for the complex integration and convergence of fusion plasma science and fusion nuclear science.



### **Discovery Plasma Science**

FES stewardship of basic plasma research should be accomplished through peer-reviewed university, national laboratory, and industry collaborations. In order to achieve the broadest range of plasma science discoveries, the research should be enhanced through federal agency partnerships that include cost sharing of intermediate-scale, collaborative facilities. The experimental facilities available to implement these recommendations are located in the U.S. and at major international sites. The international experiments provide both access to unique magnetic geometries and extended operating regimes unavailable in the U.S. Those experiments should provide information required to design an FNSF and, ultimately, a fusion demonstration power plant.

The Panel collected information from the U.S. fusion community over five months, including two three-day public meetings. The community responded impressively with innovative scientific and technical plans. The report will be reviewed by FESAC and then submitted to the DOE's Office of Science. A finalized FES strategic plan will be submitted to Congress to meet a January 2015 deadline.

As directed in the Charge Letter, the report assumes U.S. participation in ITER, assesses priorities for the U.S. domestic fusion program, and ranks these priorities based on three funding scenarios with the FY14 enacted budget level (\$305M) as the baseline, and a fourth cost-of-living budget scenario based on the FY15 President's budget request (\$266M):

- Scenario 1: Modest growth (defined as 2.0% above cost of living)
- Scenario 2: Cost of living
- Scenario 3: Flat funding
- Scenario 4: Cost of living (FY15 request)

The Panel worked in four subpanels:

- Burning Plasma Foundations: the science of prediction and control of burning plasmas ranging from the stronglydriven to the self-heated state;
- 2. Burning Plasma Long Pulse: the science of fusion plasmas and materials approaching and beyond ITER-relevant heat fluxes, neutron fluences, and pulse lengths;
- Discovery Plasma Science: the science frontiers of fundamental plasma behavior; and
- 4. Partnerships with other U.S. and international programs.

The 2009 Magnetic Fusion Energy (MFE) ReNeW Report, a capstone document based on workshops by the fusion community, identified 18 science and technology "Thrusts" defined as needing "concerted research actions." Those Thrusts were considered in this report, along with community input to the Panel through presentations, Q&As, and white papers (Appendix E). Closely-related Thrusts were combined, and the prioritization of the Thrusts in metrics based on their importance to Vision 2025 led to the formulation of four overarching Initiatives. These highest-priority Initiatives are:

### **Tier 1: Transients, Interface**

Control of deleterious transient events: This Initiative combines experimental, theoretical, and simulation research to understand highly damaging transients and minimize their occurrence in ITER-scale systems.

Taming the plasma-material interface: This Initiative combines experimental, theoretical, and simulation research to understand and address the plasma-materials interaction (PMI) challenges associated with long-pulse burning plasma operation.

### **Tier 2: Predictive, FNS**

Experimentally-validated integrated predictive capabilities: This Initiative develops an integrated "whole-plasma-domain" predictive capability and will rely on data from existing and planned facilities for validation.

A fusion nuclear science subprogram and facility: This Initiative will take an integrated approach to address the key scientific and technological issues for harnessing fusion power.

(Tier 1 Initiatives are higher priority than Tier 2 Initiatives. Within a tier, the priorities are equal.)

In concert with the above Initiatives, Discovery Plasma Science will advance the frontiers of plasma knowledge to ensure continued U.S. leadership.

The U.S. fusion program is a critical piece of the world effort to develop fusion power. These Initiatives represent areas in which U.S. leadership is needed to assure global progress toward this goal.


#### **Descriptions of the Initiatives**

Control deleterious transient events: Undesirable transients in plasmas are ubiquitous but tolerable occurrences in most present tokamak experiments, but could prevent regular operation of a burning plasma experiment on the scale of ITER without frequent shutdown for repairs. To reduce the threat of disruptions to tolerable levels, both passive and active control techniques, as well as preemptive plasma shut down, will be employed. The resolution of this longstanding challenge within this ten-year period would open the pathway to robust pursuit of fusion energy development in the tokamak configuration, which is the leading option for performing fusion nuclear science research.

Taming the plasma-material interface: The critically important boundary region of a fusion plasma involves the transition from the high-temperature plasma core to the surrounding material. Understanding the specific properties of this boundary region that determine the overall plasma confinement is a priority. At the same time, the properties of this boundary region control the heat and particle fluxes to material surfaces. The response of the material surfaces influences the boundary and core plasma characteristics. Understanding, accommodating, and controlling this complex interaction—including selecting materials to withstand this harsh environment while maintaining high confinement—is a prerequisite for ITER success and designing FNSF.

The Panel concluded that a cost-effective path to the plasmamaterials-interface challenge requires a new high-power, high-fluence linear divertor simulator. Results from this facility will be iterated with experimental results on suitably-equipped domestic and international tokamaks and stellarators, as well as in numerical simulations.

Experimentally validated integrated predictive capabilities: The coming decade provides an opportunity to break ground in integrated predictive understanding that is urgently required as the ITER era begins and plans are developed for the next generation of facilities. Traditionally, plasma theory/computation provides models for isolated phenomena based on mathematical formulations that have restricted validity regimes. However, there are a growing number of situations where coupling between the validity regime and the phenomena is required in order to account for all relevant phenomena. To understand and predict these situations requires expanded computing capabilities strongly coupled to enhancements in analytic theory and the use of applied mathematics. This effort must be strongly connected to a



spectrum of plasma experimental facilities supported by a vigorous diagnostics subprogram in order to provide crucial tests of theory and allow for validation.

A fusion nuclear science subprogram and facility: Several important near-term decisions will shape the pathway toward practical fusion energy. The selection of the plasma magnetic configuration (an advanced tokamak, spherical torus, or stellarator) and plasma operational regimes needs to be established based on focused domestic and international collaborative long-pulse, high-power research. Another need is the identification of a viable approach to a robust plasma materials interface that provides acceptably high heat flux capability and low net erosion rates without impairing plasma performance or resulting in excessive tritium entrapment. Materials science research needs to be expanded to comprehend and mitigate neutron-irradiation effects, and fundamental fuel-cycle research is needed to develop a feasible tritium generation and power-conversion blanket/ first-wall concept. A new fusion materials neutron-irradiation facility that leverages an existing MW-level neutron spallation source is envisioned as an attractive cost-effective option.

In concert with the above description of the Initiatives, Discovery Plasma Science subprogram elements can provide transformational new ideas for plasma topics. DPS research seeks to address a wide range of fundamental science, including fusion, as outlined by the NRC Plasma 2010 report (Appendix H). DPS activities are synergistic with the research mission of other federal agencies, and significant opportunities exist to broaden the impact of DPS through the development and expansion of strategic partnerships between FES and other agencies. Addressing fundamental science questions at the frontier of plasma science requires a spectrum of laboratory experimental facilities, from small-scale facilities with a single principal investigator to intermediate-scale highly collaborative facilities. Interactions between larger facilities found at national laboratories and small and intermediate-scale facilities will play an important role in advancing DPS frontiers and in training the next generation of plasma scientists. Universities train the next generation of fusion researchers and support graduatestudent-scale experiments, and thus play a critical role in the DPS subprogram.

The Panel's vision, recommendations, and Initiatives motivate redirection of resources over the next ten years. Investments in plasma technology and materials, fusion nuclear science, modeling and simulation, and DIII-D and/or NSTX-U upgrades will lead to advances in the high-priority areas listed in this report and will position the U.S. fusion research program to be influential in emerging areas of importance in fusion nuclear science beyond the ten-year purview of the Charge.

Construction of two new facilities is recommended: a prototypic high-power and high-fluence linear divertor simulator; and an intense, neutron-irradiation source for which leveraging an existing megawatt-level neutron spallation source is cost effective. Under the budget scenarios tasked to the Panel, resources for these investments should derive from a major facility or facilities being closed, mothballed, and/or reduced in "run" weeks, and reconsideration of DPS funding allocations.

The Panel also notes that a full external peer review process, similar to that used for other FES projects, should be used in developing options for and deciding on future FES facilities. Due to limited time, the Panel did not conduct reviews of this type.

For all budget scenarios the Panel recommends:

- increased international collaborations in targeted areas of importance to the U.S. fusion program goals;
- the operation of at least one major domestic plasma machine;
- the simultaneous operation of DIII-D and NSTX-U for 5 years; and
- C-Mod operations end.

C-Mod should close as soon as possible, consistent with orderly transition of the staff and graduate students to other efforts, including experiments at other facilities where appropriate. The associated C-Mod research funds should be maintained in full for research on other facilities, while the operations funding should be redirected to the proposed Initiatives. Prompt closure of C-Mod is necessary to fund as quickly as possible the installation of necessary upgrades at DIII-D, to build the linear divertor simulator, and for the whole-plasma-domain modeling effort in the Predictive Initiative. DIII-D experiments using these upgrades are essential to achieve the Vision 2025 goals. The linear divertor simulator and tokamak-divertor experiments should be started as soon as feasible.

The Panel recognizes the intellectual leadership and contributions from the MIT Plasma Science and Fusion Center. Scientists and engineers from this center should take leadership roles in the proposed Initiatives. The five-year operation of NSTX-U enables consideration of a spherical torus magnetic geometry for FNSF. The five-year operation of DIII-D provides optimal investigation of transient mitigation and plasma control for ITER. Below the Panel summarizes timelines for facilities and Initiatives.

### Phase I

- Alcator C-Mod operation ends;
- DIII-D is operating and information on transient mitigation, boundary physics, plasma control, and other ITER-related research is being provided;
- NSTX-U is operating and information on a potential path to a FNSF-ST, boundary physics, and ITER-related research is being provided;
- Linear divertor simulator is under construction;
- Predictive Initiative is launched and grown;
- FNS subprogram is initiated;
- International partnerships on leading international superconducting tokamaks and stellarators are increased with the intention of supporting a long-term engagement; and
- Expanded integration of DPS elements facilitates the effective stewardship of plasma science.

### Phase II

• Partnerships centered on current international superconducting tokamaks and stellarators. Minimum of one domestic facility (DIII-D, NSTX-U) operating and providing information for the Interface Initiative;

- Linear divertor simulator operating and providing information for Interface Initiative;
- Predictive Initiative fully underway and providing information in support of all Initiatives;
- FNS Initiative underway and expanding science and technology for fusion materials, including a new neutronirradiation capability; and
- DPS partnerships advancing the frontiers of DPS knowledge, enhanced by cost sharing on intermediate-scale collaborative facilities.

Vision 2025 is achieved depending on a budget scenario (see timeline in Chapter 6) with either DIII-D or NSTX-U, operating both for programmatic objectives and as a national user facility for discovery science.

Implementation of the Initiatives is inherently tied to the four budget scenario assumptions (FY15–FY24). The funding is bound on the high end by Budget Scenario 1 (\$305M with modest growth of 4.1% per year) and on the low end by Budget Scenario 4 (FY15 President's Budget Request of \$266M with cost of living increase of 2.1% per year). As an example of the variation for these two funding models, Budget Scenario 4 starts out with \$52M less than Budget Scenario 1 in FY15 and ends up with \$135M per year less in FY24. From FY15 through FY24, the total integrated amount differs by approximately \$900M between the low- and high-end budget scenarios.

The Panel explored a variety of funding scenarios for the ReNeW Thrusts in order to derive credible funding profiles for the highest priority research activities. The Panel projects the following probable consequences:

### Scenario 1: 2014 Modest Growth

Modest growth of appropriated FY14 (\$305M) at 4.1%. This has the highest integrated funding. Vision 2025 has an acceptable probability of being achieved. Both NSTX-U and DIII-D facilities operate for 5 years and possibly for 10 years (possibly at reduced availability in Phase II). If funding only one of the facilities is possible, it is not yet clear which is optimal. After 10 years, it is expected that only one facility is required, but at this time it is not clear which one. One linear divertor simulator, one upgraded tokamak-divertor, and a neutron-irradiation facility are operating. All four Initiatives go forward, including informing the design of FNSF, and DPS funding adheres approximately to the modest growth intention. Both the divertor simulator and neutron-irradiation capability are providing data. The U.S. Fusion Program features prominently in four areas: Transients, Interface, Predictive, and importantly, FNS.

### Scenario 2: 2014 Cost of Living

This has the second highest integrated funding, but at the end of FY24 these integrated funds are approximately \$400M less than in Budget Scenario 1. There is a lower probability that Vision 2025 can be met. One of the two remaining major tokamak facilities, DIII-D or NSTX-U, will be closed or mothballed between 2020 and 2025. One linear divertor simulator, one tokamak-divertor upgrade, and the neutron-irradiation facility are available. Compared to Scenario 1, DPS funds may be affected in addition to a further effect on Foundations. Only one major tokamak facility is required beyond 2025. All four Initiatives go forward, with three (Transients, Interface, Predictive) being emphasized. If necessary, the Tier 2 Initiative FNS is slowed down. The U.S. Fusion Program features prominently in at least three Initiative areas: Transients, Interface, and Predictions. While the U.S. program will remain influential in niche areas, the prospect for U.S. leadership in the frontiers of fusion nuclear science leading to energy development beyond the ten-year vision is diminished, and progressively so as the budget is reduced.

### Scenario 3: 2014 Flat

This has the third-highest integrated funding, but at the end of FY24 these integrated funds are approximately \$780M less than the highest budget, Budget Scenario 1. Vision 2025 will be only partially met. One of the two remaining facilities, DIII-D or NSTX-U, will be closed or mothballed between 2020 and 2025, earlier than in the Budget Scenario 2. DPS funds may be reduced slightly in addition to a small further reduction in Foundations funds, *e.g.*, the linear divertor simulator and the

upgraded tokamak-divertor are operating, but the neutronirradiation facility may not be possible. The two Tier 1 Initiatives (Transients, Interface) and one Tier 2 Initiative (Predictive) go forward, but the Tier 2 Initiative FNS is slowed further. The U.S. Fusion Program features prominently in two, Transients and Interface, or possibly three, the third being the Predictive Initiative. Maintaining U.S. leadership in any broad emerging area by the end of the ten-year plan would be compromised, as the fusion nuclear science component represents the key new element of U.S. entry into fusion science development near the end of the ten-year plan, even as the challenges addressed by the Transients and Interface Initiatives would be pursued.


### Scenario 4: 2015 Cost of Living

Integrated funding over the 10-year period is about \$900M less than Budget Scenario 1. Vision 2025 will be only partially met and the second (Predictive) of the two Tier 2 Initiatives is lost. One of the two remaining facilities. DIII-D or NSTX-U, will be closed or mothballed around 2020, which may be earlier than in the Budget Scenario 3. DPS funds will be reduced slightly in addition to a small further reduction in Foundations funds, e.g., one or both of the linear divertor simulator and the upgraded tokamak-divertor may not be possible in spite of closing a second major facility around 2020. It is expected that the U.S. will be influential in the research fields encompassed by the two Tier 1 Initiatives, specifically Transients and Interface. The necessary delay to the FNS and Predictive Initiatives will leave significant obstacles in the path to fusion power precisely where the U.S. is best situated to lead the way. While the U.S. could maintain a significant role in resolving the two Tier 1 Initiatives, the delay to the other two Initiatives cedes the leading role in these areas to the international programs. The U.S. would be in a weak position to proceed as an innovative center of fusion science beyond 2025.

Focused effort on the four proposed highest-priority Initiatives, together with existing strengths in diagnostics, experimental research, theory, simulation, and computation, will promulgate a vibrant U.S. fusion energy sciences program that can lead in emerging fusion nuclear science research.

1

### Fusion Energy Sciences: Introduction and Background



# 1

Fusion Energy Sciences Program: Introduction and Background

### **A Forward Look**

Harnessing fusion energy offers enormous potential for improving the global quality of life by providing an abundant, inherently safe, and environmentally benign supply of energy. Seven governmental agencies representing more than half of the world's population (China, the European Union, India, Korea, Japan, Russia, and the U.S.) have united in an unprecedented collaboration to build ITER, a magnetic confinement fusion reactor experiment that is expected to be a major step forward in the quest for commercial fusion energy. Scientists anticipate that ITER, under construction in Saint Paul-lez-Durance, France, will produce 500 megawatts of fusion thermal power, demonstrating the feasibility of large-scale fusion energy.

In addition to its engagement in the ITER project and collaborations on other international fusion projects, the U.S. operates mature domestic fusion facilities. The overall U.S. fusion program is categorized into three "Burning Plasma" thematic areas that focus on conditions relevant to: Burning Plasma High Power (not considered here per specification in the Charge), Foundations, and Long Pulse. An essential fourth component comprises an impressive range of basic and applied plasma science that is not directly part of the burning plasma subprograms: Discovery Plasma Science (DPS). This component is open and innovative, contributing to industry, health, space science, and fundamental plasma science.

Research on U.S. fusion facilities encompasses numerous activities highly regarded for their scientific excellence and innovative nature. For example, the U.S. has been a major participant in the International Tokamak Physics Activity (ITPA) as a result of the technical contributions from its three major toroidal confinement facilities and related U.S. theory and simulation activities. Although the U.S. facilities undergo routine upgrades to better address areas of strong scientific interest as they develop in importance, in recent years international collaborators have made many more significant investments in their fusion research programs and, as a result, are developing experimental capabilities that soon will far exceed those in the U.S. These include, but are not limited to, large toroidal confinement devices (tokamaks and stellarators) outfitted with superconducting-magnet coils that enable high-performance plasmas to be created and confined for the extended durations ultimately required to develop the scientific and technical bases of continuous fusion energy production.

While the U.S. is not currently poised for a major fusion investment in a new toroidal fusion facility comparable to those abroad, opportunities are available to advance the domestic fusion program in areas of current U.S. strength and to invest in important emerging high-priority areas of fusion research. To do so, the U.S. should arrange to conduct some research activities on the international facilities in order to pursue its objectives in more relevant fusion conditions. The U.S. should also extend its research vision into the area of fusion nuclear science that is a necessary precursor to fusion energy development. The relevant elements of fusion nuclear science are described in later chapters, but broadly speaking, mastery of fusion nuclear science will bridge the gap between demonstrating the confinement of high-performance plasmas and the development of practical fusion energy.

In addition to developing solutions for plasma-facing materials that are tolerant of neutron irradiation, tritium recovery and breeding, and other challenges, there will be a need for a Fusion Nuclear Science Facility (FNSF). The FNSF is presently conceived to be a long-pulse plasma-confinement facility that will be a bridge between ITER and an eventual demonstration reactor. Developing the scientific and technical basis for the step to such a facility is challenging, but necessary. If the U.S. seizes this opportunity to pursue development of an FNSF, it will exert leadership in fusion nuclear science. Taking advantage of these two opportunities, together with our existing strengths in diagnostics, experimental research, theory, simulation, and computation, would result in a vibrant U.S. fusion energy program that has a new focus and contributes in unique and critical ways to global fusion energy needs.

The U.S. supports highly visible and productive research programs in the area of fundamental discovery plasma science and engineering. Knowledge generated by these subprograms advances our understanding of natural phenomena such as space weather, solar dynamics, and supernova explosions. The discoveries are often used in technological devices—ranging from etching and deposition of materials in microelectronics fabrication to surgical instruments—that benefit everyday life. Fundamental plasma science research has laid the groundwork for the magnetic fusion plasma science effort that has brought us to the brink of the fusion energy era. Stewardship of this vital research subprogram will result in continued fundamental science discovery and application innovation.

The Discovery Plasma Science subprogram is a major source of support for university programs that play the key role in developing the future fusion workforce through recruiting and training students in experiment, theory, and computation from the undergraduate to the postdoctoral level. Universities can help improve the diversity of the workforce, which is a critical issue. University training and the university environment can also help develop the skills and perspectives necessary for effective teamwork.

The discussion above frames the Panel's vision for the U.S. fusion energy sciences program for the next ten years, referred to as Vision 2025, to participate significantly in the successful operation of ITER, initiate a broad fusion nuclear science program with the intent to construct, operate, and host researchers at an FNSF, and create a pioneering research atmosphere for a "Generation ITER-FNSF" workforce that is leading global scientific discoveries and technological innovation.

### Vision 2025 Elements

- Enable U.S. leadership in burning plasma science and fusion power production research, including programs planned for ITER;
- Provide the scientific and technological basis for a U.S.
   Fusion Nuclear Science Facility (FNSF)—a critical next step towards commercial fusion power; and

 Continue U.S. leadership in discovery plasma science, fusion-related technology, and other areas necessary to realizing the promise of fusion energy and developing the future fusion workforce.

### **Meeting the Charge**

In April 2014, FESAC was given a Charge by DOE to assess the priorities among continuing and new scientific, engineering, and technical research subprogram investments within and between each of three Fusion Energy Science (FES) subprograms:

- The science of prediction and control of burning plasma ranging from the strongly-driven state to the self-heated state. This subprogram is labeled **Burning Plasma Science: Foundations** (referred to in this report as **Foundations**).
- The science of fusion plasmas, plasma-material interactions, engineering and materials physics modeling and experimental validation, and fusion nuclear science approaching and beyond ITER-relevant heat fluxes, neutron fluences, and pulse lengths. This subprogram is labeled **Burning Plasma Science: Long Pulse** (referred to as **Long Pulse**).
- The study of laboratory plasmas and the high-energydensity state relevant to astrophysical phenomena, the development of advanced measurement validation, and the science of plasma control important to industrial applications. This subprogram is labeled **Discovery Plasma Science** (referred to as **DPS**).

In order for FES to provide Congress with a Strategic Plan by January 2015 as requested in the Fiscal Year 2014 Omnibus Appropriations Act, the DOE Office of Science asked FESAC:

- to prioritize the FES defined subprograms;
- to include FESAC views on new facilities, new research initiatives, and facility closures;
- to establish a scientific basis for advancing fusion nuclear science; and

 to assess the potential for strengthened or new partnerships with other federal agencies and international research programs that foster opportunities otherwise unavailable to U.S. fusion scientists.

A 19-member FESAC Strategic Planning Panel, consisting of FESAC members and outside experts, was convened in May 2014 to respond to the Charge in a report that the Panel presented during the FESAC September 22–23, 2014 meeting.

Although the Panel was aware of the subprogram elements of the fusion program described and prioritized by previous FESAC reports, the Panel understood the need for additional U.S. fusion community input as a basis for a report that would address the Charge's specific budget scenarios for advancing FES subprograms. Community input on initiatives for FES for the next ten years relevant to Foundations, Long Pulse, and DPS were presented during two public meetings (June 3–5 and July 8–10, 2014). The U.S. and international fusion communities were encouraged to submit white papers that were posted for public viewing on the Panel website found at https://www.burningplasma.org/activities.

The Panel was organized into four subpanels, three representing the three FES subprograms (Foundations, Long Pulse, DPS), and one representing leverage and partnership opportunities with other federal programs and international programs. These subpanels considered key FESAC and community reports, including:

- Priorities, Gaps and Opportunities: Towards A Long-Range Strategic Plan For Magnetic Fusion Energy (2007);
- Research Needs for Magnetic Fusion Energy Sciences (2009);
- Report of the FESAC Subcommittee on the Priorities of the Magnetic Fusion Energy Science Program (2013);
- Opportunities for and Modes of International Collaboration in Fusion Energy Sciences Research during the ITER Era (2012);
- Opportunities for Fusion Materials Science and Technology Research Now and During the ITER Era (2012);
- Low Temperature Plasma Science Workshop (2008);

- Plasma Science: Advancing Knowledge in the National Interest (2007);
- Basic Research Needs for High Energy Density Laboratory Physics (2010); and
- Workshop on Opportunities in Plasma Astrophysics (2010); and Prioritization of Proposed Scientific User Facilities in the Office of Science report (2013) (Appendix H).

Each subpanel, following the 10-year approach established in Vision 2025, identified candidate initiatives, primary and supporting recommendations, and minimum funding requirements. The Panel integrated and iterated these findings (see Appendix A), resulting in four high priority Initiatives that would be pursued over ten years under a majority of the budget scenarios. These Initiatives were further ranked into upper and lower tiers, with an understanding that those in the lower tier would be delayed under the lower budget scenarios.

### Conflict of Interest Resolution During the FESAC Approval Process

In promulgating this report to the Department of Energy, it is recognized that there are recommendations that could affect the interests of several organizations engaged in fusion research. After consultation with the DOE Office of the General Counsel, those individuals identified with conflicts of interest were recused from providing comments on the report, participating in discussions concerning the report, and voting on the report. These individuals are Professor Bhattacharjee, Dr. Greenfield, Dr. Groebner, Dr. Izzo, Dr. Kim, Dr. Neilson, Dr. Rapp, Dr. Sugiyama, and Professor Zinkle.

### Initiatives and Recommendations Primary Recommendations

A vision for 2025, four primary recommendations, four initiatives, and nine supporting recommendations are formulated by the panel, based significantly on the previous Priorities, Gaps, and Opportunities (2007) roadmap exercise and the MFE ReNeW (2009) grand-challenge science questions. Peer review is essential in enabling the best effort and in delivering the highest quality outcome throughout the FES program.

### **Control of Burning Plasmas**

The FES experimental program needs an integrated and prioritized approach to achieve significant participation by the U.S. on ITER. Specifically, new proposed solutions will be applied to two long-standing and ubiquitous issues relevant to tokamak-based burning fusion plasma: dealing with unwanted transients and with the interaction between the plasma boundary and material walls.

### **Fusion Predictive Modeling**

The FES theory and simulation subprogram should develop the modeling capability to understand, predict, and control both burning, long pulse fusion plasmas, and plasma-facing components. Such a capability, when combined with experimental operational experience, will maximize the U.S. operational contribution and the interpretation of ITER results for long pulse, burning plasmas, as well as the U.S contribution to the design requirements for future fusion facilities. This endeavor must encompass the regions from the plasma core through surrounding materials and requires coupling nonlinear, multi-scale, multi-disciplinary phenomena in experimentally validated, theory-based models.

### **Fusion Nuclear Science**

A fusion nuclear science subprogram should be created to provide the science and technology understanding for informing decisions on the preferred plasma confinement, materials, and tritium fuel-cycle concepts for a Fusion Nuclear Science Facility (FNSF), a proposed U.S.-based international centerpiece beyond 2025. FNSF's mission would be to utilize an experimental plasma platform having a long-duration pulse (up to one million seconds) for the complex integration and convergence of fusion plasma science and fusion nuclear science.

### **Discovery Plasma Science**

FES stewardship of basic plasma research should be accomplished through peer-reviewed university, national

laboratory, and industry collaborations. In order to achieve the broadest range of plasma science discoveries, the research should be enhanced through federal agency partnerships that include cost sharing of intermediate-scale, collaborative facilities.

In Chapters 2 and 3, the Thrusts relevant to Foundations and Long Pulse are individually discussed. In those sections the eighteen science and technology Thrusts from the 2009 ReNeW Report are considered, along with valuable community input to the Panel in 2014 through presentations, question and answer sessions, and white papers (*c.f.*, Appendix E). Closely related Thrusts that addressed an overarching topic were combined into an overarching Initiative. Prioritization of the Thrusts in terms of metrics that included their importance to Vision 2025 and the primary recommendations directly led to formulation of four overarching Initiatives. The four highest priority Initiatives, categorized in two tiers, are:

#### **Tier 1: Transients, Interface**

Control of deleterious transient events: This Initiative combines experimental, theoretical, and simulation research to understand highly damaging transients and minimize their occurrence in ITER-scale systems.

Taming the plasma-material interface: This Initiative combines experimental, theoretical, and simulation research to understand and address the plasma-materials interaction (PMI) challenges associated with long-pulse burning plasma operation.

### **Tier 2: Predictive, FNS**

Experimentally-validated integrated predictive capabilities: This Initiative develops an integrated "whole-plasma-domain" predictive capability and will rely on data from existing and planned facilities for validation.

A fusion nuclear science subprogram and facility: This Initiative will take an integrated approach to address the key scientific and technological issues for harnessing fusion power. (Tier 1 Initiatives are higher priority than Tier 2 Initiatives. Within a tier, the priorities are equal.)

In concert with the above Initiatives, Discovery Plasma Science will advance the frontiers of plasma knowledge to ensure continued U.S. leadership.

The U.S. fusion program is a critical piece of the world effort to develop fusion power. These Initiatives represent areas in which U.S. leadership is needed to assure world progress toward this goal.

#### **Descriptions of the Initiatives**

Control deleterious transient events: Undesirable transients in plasmas are ubiquitous but tolerable occurrences in most present tokamak experiments but could prevent regular operation of a burning plasma experiment of the scale of ITER and future devices without frequent shutdown for repairs. To reduce the threat of disruptions, the Panel recommends a robust multi-level strategy evolving from present experiments and improving predictive modeling.

Taming the plasma-material interface: The critically important boundary region of a fusion reactor includes the transition from the high-temperature, confined plasma core to the low-temperature material structure that surrounds the plasma. The fusion power generated in the core plasma is directly impacted by the structure and behavior of the boundary region. Steep plasma-pressure profiles having large gradients at the edge of the core plasma (termed the H-mode pedestal) are essential to support a sustained highpressure (and therefore high-fusion-power) core plasma. Understanding the processes that allow these large gradients to form and affect plasma stability is a priority. Heat and particle exhaust from the high-power fusion-power core flows through the pedestal region into a thin layer termed the scrape-off layer (SOL) that surrounds the core plasma. This exhaust is conducted through this thin layer to material structures surrounding the plasma. The properties of the thin surrounding layer (its width in particular) ultimately determine the intensity of the heat and particle fluxes that become established. The engineering solution for these material structures is strongly constrained by this intensity.

Understanding the physics of the thin surrounding layer and seeking solutions to control how this flux impinges on material surfaces is a high priority. Materials must be engineered to withstand this harsh environment.


Experimentally validated integrated predictive capabilities:

The coming decade provides an opportunity to break ground in the integrated predictive understanding that is required as the ITER era begins and plans are developed for the next generation of facilities. Traditionally, plasma theory and simulation provide models for isolated phenomena based on mathematical formulations that are only strictly valid over a limited region of the plasma or restricted to particular spatial and temporal scales. Hence, DOE has historically organized its funded theory and simulation enterprises by topical element (e.g., radio-frequency heating, extended MHD, turbulent transport, etc.). While gaps remain in these elements, the U.S. theory and simulation subprogram has provided many contributions to improved predictive understanding and has spearheaded validation efforts on a variety of experimental configurations. However, there are crucial areas of fusion science for which coupling of topical elements is required to further understand and attain predictive capability. Examples include active control/ mitigation modeling of deleterious MHD instabilities, core-edge coupling, plasma-surface interaction, 3D-field effects on edge/pedestal properties, etc. The strong coupling of physics phenomena implies that new phenomena mechanisms can appear that cannot generally be predicted with theory tools that rely on single-component phenomenon models. This kind of transformational change in our understanding of the overall behavior, physics, and processes is critical if we are to aim for true predictive modeling. These advances can be made with expanded computing capabilities strongly coupled to enhancements in analytic theory and applied mathematics understanding. This effort must be strongly connected to a spectrum of plasma experimental facilities supported by a vigorous diagnostics subprogram in order to provide a platform for validating theory with experiment.

A fusion nuclear science subprogram and facility: Several near-term decisions will shape the pathway toward practical fusion energy. The selection of the plasma configuration (AT vs. ST, tokamak vs. stellarator) and plasma operational regimes need to be established on the basis of focused domestic and international collaborative long-pulse, highpower research. There is also a need for the identification of a viable approach to a robust plasma materials interface that tolerates acceptably high heat flux capability and provides low net erosion rates without impairing plasma performance or tritium entrapment. Materials science research must be expanded to comprehend intense fusion neutron-irradiation effects on property degradation of structural materials and to design potential materials science approaches to mitigate these degradation phenomena. A new fusion materials neutron-irradiation facility that takes advantage of an existing megawatt-level neutron spallation source is envisioned as a cost-effective option. Fundamental research is needed to identify a feasible tritium fuel-cycle and power-conversion concept, including improved understanding of the permeation and trapping of tritium inside candidate coolants and fusion materials, exploration of viable methods for efficiently extracting tritium from hot flowing media, and improved understanding of complex magnetohydrodynamic (MHD) effects on the flow of electrically conductive coolants in confined channels. Acquisition of new knowledge in all of these fusion nuclear science research areas is needed in order to provide the scientific basis for the conceptual design of a Fusion Nuclear Science Facility.

In concert with the above Initiatives, effective DPS subprogram elements can provide transformational ideas for plasma topics. DPS research addresses a wide range of fundamental science, including fusion, as outlined by the NRC Plasma 2010 report. DPS activities are synergistic with the research mission of other federal agencies, and opportunities exist to broaden the impact of DPS through the expansion of strategic partnerships between FES and other agencies. Addressing fundamental science questions at the frontier of plasma science requires a spectrum of laboratory experimental facilities from small-scale facilities led by a single investigator to intermediate-scale, highly collaborative facilities. The development of intermediate-scale and multi-investigator facilities would be prioritized to address a wider range of scientific questions with comprehensive diagnostic suites. Mutual interactions between larger facilities found at national laboratories and smaller facilities will play an important role in advancing DPS frontiers and in training the next generation of plasma scientists. These Initiatives, together with the findings of the DPS subpanel, are transposed into four primary recommendations listed in the Executive Summary. 2

### Burning Plasma Physics: Foundations



# 2

Burning Plasma Physics: Foundations

### **Definition and status**

The Foundations subprogram encompasses fundamental and applied research pertaining to the magnetic confinement of plasmas with emphasis on ITER and future burning plasmas. Both experimental and theoretical contributions are included in Foundations. The key objectives are to establish the scientific basis for the optimization of approaches to magnetic confinement fusion based on the tokamak (including the spherical torus), increase the predictive understanding of burning plasma behavior, and develop technologies that enhance the performance of both existing and next-step machines.

The elements of the subprogram are:

- The research and operations of three major U.S. machines—the DIII-D tokamak located at General Atomics, the National Spherical Torus Experiment Upgrade (NSTX-U) at Princeton Plasma Physics Laboratory (PPPL), and the C-Mod tokamak at the Massachusetts Institute of Technology (MIT). Infrastructure improvements to these facilities are included, but activities pertaining to steady-state operation and fusion nuclear science are part of the Long Pulse category;
- Theory and Scientific Discovery Through Advanced Computing (SciDAC) activities;
- Smaller tokamak projects; and
- Heating, fueling and transient mitigation research.

The DIII-D research goal is to establish the scientific basis for the optimization of the tokamak approach (Advanced Tokamak) to magnetic confinement. DIII-D research activities also address near-term scientific issues critical to the successful construction of ITER, including tests of the feasibility of disruption mitigation and ELM reduction on ITER and developing the scientific basis for both the standard operating scenario to achieve high-gain fusion and the more advanced long-pulse operating scenario. These issues are also pertinent to the mission of a future FNFS. Present activities also include experimental validation of transport theoretical models and testing the simultaneous achievement of high-performance core plasmas with fusion-relevant edge scenarios. The primary mission of the NSTX-U subprogram element is to evaluate the potential of the low-aspect ratio tokamak, or spherical torus, to achieve the sustained high performance required for an FNSF. ITER-relevant research on NSTX-U includes energetic particle behavior and high-beta disruption control. Innovative plasma-material-interaction (PMI) solutions are another important element of this program. The ITER-relevant research will also address energetic particle behavior and high-ß disruption control.

The C-Mod research mission is to help establish the plasma physics and engineering requirements for a burning plasma tokamak experiment, with FY15 research focusing on experiments that address issues of ITER-relevant boundary and divertor physics, as well as disruption-mitigation studies.

Theory and simulation research advances the scientific understanding of fundamental physical processes governing the behavior of magnetically confined plasmas and develops predictive capability by exploiting leadership-class computing resources.

Smaller tokamak projects center on innovative niche issues of the AT and ST configurations. These projects include the spherical torus LTX at the Princeton Plasma Physics Lab to study liquid-metal PFC solutions, Pegasus at the University of Wisconsin with the mission to study non-solenoidal startup and edge stability, and the HBT-EP tokamak at Columbia University to develop MHD mode control in high-ß plasmas.

### Thrusts

The Panel has selected the priorities of the 10-year program from the key science and engineering topics identified in FESAC's *Priorities, Gaps, and Opportunities* report of 2007 and the *Research Needs for Magnetic Fusion Energy ReNeW* report of 2009. For example, the ReNeW report surveyed the range of scientific and technological research frontiers of fusion science and identified eighteen Thrusts determined by specific research needs. Many of the Thrusts are interrelated, some in ways not fully understood at the present time. Most must be addressed to move to a program in fusion energy. The subset of the Thrusts selected in this report as the highest priorities are evaluated according to the metrics described in Appendix A. The research drivers for the Thrusts are:

Thrust 1:	Develop measurement techniques to understand and control burning plasmas.
Thrust 2:	Control transient events in burning plasmas.
Thrust 3:	Understand the role of alpha particles in burning plasmas.
Thrust 4:	Qualify operational scenarios and the supporting physics basis for ITER.
Thrust 5:	Expand the limits for controlling and sustaining fusion plasmas.
Thrust 6:	Develop predictive models for fusion plasmas, supported by theory and challenged with experimental measurement.
Thrust 7:	Exploit high-temperature superconductors and other magnet innovations.
Thrust 8:	Understand the highly integrated dynamics of dominantly self-heated and self-sustained burning plasmas.
Thrust 9:	Unfold the physics of boundary layer plasmas.
Thrust 10:	Decode and advance the science and technology of plasma-surface interactions.
Thrust 11:	Improve power handling through engineering innovation.

Thrust 12:	Demonstrate an integrated solution for plasma-material interface compatible with an optimized core plasma.
Thrust 13:	Establish the science and technology for fusion power extraction and tritium sustainability.
Thrust 14:	Develop the material science and technology needed to harness fusion power.
Thrust 15:	Create integrated designs and models for attractive fusion power systems.
Thrust 16:	Develop the spherical torus to advance fusion nuclear science.
Thrust 17:	Optimize steady-state, disruption-free toroidal confinement using 3D magnetic shaping.
Thrust 18:	Achieve high-performance toroidal confinement using minimal externally applied magnetic field.

According to the Charge's guideline to separate research issues into the categories provided by FES, eight of these Thrusts (1–6, 9, and 16) pertain to the category of Foundations and are relevant for this chapter, which focuses on fusion science carried out in tokamaks and spherical tokamaks. Most of the remaining Thrusts (7, 10–15, and 17) are discussed in the next chapter on Long Pulse, and Thrust 18 is discussed in Ch. 4 on DPS. Several Thrusts overlap with each other and are important across FES subprograms.

### **Priorities**

The Panel concludes that three subprogram elements within Foundations should have high priority over the next ten years and become initiatives. The Transients Initiative and the Interface Initiative are accorded the highest priority, and the Predictive Initiative has the next highest priority. Close coupling between theory/simulation and experimental research is optimal for making advances in the proposed activities.

### Transients

Avoiding the consequences of deleterious transients is essential in a fusion power plant. The two primary concerns for large tokamaks, including ITER, are disruptions (sudden loss of plasma confinement, followed by a rapid decline of the plasma current) and edge-localized modes (ELMs) that result in periodic bursts of heat and particles from the outer region of a high-confinement plasma (so-called pedestal of density and temperature) to the plasma-facing material of the divertor and wall. While they are tolerable phenomena in present tokamak experiments, they are forecast to be too destructive in a facility of the scale of ITER or DEMO, the demonstration fusion plant that would build upon the experimental success of ITER. Disruptions can have the following consequences:

- Enhanced energy flux to the divertor and wall;
- Large electromagnetic loads on the vacuum vessel due to halo currents; and
- Localized energy/particle flux due to runaway electrons.

While ELMs have the beneficial effect of reducing the influx of impurities to the core of the plasma, they can also deliver large transient heat fluxes to the divertor. In plasmas of the scale of ITER, FNSF, and DEMO, the impulsive heat flux is predicted to exceed the safe thermal power thresholds of the plasma-facing material in the divertor unless it is mitigated.

The urgency of this Transients Thrust is driven by the necessity to operate ITER with as few disruptive events as possible in order to meet the facility's objective of sustained fusion power production. Demonstrated control of disruptions is considered even more important for either an advanced or spherical tokamak as the confinement configuration of an FNSF. Mitigation of disruptions is becoming a standard protective technique in large tokamaks, and the

U.S. is responsible for providing the appropriate hardware for ITER. Furthermore, several successful techniques for reducing the pulsed heat loads from ELMs are under investigation around the world. U.S. scientists are in the forefront of all of these research areas.

### Interface

Developing boundary solutions (Interface Initiative) is the other priority in Foundations. The boundary region of a fusion reactor comprises the transition from the high-temperature, magnetically confined plasma core to the lower-temperature material that surrounds the plasma. Heat and particle exhaust from the hot plasma core flows through the magnetic separatrix into the thin scrape-off-layer (SOL) surrounding the plasma in which the magnetic field lines terminate on the material surroundings. Magnetic divertors near the wall disperse the exhausted power over a broad area, and neutral gas in the divertor and SOL can convert much of the incident heat flux to radiation, which also serves to disperse the exhaust heat over a large surface area.

Understanding the phenomena taking place within the boundary region is important because the density and temperature of the core plasma (and hence the fusion power generated in a burning plasma) is remarkably dependent on the behavior of the boundary region. A steep plasmapressure profile having a large gradient at the edge of the core plasma constitutes a local barrier (reduction) to the transport of heat and particles into the scrape-off layer. This barrier is essential to maintaining a sufficiently high temperature core plasma in the burning plasma regime. The edge-localized modes, mentioned above, periodically collapse this pedestal. Understanding the processes that allow this pedestal to form, regulate its magnitude, and impact its stability is critical.

The magnetic geometry of the scrape-off layer and the plasma and atomic processes taking place within it ultimately determine the intensity of the heat and particle fluxes to the walls and divertor. The engineering solution for these material structures is strongly constrained by the magnitude of the intensity of the fluxes that get established. Materials must be engineered to withstand this harsh environment; challenges include potentially unacceptable material erosion and redeposition from intense particle fluxes, excessive tritium entrainment in redeposited layers, and high heat flux melting of plasma-facing armor and associated thermal fatigue damage to underlying structures.

Recent scaling studies from a variety of tokamaks indicate that the heat flux to the ITER divertor is predicted to be several times higher than the previously accepted values. Theory and simulation applied to the edge region to provide predictive understanding for ITER and beyond is not as developed as for other plasma phenomena. Understanding the physics of the scrape-off layer and developing solutions that control how this flux impinges on material surfaces is a high priority. Several potential approaches for mitigating some of these plasma-materials interaction effects have been proposed but need to be explored theoretically and on appropriate linear plasma-materials-interaction facilities and tokamaks.

In summary, edge plasma physics is an area in which the level of technical readiness needs to be raised to prepare for ITER research and the development of FNSF.

### Predictive

Integrated predictive capability (Predictive Initiative) is the next priority in the Foundations area. The essence of scientific understanding is the development of predictive models based on foundational theory that is validated against experimental measurements. This Thrust combines analytic theory, computational modeling, and experimental validation to establish predictive capability that links the science of different regions in the plasma and topical areas of plasma physics. This capability is necessary for reliable extrapolation to the operating regimes, *i.e.*, that integrates the diverse physics of multiple phenomena occurring within the different regions of the whole plasma device that will take place in ITER and successor devices. The combination of increasing computational power and the cost of future experiments make this Thrust extremely timely; advances in integrated modeling are considered essential when it comes to designing a device of the scale and scope of FNSF. At present, the U.S. is the leader in theory and simulation in several areas of fusion energy science. That success is mostly due to the close coordination with the experimental facilities that allow examination of a broad range of plasma parameters and focus.

In a number of topical areas, relatively mature development in the U.S. theory and simulation subprogram element exists. These areas include core transport, extended magnetohydrodynamics, energetic particles, radio-frequency heating, and 3D-field effects, with support provided by both base theory and DOE's Scientific Discovery through Advanced Computing (SciDAC) programs that target individual topical areas. However, there are other areas in which substantial development is required. These areas include pedestal physics, scrape-off-layer/divertor, plasma-surface interaction, and material science. While gaps remain in these areas, the U.S. theory and simulation subprogram has provided many contributions that successfully predict experimental phenomena.

### Initiatives

The scientific priorities identified above and in succeeding chapters motivate a high-priority set of research activities, or Initiatives, that should occupy a central role in the U.S. program over the next ten years. While the Initiatives do not capture the full scope of fusion research that should be carried out, they reflect the Panel's judgment on where the research could take intelligent advantage of U.S. capabilities, where the research is likely to have a major impact in fusion science, and where the research positions the U.S. for leading roles in fusion energy development within and beyond the scope of the ten-year plan.

### **Transients**

The major domestic experimental subprogram elements will focus on U.S. scientists playing influential roles on ITER. As part of its strategy, the U.S. program will sustain its attack on controlling edge localized modes and disruptions. The Panel believes that the favorable and timely resolution of these challenges benefits from a distinct strategic Thrust that is coupled with boundary physics research and predictive modeling. Although there have been notable advances over the years of experience with tokamaks, there remains a strong motivation to gain a deeper scientific understanding of the transient events and of the actuators proposed to control them under a variety of plasma conditions. The Transients Initiative seeks to reduce the effects of ELMs and disruptions in ITER and simultaneously develop more reliable predictive models to employ in the design of future burning plasma experiments in which the plasma is less tolerant to transient events, the control actuators less accessible, and the consequences to reliable operation more severe. The successful resolution of these challenges within the next ten years would open a path to the steady-state tokamak as a prospective facility for fusion nuclear science and DEMO.

Strategic international partnerships are required over the next decade to investigate key scientific issues, specifically collaborations that exploit the unique capabilities of superconducting long pulse tokamaks such as EAST, KSTAR, the JET-sized superconducting tokamak JT-60SA, which will start operation in 2019, and stellarators including LHD and W7-X.

ELMs commonly occur in the pedestal region near the boundary of high-performance tokamak plasmas. Several promising techniques for mitigating the pulsed heat loads from ELMs have been developed from U.S.-Ied efforts. That knowledge is critical as the U.S. has prime responsibility for implementing such mitigation methods on ITER. Because of this responsibility, the U.S. program should emphasize the Transients Initiative to actively modify the edge plasma conditions to mitigate large ELMs using a variety of techniques, including applied 3D magnetic-field perturbations and timed injection of pellets into the edge plasma. It should further explore plasma regimes that are suitable for burning plasma scenarios in which deleterious ELMs do not arise.

To negate the consequences of disruptions in large tokamak plasmas beyond simple avoidance of unstable operating conditions, U.S. researchers will employ a multi-level strategy informed by ongoing experiments and improved theoretical understanding. Actuators and associated diagnostic tools employing state-of-the art control theory will maintain passive stability by steering plasmas away from disruptive states, actively stabilize disruptive precursors when they arise, and pre-emptively shut down the plasma as a last resort to avoid the worst consequences of disruptions.

Continued development of the stellarator, in which tokamaklike disruptions do not occur, will also be pursued. The U.S. should maintain its collaborations with the large foreign stellarators as its primary means of engaging in stellaratorcentered fusion science, and on W7-X in particular, where a collaborative agreement already exists.

Experiments conducted on international facilities that have the requisite diagnostic capability will provide the necessary data for model validation. Collaborations with international theorists through individual exchanges and through formal projects (such as verification exercises coordinated by the International Tokamak Physics Activity) will spur development of key computer simulation modules. Ultimately, a mature predictive model can provide advance information needed to safely plan experiments on large international devices.

#### Transients Initiative research plan

The U.S. program will conduct research on domestic facilities to further improve the prediction and avoidance of major disruptions in tokamaks, and to reduce the potential for divertor and first-wall damage to tolerable levels through robust mitigation. Similar research will be maintained to improve the suppression of ELMs.

Initially, the experimental research should be carried out using the short-pulse, well-diagnosed DIII-D and NSTX-U devices. Because of the rapid growth rates of transient events, they can best be investigated on existing facilities. The Panel envisions much of the work to take place on DIII-D, which already conducts active research in both disruptions and ELMs and is well suited for this work. An upgrade of the hardware for the 3D magnetic-field perturbation coils is recommended.

The research could be transitioned to the longer pulse EAST in China and KSTAR in South Korea, which are devices that have fully stationary current and pressure profiles, but this should be staged late in the 10-year period. Research teams from EAST and KSTAR should be included in collaborative research activity to facilitate this subsequent transition. The most important transition for this research will be operating ITER Baseline and subsequently Advanced Tokamak discharges in ITER with minimal transient events, but this will occur beyond the 10-year horizon of this plan.

Recommendation: Maintain the strong experimental U.S. focus on eliminating and/or mitigating destructive transient events to enable the high-performance operation of ITER. Develop improved predictive modeling of plasma behavior during controlled transient events to explore the basis for the disruption-free sustained tokamak scenario for FNSF and DEMO.

### Interface

The primary goal of the Interface Initiative is to develop the physics understanding and engineering solutions for the boundary plasma and plasma-facing components that will enable the operation of a high-power fusion core with acceptable material lifetimes.

### Interface Initiative research plan

- Develop first-principles understanding and predictive capability for the structure of the edge pedestal, in particular the pedestal height.
- Understand the physics of the heat flux width in the scrape-off-layer structure, including a predictive capability for the heat flux incident on divertor materials and other in-vessel components, such as RF antennas.
- Explore solutions to mitigate heat flux such as advanced divertor solutions.
- Evaluate impact of PMI on boundary and core performance.

This Initiative will engage improved theoretical modeling with experiments conducted on toroidal confinement facilities with a research focus on the boundary, scrape-off layer, and divertor (both tokamak and stellarator experiments are expected to contribute). The Panel advocates that one major U.S. facility be made available as part of this Initiative for innovative boundary studies with advanced divertor scenarios as an upgrade during the latter half of the 10-year period. This effort will use the fundamental studies of plasma-materials interaction in the Long Pulse subprogram and will transition to steady-state boundary research on longpulse international superconducting tokamaks.

Recommendation: Undertake a technical assessment to ascertain which existing facility could most effectively address the key boundary physics issues.

### Predictive

In general, fusion science benefits from experimentally validated modeling. Predicting behavior in future plasma experiments and devices, specifically, requires this approach to modeling. Crucial areas of fusion science require coupling of topical subprogram elements to understand and attain predictive capability that integrates numerous effects at multiple temporal and spatial scales with the whole plasma domain. Examples include active control and mitigation of disruption events, core-edge coupling, plasma-surface interaction, and 3D-field effects on edge and pedestal properties. The strong coupling of physics implies that new phenomena can appear that cannot generally be predicted with theory tools that rely on single-phenomenon models. The envisioned integrated predictive modeling subprogram element will produce a transformational change in the overall understanding of fusion plasma science that is critical to achieve true predictive capability.

### Predictive Initiative research plan

The new Initiative in integrated predictive capability should start with the binary integration of single-topic elements in which both of the individual elements are well developed and integration is required to expand predictive capability to address research priorities. The Panel envisions projects by teams that include analytical theorists, computational plasma physicists, computer scientists, applied mathematicians, and experimentalists. In order to proceed to integrated, predictive understanding, continued development in the existing topical areas is required. The success of this integration activity is contingent upon the validation of the individual-element components. The need for continued development is particularly important to topical areas with lower maturity levels. Additionally, theory and simulation efforts should be expanded and coordinated with experimental work in support of the previously articulated Transients and Interface Initiatives.

As coupling of computational elements leads to new technical issues not present in single-element enterprises, the plasma theory and simulation program should seek assistance from the broader computational science and applied mathematics communities. High-quality simulation capabilities require researchers who have experience interacting between the areas of experimental operation, theoretical modeling, numerical discretization, software engineering, and computing hardware.

A robust analytic theory subprogram element is essential to the success of the computational science effort. Analytic theory has played a decisive role in the development of fusion plasma physics by providing rigorous foundations for plasma modeling, elucidating fundamental processes in plasmas, and providing frameworks for interpreting results from both experimental results and simulation results. Increased analytic understanding is needed to achieve integrated predictive capability in comprehensive modeling.

With a long-term vision of the complete integration of all topical areas, the Panel recommends that community-wide planning be initiated for the eventual integration of program elements. Additionally, there is a need to identify areas where substantial advances can be made with increased computational power. The introduction of exascale computing enables well-resolved simulations for single-topic computational tools and allows for the possibility of integrated predictive understanding through code coupling.

The Predictive Initiative must be closely connected to a spectrum of plasma experimental facilities supported by a vigorous diagnostics subprogram in order to provide crucial tests of theory and provide a platform for validation.

Recommendation: Maintain and strengthen existing base theory and SciDAC subprograms to maintain world leadership and leverage activities with the broader applied mathematics and computer science communities.

Recommendation: Ensure excellence in the experimentally validated integrated Predictive Initiative with a peer-reviewed, competitive proposal process to define the scope and implementation strategy for realizing a whole-device predictive model.

### **Contributions to FNS Initiative and Vision 2025**

While not specified as high priorities within the three initiatives described above, a number of the other Thrusts are important in their contribution to U.S. engagement in ITER, the definition of a science facility for the emerging fusion nuclear science program, and to the Thrusts that motivate the selected Initiatives. The development of new plasma diagnostics is cross cutting and crucial to all of the Initiatives. Successful completion of the Predictive Initiative, will require new diagnostics that target key validation efforts. For Long Pulse, new diagnostics that can function in the harsh reactor environment will be needed in ITER and beyond. For DPS, innovative diagnostics techniques can unlock new areas of discovery.

The success of ITER is best ensured by the strategic progress outlined in the 10-year plan. Specifically, the Predictive Initiative will benefit from linking work on operating scenarios and the observations associated with control techniques. Fusion-product effects (Thrust 3) and the self-consistent interplay between alpha-particle heating and the thermal plasma (Thrust 8) are major, novel elements emphasized in ITER's immediate and long-term research programs. Understanding these effects is necessary for a successful FNSF. Within this strategic plan, ongoing research in the FNS Initative is an important contributor to the Predictive Initiative. Using its domestic facilities, the U.S. has the opportunity to develop operating scenarios for ITER (Thrust 4). These activities prepare U.S. researchers for active participation in ITER's baseline operation.

Advancing the tokamak concept to true steady-state capability motivates the development of effective strategies and actuators for controlling the plasma, specifically its current and its stable radial current profile for as long as required, on short time scales on which discharge-terminating instabilities must be suppressed and on longer time scales for maintaining the plasma equilibrium (Thrust 5). Achieving the former is captured to some extent in the Transients Initiative. The latter aspect emphasizes achieving adequate control and sustainment of the steady-state plasma equilibrium, which is a prerequisite for tokamak scenarios of FNSF and will also be explored in extended-pulse experiments on ITER.

The FNS Initiative to pursue the FNSF as an aspect of a broader fusion nuclear science subprogram is described in the next chapter. Much of the long pulse plasma control research for FNSF and ITER, however, should be initially performed in the Foundations category on existing U.S. facilities where the appropriate pioneering research is already taking place. Both DIII-D and NSTX-U have programmatic plans to advance the scientific basis of sustained plasma control of the AT and ST, respectively. In the case of the AT, the maturing knowledge and capability will be transitioned to the Asian long pulse devices (EAST, KSTAR, and ultimately JT-60SA). A DOE-funded international collaboration on plasma control on EAST and KSTAR has recently been initiated, and should be expanded later in the 10-year plan to exploit other benefits of long-pulse facilities, *e.g.*, assessing asymptotic PMI in stationary, long pulse discharges. The outcome of control and sustainment work on the ST is discussed below. In both cases, the work is intended to enable a decision on the preferred configuration of FNSF that is expected to run continuously for weeks.

The Spherical Torus program has a special role in the U.S. program. The ST is envisioned to be a potential lower-cost experimental platform for carrying out a fusion nuclear science subprogram beyond the 10-year scope of the Panel Report. NSTX-U, when complete, will be one of two major STs in the world that can develop the scientific basis for the ST as a configuration for FNSF. A goal of the U.S. plan is to provide an informed decision within ten years on whether the preferred magnetic geometry of the FNSF should be AT, ST, or stellarator. To this end, NSTX-U should primarily focus on resolving the technical issues underpinning the FNSF-ST design. The key issues more or less specific to the ST have been identified to be non-solenoidal startup, sustainment of the plasma current, and scaling of confinement with collisionality. Additionally, LTX and Pegasus, as the supporting STs, play important supporting research in the areas of PMI and current initiation studies, respectively.

Recommendation: Focus research efforts on studies crucial to deciding the viability of the ST for FNSF.


### Foundations, 2025 and beyond

ITER is expected to be in operation at the end of the 10-year time frame of this report and will be the beneficiary of all of the Initiatives described in this section. Substantial advances in the theory and practice of the control of ELMs and disruptions will allow ITER to proceed with its multiple missions with reasonable confidence that transient events are technically manageable. Increased fundamental understanding of boundary physics will allow accurate prediction of average heat loads to the divertor and pedestal height. Experimentally validated theory will be prepared to model initial ITER discharge behavior to provide essential predictive capability for future alpha-heated burning ITER plasmas that lie at the heart of that facility's goals. Looking beyond 2025, the advanced control and sustainment techniques developed on DIII-D and extended to tests on the Asian superconducting tokamaks directly contribute to the ITER mission's long-pulse discharges.

These Initiatives will also make important contributions to next-step experiments and will provide strategies for DEMO as the world moves into the burning plasma era. Developing solutions for the plasma-materials interface are essential for any approach to fusion energy development. Successful control of disruptions is required if FNSF is based on a tokamak core. Finally, while the step to ITER has relied largely on empirically derived knowledge, experimentally validated integrated predictive modeling will provide a firm basis for FES's ambitious next step in the pursuit of practical fusion energy.

# 3

Burning Plasma Science: Long Pulse



# 3

Burning Plasma Science: Long Pulse

## **Definition and status**

Fusion power plants based on magnetically confined plasmas are envisioned to essentially run continuously under stationary conditions of plasma density, plasma temperature, and fusion-power production, *i.e.*, steadystate, with only short shutdown intervals for maintenance. While significant fusion output from tokamak plasmas has been achieved for periods of up to several seconds, no current experimental device can operate continuously at high plasma-confinement performance.

The plasma performance achievable in current or recent tokamak and stellarator experiments (characterized by the fusion figure-of-merit  $n\tau_{\rm E}T$  incorporating the plasma density n, plasma temperature T, and overall energy containment time  $\tau_{\rm E}$ ,) generally decreases as the duration of the plasma increases, (*c.f.*, Fig. 4.1 in FESAC's 2012 report on Opportunities in International Collaboration). The category of Long Pulse research encompasses the extension of high-performance plasmas to discharge durations that progressively satisfy the goals of extended-pulse discharges in ITER and the expectation of what is required of FNSF. The findings, achieved in concert with corresponding theoretical understanding, project to DEMO and ultimately steady-state fusion power plants.

Superconducting magnets, radio-frequency waves, and neutral beams must be capable of confining and heating the plasma for long durations. The power provided by the heating systems, and fusion-generated alpha particles in burning plasmas, are removed from the plasma at its boundary, leading to intense interaction with the plasma-facing materials in the divertor and wall that must be better understood. As tokamak plasmas require plasma current for confinement, the current must be sustained at a predictable magnitude and controlled against instability for extended durations. In all burning plasma devices, however, the most pressing overarching issue is the performance of the plasma-facing materials over time. The durations defined by the term "long pulse" in this chapter are set by the time scales of equilibration of the wall material with respect to impurity evolution and recycling of the incident plasma, thermal equilibration of the plasmafacing components, and material erosion and migration. Additional Long Pulse issues involve exploratory research on the materials, fuel regeneration, and power conversion concepts that would be later pursued in an integrated manner in an FNSF. The facility is viewed as the final precursor of a demonstration fusion power plant (DEMO).

The Burning Plasma Science Long Pulse subprogram consists of five general research elements. In a coordinated activity with the Foundations subprogram, plasma physics research will open and explore the new and unique scientific regimes that emerge during extended plasma confinement (including regimes achieved in stellarators and long-duration superconducting international tokamaks). In a second element also coordinated with the Foundations subprogram, a variety of plasma technology research activities on heating, fueling, and transient mitigation that enable advanced plasma physics operations are being explored. Plasma technology activities related to short-pulse operations are located in the Foundations subprogram, whereas plasma technology research focusing on long-pulse operations, including divertor solutions for extended operations, are organized within the Long Pulse subprogram.

A third element is devoted to materials research to understand and ultimately design high-performance materials that can withstand the harsh conditions associated with a burning plasma environment. Blanket engineering science, the fourth element, is focused on research approaches to replenish the tritium fuel and extract the fusion heat from next-step fusion burning plasma devices. The fifth element is dedicated to exploratory design studies of attractive steady-state fusion power concepts.

This subprogram currently consists of the following elements:

 The research and operations of both major U.S. machines, the DIII-D National Fusion Facility located at General Atomics and the National Spherical Torus Experiment Upgrade (NSTX-U) at PPPL;

- Long-pulse plasma physics research using stellarators and international superconducting tokamaks;
- Activities in the theory and simulation and the Scientific Discovery Through Advanced Computing (SciDAC) subprograms related to long-pulse plasma operations, plasma material interactions, and fusion nuclear science issues;
- Plasma-material interaction (PMI) and high heat flux (HHF) research for plasma-facing components during long pulse operation;
- Materials science research to understand and mitigate property degradation phenomena associated with intense D-T fusion neutron-irradiation and to design new high-performance materials to enable practical fusion energy;
- Blanket engineering and science to devise solutions for creating and reprocessing the tritium fuel and efficiently utilizing the deposited heat for electricity production; and
- Development of integrated designs and models for attractive fusion power concepts.

At present, the U.S. does not have a facility on which longpulse research can be carried out, although the domestic program has well-diagnosed short-pulse tokamaks that address crucial plasma physics issues for the Long Pulse subprogram. Unlike the tokamak, the stellarator operates intrinsically in steady state and, to date, has proven to be disruption-free. The U.S. remains active in stellarator research through a small but vibrant theory and simulation subprogram, small university-scale domestic experimental facilities, collaborations with Japan's Large Helical Device (LHD), and a growing partnership with Germany's new Wendelstein 7-X project.

The U.S. operates a number of single-effect and feweffects plasma simulators and test stands to study plasma-surface interactions (PSI) for candidate plasmafacing materials.

The major plasma simulators (PISCES, TPE) address basic PMI science topics such as sputtering, surface morphology modifications (fuzz, blisters, etc.), retention of fuel (including tritium) in various materials (including neutronirradiated tungsten), the synergistic effects of mixed materials, and the effect of simulated ELMs. The intense plasma source for an advanced linear multi-effects plasma simulator that would simulate conditions in the divertor of an FNSFclass facility is under development. High-heat-flux test stands are currently being used to study the effects on materials properties in neutron-irradiated materials samples and to study, on a small scale, various helium jet-impingement cooling concepts proposed for PFCs. The U.S., in its theory and simulation subprogram, maintains a comprehensive modeling and validation effort in the areas of boundary physics; material erosion, migration, and redeposition; and plasma instability-induced materials damage.

Structural materials, blanket development, and tritium handling are key elements of the FNS Initiative. The U.S. is a leader in the area of reduced-activation structural materials, with the leading international reduced-activation structural material candidates all derived from U.S. concepts. Broad materials science expertise and advanced neutron irradiation and characterization facilities are currently available due to leveraging of other DOE programs, and a near-term high-intensity irradiation facility that provides fusion-relevant neutron irradiation spectra based on existing spallation (high energy accelerator) concepts is under development. The U.S. also has significant capabilities in fusion blanket development (modeling and experiments); surface heat flux handling; tritium processing, permeation and control; safety/accident event analysis; and power plant design and modeling.

## Thrusts

Of the eighteen MFE-ReNeW Thrusts, ten are relevant to the Long Pulse theme. A listing of those Thrusts (4, 5, 7, 10, 11, 12, 13, 14, 15, and 17) can be found in Chapter 2.

There are eight Thrusts unique to Long Pulse, along with the two Thrusts led by Foundations that involve some Long Pulse aspects. In addition, Thrust 9, allocated to Foundations, is so closely related to Thrusts 10–12 that they were considered

together in the ReNeW report under the MFE-ReNeW theme, "Taming the plasma-material interface."

Within the Foundations and Long Pulse subprograms, the Interface Inititative emerged as a Tier 1 Initiative. It should be noted that Thrust 9 deals with the interaction between core plasma, scrape-off layer, and wall. Thrust 12 includes a focus on PMI-core integration, while Thrusts 10 and 11 address high plasma erosion, heat-flux challenges, and potential innovative design solutions. Within the Interface Initiative, the focus of the Long Pulse subprogram is on Thrusts 10 and 11.

Similarly, the MFE-ReNeW report collectively considered Thrusts 13–15 under the MFE-ReNeW theme, "harnessing fusion power." These areas together comprise the Tier 2 FNS Initiative recommended by the Panel. The Panel report emphasizes Thrusts 13 and 14 in the first phase, while Thrust 15 becomes more important in the second phase (nominally the last five years) of the FNS Initiative.

# **Priorities**

The Long Pulse subpanel determined that Thrust 10 was the highest priority activity because of the urgency of addressing the threats posed by the combined high heat and particle fluxes on PFCs, relevance to ITER, and the opportunity for U.S. leadership. Thrust 14 was considered to be the next highest priority because multiple materials issues were viewed as crucial to the advancement of fusion nuclear science, the strong opportunity for U.S. leadership, and opportunities for leveraging with other Federal Programs as noted in Chapter 5 and Appendix G. Finally, Thrusts 5 and 17 were considered to be important to Long Pulse because of their relevance to fusion nuclear science, the maintenance of U.S. leadership, its utilization of U.S. strengths and the potential to address unique interface issues (Thrust 10) associated with three-dimensional configurations. The research of Thrust 17 and the advanced tokamak development of Thrust 5 together constitute an important aspect of long pulse research: how to create a high performance plasma that has the sufficiently long duration needed for future fusion-relevant facilities and, ultimately, for power plants.

To help in ranking these Thrusts, the Long Pulse subpanel identified a number of basic science questions to be addressed within each Thrust. Those identified for decoding and advancing the science and technology of PSI (Thrust 10) were:

- How does neutron irradiation influence erosion yields, dust production and tritium retention in PFCs?
- How do PFCs evolve under fusion prototypic fluxes, fluences, and temperatures?
- What determines the lifetime of a PFC? For example, is net erosion yield due to physical sputtering, macro-scopic erosion leading to dust (*e.g.* delamination of surface films, unipolar arcing of nano-structures, burst-ing blisters, whole grain ejection) or melt layer loss?
- Is there a viable option for a robust helium-cooled tungsten PFC capable of withstanding steady-state and transient high heat fluxes?
- Are PMI solutions for low net divertor erosion during long-pulse plasma exposure compatible with an optimized core plasma? How do the resulting thick redeposited surface layers evolve and what are their thermal and mechanical properties?

The basic science questions for developing the materials science and technology needed to harness fusion energy (Thrust 14) were:

- Is there a viable structural material option that might survive the DT fusion irradiation environment for at least 5 MW-yr/m2 (50 displacements per atom)?
- What are the roles of fusion-relevant transmutant H and He on modifying the microstructural evolution of irradiated materials?
- What is an appropriate science-based structural design criterion for irradiated structural materials at elevated temperatures?

The science questions for optimizing steady-state, disruptionfree toroidal confinement (Thrust 17) were:

- What tokamak heating and control solutions are most effective in realizing stable long pulse tokamak discharges?
- What stellarator divertor solutions are capable of high power handling and power control in long-pulse operational scenarios?
- Can PMI solutions be integrated with high performance, steady-state core stellarator and advanced tokamak plasmas?

The generation of long-pulse toroidal plasmas that serve as the target of this work will take place in tokamaks and stellarators. The U.S. program places a priority on developing the scientific basis for extending the pulsed tokamak to operate continuously, or at least for the duration required for FNS-relevant PMI studies. This research engages control theory and modeling coupled with the implementation of plasma actuators in the form of radio frequency current drive and tangentially-oriented neutral beams to maintain and control the plasma current profile necessary for stable confinement of a tokamak plasma. U.S. researchers are leaders in this novel approach and should continue to make progress for several years on the well-diagnosed DIII-D and NSTX-U facilities.

# Initiatives

The research priorities identified above motivate a multifaceted initiative in fusion nuclear science (FNS Initiative). Of the four highest-priority Initiatives identified by the Panel, the Interface Initiative introduced in the previous chapter and the FNS Initiative are the most relevant to Long Pulse, in addition to the cross-cutting Predictive Initiative.

As highlighted in prior community evaluations, including the MFE-ReNeW assessment of 2009 and the 2007 and 2012 FESAC panel reports (ref. Greenwald, Zinkle), the most daunting challenge to establishing the technological feasibility of magnetic fusion energy is finding a solution for the

plasma-materials interaction (PMI) challenges. These challenges for long-pulse burning-plasma operation include:

- potentially unacceptable material erosion and redeposition from intense particle fluxes,
- undesirable tritium entrainment in redeposited layers, and
- high heat-flux melting of plasma-facing armor and associated thermal fatigue damage to underlying structures.

All of these challenges could lead to unacceptable failures and require frequent replacement of PFCs. In all cases, the solution to the PMI challenges needs to be compatible with an optimized core plasma. Several potential approaches for mitigating some of these PMI effects have been proposed (*e.g.*, plasma-based configuration changes, material modifications), but they all need to be vigorously explored and eventually validated on appropriate PMI facilities.

Over the next ten years, studying plasma control will be an important research activity in both U.S. and international facilities. State-of-the-art plasma control techniques with various current and profile actuators, required for longpulse advanced tokamak plasmas, are being pioneered on the DIII-D tokamak and also will be carried out on the upgraded NSTX-U. The continuation of these studies is an essential component of this Initiative. Because the U.S. has no long-pulse facility on which true steady-state research can be carried out, the Panel expects that after about five years, these efforts will increasingly transition from the domestic facilities with plasma durations of several seconds to superconducting long-pulse tokamaks in China, South Korea, and Japan with plasma pulse lengths of 100 seconds or more, depending on the technical readiness of those facilities to accommodate such studies. Collaborations in control and sustainment are already underway with EAST and KSTAR. Those collaborations should ultimately expand to ones based on solving longpulse PMI issues.

The overarching limitation in any magnetic confinement configuration is the intolerably high power loading/PMI at the first wall and divertor. ITER-level power fluences in reactor-relevant divertors have been studied in the Alcator C-Mod tokamak. Several other toroidal PMI devices have been proposed, as documented in the community input to the FESAC SP panel (Appendices E and F). At a much smaller scale, preparatory work on three-dimensional edge transport will be performed on U.S. university short-pulse stellarators in support of evaluating boundary transport models in preparation for collaborative work on the large international stellarators. The partnership with the German W7-X project allows the U.S. to play an important role, with leadership potential in some areas, in high-performance stellarator research with an emphasis on divertor power handling and control of power exhaust in novel divertor configurations.

The Panel concluded that the most cost-effective path to finding a self-consistent solution to the daunting PMI challenge is to construct an advanced multi-effects linear divertor simulator that can test PFC materials at prototypical powers and fluences. One of the new classes of advanced linear PSI facilities called for in Thrust 10, a linear divertor simulator, is defined here to be a facility that operates at the very high fluence conditions expected at the divertor target in DEMO or FNSF. This facility would explore PMI for long-duration pulses (up to one million seconds) in the low net erosion regime and perform accelerated end-of-life testing of candidate PFCs. The facility will operate at thermal plasma parameters (ion flux, temperature, and density) that will allow investigation of prompt redeposition of sputtered atoms to dramatically reduce net erosion rates. It should also test neutron-irradiated materials to explore synergistic effects due to material thermo-physical properties changes and trapping of fuel on damage sites. Results from this facility, along with those from numerical simulations, will inform PFC development for and operations on long-pulse tokamaks.

The FNS Initiative will establish a fusion nuclear sciences subprogram, which is required to address key scientific and technological issues for harnessing fusion power (materials behavior, tritium science, chamber technology, and power extraction). Determining how the materials in contact with the fusion plasma and the underlying structure are affected by extreme heat and particle fluxes while simultaneously suffering neutron radiation damage, and developing practical approaches to managing the tritium fuel cycle are both required for practical fusion energy. The unique changes to materials and components due to exposure to the fusion reactor environment (ranging from PFCs to structural materials to breeding blankets and tritium extraction systems) need to be understood in order to provide the scientific basis for fusion energy.

The ultimate goal of the FNS Initiative is to provide the scientific basis to design and operate an integrated FNSF. When completed, it would be a research facility that incorporates most of the technical components within the core of a future DEMO power plant but is built at minimum fusion power in order to enable fusion component testing and optimization at minimum tritium consumption and overall cost (Goldston, FESAC, 2003). There are several crucial near-term decisions that will shape the FNSF design. The plasma configuration (AT vs. ST tokamak vs. stellarator) and operational regimes need to be established on the basis of focused domestic and international collaborative long-pulse, high-power research. Materials science research needs to be expanded to comprehend intense fusion neutron irradiation effects on property degradation of structural materials and to design potential materials science approaches to mitigate these degradation phenomena. The Panel concluded that building a new fusion materials neutron-irradiation facility that leverages an existing MW-level neutron spallation source would be a highly cost-effective option for this purpose.

Fundamental research is also needed to develop a practical tritium fuel and power conversion blanket system, including improved understanding of tritium permeation and trapping in candidate coolants and fusion materials, exploration of viable methods for efficiently extracting tritium from hot flowing media, and improved understanding of complex magnetohydrodynamic effects on the flow of electrically conductive coolants in confined channels. Diagnostics appropriate for FNSF conditions will also need to be developed by leveraging the experience and diagnostics development that comes from ITER.

Axisymmetric (tokamak and ST) configurations are the best understood options for a next-step facility. The nonaxisymmetric optimized stellarator is less well developed in absolute level of plasma-confinement performance but avoids some of the tokamak's challenges in that stellarators are inherently steady-state, operate at relatively high plasma density, provide greater design flexibility in their magnetic configuration, and do not suffer from disruptions or large ELMs. Depending on progress resolving crucial long-pulse science issues with regard to ATs and STs, the U.S. should consider expanding the stellarator subprogram in Phase II by constructing an experiment with sufficient performance to establish the confinement of an optimized stellarator based on quasi-symmetry principles. This activity could eventually lead to a steady-state nuclear facility based upon the stellarator, if needed.

## Long Pulse, 2025 and beyond

The subprogram elements of the Long Pulse highestpriority research are guided by a 2025 Vision that will enable successful operation of ITER with U.S. participation, provide the scientific basis for a U.S. FNSF, and create a U.S. "Generation ITER-FNSF" workforce that can lead scientific discoveries and technological innovation. The Interface Initiative contributes to the successful operation of ITER, while the Interface and FNS Initiatives will together establish the scientific basis of FNSF. Finally, the research supported by these Initiatives will train a significant portion of the Generation ITER-FNSF fusion workforce.

Ten years after Vision 2025 is initiated, the specific deliverables of the Long Pulse subprogram are:

 The Interface and FNS Initiatives have identified scientifically robust solutions for long-pulse DT burning plasma machines;

- The advanced linear divertor simulator is operating at full capability and is a world-leading user facility providing scientific insight on PMI mechanisms and potential solutions;
- The preliminary science basis for viable structural materials for FNSF and DEMO has been established using a fusion materials neutron-irradiation test stand;
- The basic plasma configuration and geometry of FNSF has been decided, and design is underway based on new scientific knowledge of highly stable long pulse plasma configurations, high performance materials systems, innovative fusion blanket systems, and proven tritium extraction techniques;
- Optimized stellarator plasmas suitable for long-pulse operation, with the capability to handle appropriate wall and divertor loads, have been demonstrated in integrated tests; and
- The scientific principles of long-pulse advanced tokamak operation are established.

In ten years, the Panel envisions that ITER will have achieved first plasma. Although this subprogram focuses upon confinement configurations with pulse durations of at least one million seconds, ITER first plasma effectively marks the beginning of the magnetic fusion energy era. With the Interface and Fusion Nuclear Science Initiatives, the U.S. will be ready to lead in the following areas of fusion nuclear sciences:

- plasma boundary and plasma-material interactions;
- advanced high-heat-flux plasma-facing components innovative blanket concepts including reduced-activation structural materials; and
- optimized three-dimensional plasma geometries.

By investing in these areas, the U.S. will be ready to design and build a world-leading fusion nuclear sciences facility that will be the bridge required to go from ITER to a reactor that will demonstrate practical magnetic fusion energy.

The normal FES peer review process should be used to examine the scientific basis, facility design, and overall

scope, cost, and schedule for the multi-effects linear divertor simulator and any significant new capabilities associated with implementing the neutron-irradiation recommendation.

#### Supporting Recommendations

The specific recommendations for Long Pulse are:

Design and build the advanced multi-effects linear divertor simulator described above to support the Interface Initiative.

Design and build a new fusion materials neutronirradiation facility that leverages an existing MW-level neutron spallation source to support the Fusion Nuclear Sciences Initiative.

Invest in a research subprogram element and associated facilities on blanket technologies and tritium sustainability that will advance studies from single to multiple effects and interactions.



# Discovery Plasma Science





Discovery Plasma Science

## **Definition and Status**

The purpose of Discovery Plasma Science (DPS), as described by the Fusion Energy Science program, is to "increase the fundamental understanding of basic plasma science, including both burning plasma and low temperature plasma science and engineering, to enhance economic competiveness and to create opportunities for a broader range of science-based applications."

The DPS description in the April 2014 Charge Letter to FESAC is "the study of laboratory plasmas and the HED state relevant to astrophysical phenomena, the development of advanced measurement for validation, the science of plasma control important to industrial applications."

The NRC Plasma 2010 Plasma Science Committee report (Ref. 1, Appendix H) provided descriptions of plasma science and engineering research, opportunities, and applications for the following plasma science fields: Low-Temperature Plasma Science and Engineering, Plasma Physics at High Energy Density, The Plasma Science of Magnetic Fusion, Space and Astrophysical Plasmas, and Basic Plasma Science.

With the aid of these descriptions, the definition the Panel used to guide subsequent DPS discussions is:

 Discovery Plasma Science stewards plasma innovation and applications by expanding the understanding of plasma behavior in concert with training the next generation of plasma scientists to help ensure the continuation of U.S. leadership.

In FY14, the DPS subprogram had a total funding of \$45.7M that supported about 90 university grants and 45 DOE national laboratory projects. The FY14 DPS subprogram elements had the following funding levels:

- General Plasma Science: \$15.0M
- HED Laboratory Plasmas: \$17.3M
- Experimental Plasma Research: \$4.2M
- Madison Symmetric Torus: \$5.7M
- Diagnostic Measurement Innovation: \$3.5M

Recently, EPR and Madison Symmetric Torus subprogram elements were combined under the description Self-Organized Systems (SO-Systems). A brief summary of the research being explored within the individual DPS subprogram elements is:

General Plasma Science (GPS) covers a broad set of topics in plasma science, including research into fundamental plasma properties driven primarily through discovery-based investigations. In addition to FES funding, GPS is also supported through the NSF-DOE Partnership in Basic Plasma Science and Engineering (Ref. 2, Appendix H). The breadth of GPS research topics can be represented in part by workshops involving the plasma research community that explored opportunities in low temperature plasma science (Ref. 3, Appendix H) and plasma astrophysics (Ref. 4, Appendix H). The GPS portfolio includes research teams that are best described as Single Investigator, Centers/Collaborations, and User Facilities. As a representative example of GPS plasma research, the list of publications associated with the Basic Plasma Science Facility at UCLA (Ref. 5, Appendix H) and the list of research highlights associated with the Center for Predictive Control of Plasma Kinetics: Multi-phase and Bounded Systems at the University of Michigan (Ref. 6, Appendix H) are referenced.

High Energy Density Laboratory Plasmas (HEDLP) refers to the study of plasmas at extremely high density and temperature corresponding to pressures near one million atmospheres. The FES HEDLP research is focused on HED science topics without any implied specific applications. As a HEDLP partnership between BES and FES, the Matter at Extreme Conditions (MEC) end station of the Linac Coherent Light Source (LCLS) user facility at SLAC provides scientific users with access to HED regimes uniquely coupled with a high-brightness x-ray source (Ref. 7, Appendix H). HEDLP research is also carried out within the NSF-DOE Partnership and the NNSA SC HEDLP Joint Program. As a representative example of HEDLP research, the list of publications associated with the LCLS MEC is referenced (Ref. 8, Appendix H).

Self-Organized Systems Activities Include plasma physics and technology activities germane to the understanding of magnetic confinement and to improving the basis for future burning plasma experiments (see the 2008 FESAC Toroidal Alternates Panel, Ref. 9, Appendix H). SO-Systems has a great deal of overlap with GPS research given that GPS research is performed on many of the SO-Systems experiments with direct and indirect application both to non-fusion GPS plasmas, as well as fusion relevant plasma topics such as magnetic configurations, stability, electrostatic and magnetic turbulence and transport, current drive, and many others. The Madison Symmetric Torus experimental facility at the University of Wisconsin supports both Reversed Field Pinch investigations and basic plasma physics research (Ref. 10, Appendix H). The facility engages a large number of postdoctoral researchers, graduate students, and undergraduate students in both fusion science and plasma physics research. The list of publications associated with the Madison Symmetric Torus exemplifies the productivity of the SO-Systems subprogram element (Ref. 11, Appendix H).

Diagnostic Measurement Innovation (DMI) supports validationrelated diagnostic development that couples experiments, theory, and simulation to improve models of plasma behavior in fusion research devices, and to monitor plasma properties and act upon feedback control signals in order to improve device operations. Every two years, the High-Temperature Plasma Diagnostic (HTPD) conference brings together diagnosticians representing all three FES subprograms who then publish findings in the journal Review of Scientific Instruments (Ref. 12, Appendix H). The European Physical Society Conference on Plasma Diagnostics series is modeled on the U.S. conference and takes place in years alternate to HTPD.

## **Prioritization and Recommendations**

Within the DPS program elements (GPS, HEDLP, Self-Organized Systems, and Diagnostic Innovation), there is a broad spectrum of plasma regimes with a correspondingly wide range of plasma parameters. References include previous reports (*e.g.* FESAC) and workshops (*e.g.* ReNeW) relevant to DPS, the NRC Plasma 2010 report, and the 2014 DPS community

presentations and white papers. The DPS subpanel provides a Primary Recommendation for all of DPS and a Supporting Recommendation for each DPS subprogram element.

A finding from the Plasma 2010 report is especially germane to the prioritization process and worth noting here:

"The vitality of plasma science in the past decade testifies to the success of some of the individual federally supported plasma-science programs. However, the emergence of new research directions necessitates a concomitant evolution in the structure and portfolio of programs at the federal agencies that support plasma science. The committee has identified four significant research challenges that the federal plasma science portfolio as currently organized is not equipped to exploit optimally. These are fundamental low-temperature plasma science, discovery-driven high energy density plasma science, intermediate-scale plasma science, and cross-cutting plasma research."

The DPS subpanel sorted the DPS white papers into their respective DPS program elements and evaluated the contributions using the following set of prioritization metrics:

#### **Prioritization**

#### **Advancing Plasma Science Frontiers**

Whether the DPS research priority proposed would advance the frontiers of plasma innovation and plasma applications.

#### **Strengthening Collaborations**

Whether the DPS proposed investment could lead to collaborations between universities, national laboratories, and industry, and across federal agencies.

#### **Providing Cross-Cutting Benefits**

Whether the DPS investment would provide cross-cutting benefits to all FES programs especially in training the next generation of plasma scientists. Based on these prioritization metrics, the Panel arrived at the DPS primary recommendation:

#### **Primary Recommendation**

FES stewardship of basic plasma research should be accomplished through strengthening of peer-reviewed university, national laboratory, and industry collaborations. In order to realize the broadest range of plasma science discoveries, the research should be enhanced through federal agency partnerships that include cost sharing of intermediate-scale, collaborative facilities.

In addition to the Foundations and Long Pulse Tier 1 and Tier 2 Initiatives, the following expands on "Advancing the frontiers of DPS knowledge through highly leveraged, collaborative facilities" as the DPS Primary Recommendation:

Effective DPS subprogram elements can provide transformational and sometimes disruptive new ideas for plasma topics. DPS research seeks to address a wide range of fundamental science, including fusion, but the prioritized topics are those outlined by the NRC Plasma 2010 report (specifically, Low-Temperature Plasma Science and Engineering, Plasma Physics at High Energy Density, The Plasma Science of Magnetic Fusion, Space and Astrophysical Plasmas, and Basic Plasma Science). DPS activities are synergistic with the research mission of other federal agencies and significant opportunities exist to broaden the impact of DPS through the development and expansion of strategic partnerships between FES and other agencies. Addressing fundamental science questions at the frontier of plasma science requires a spectrum of laboratory experimental facilities from small-scale, single-PI facilities to intermediate-scale, highly collaborative facilities. The development of each intermediate-scale and multi-investigator facility with world-leading capabilities will address a range of cutting-edge scientific questions with a comprehensive diagnostic suite. Mutual interactions between larger facilities found at national laboratories and small and intermediate facilities will facilitate the advancement of DPS frontiers, conducted on the smallest appropriate scale, and in training the next generation of plasma scientists. The absence of DPS-specific Initiatives is intentional in order to avoid any potential misinterpretations of the paradigm that was used to map the Foundations and Long Pulse Initiatives with the full set of 18 ReNeW MFE Thrusts. The one outlier is Thrust 18, "Achieve high performance toroidal confinement using minimal externally applied magnetic field," which represents a portion of projects in the SO-Systems element of the DPS subprogram.

The Primary Recommendation above and the following Supporting Recommendations are envisioned aggregately as supporting the DPS definition. The DPS prioritization process also included Supporting Recommendations.

#### **Supporting Recommendations**

General Plasma Science (GPS) Supporting Recommendation:

FES should take the lead in exploring multi-agency partnering for GPS activities. This effort should include funding for intermediate-scale facilities (as discussed in the NRC Plasma 2010 report) with funding for construction, operations, facility-staff research, and the corresponding user research program.

The intermediate-scale facilities should be either strongly collaborative in nature, involving researchers from multiple institutions working on experiment, theory and simulation, or operate as open user facilities, offering research opportunities to researchers from a broad range of institutions. At the same time, the investment strategy aimed at increasing the number of intermediate-scale facilities should not lose sight of noteworthy contributions coming from small-scale facilities and plasma centers. The natural partnering opportunities for FES to explore are between the DOE Office of Science (SC) and the National Nuclear Security Administration (NNSA), as well as other relevant federal agencies. Two current partnership models are the National Science Foundation-DOE Partnership in Basic Plasma Science and Engineering, and the NNSA-SC Joint

Program in HED Laboratory Plasmas. One resource to use for leverage is the NSF Major Research Instrumentation Program for facility construction funding (Ref. 13, Appendix H). That source was used to partially fund the construction of the BaPSF (Ref. 14, Appendix H) and more recently for the advanced reconnection facility FLARE (Ref. 15, Appendix H), the plasma dynamo facility MPDX (Ref. 16, Appendix H), and the magnetized dusty plasma facility MDPX (Ref. 17, Appendix H).

High Energy Density Laboratory Plasmas (HEDLP) Supporting Recommendation:

FES should avail itself of levering opportunities at both SC and NNSA high-energy-density-physics user facilities, within the context of the NNSA-SC Joint Program in HEDLP. This is especially true for the FES HEDLP community researchers who have been awarded experimental shot time, much as FES avails itself of the levering opportunities within the highly successful SciDAC partnership between ASCR and FES.

The Panel's recommendation is consistent with the opportunities outlined in both the HEDLP Basic Needs Workshop report (November 2009, Ref.18, Appendix H) and the FESAC HEDLP Panel report (January 2009, Ref. 19, Appendix H), and warrants appropriate funding for proposal-driven competitive HEDLP research.

Self-Organized Systems Supporting Recommendation:

FES should manage the elements of SO-Systems using subprogram-wide metrics with peer reviews occurring every three to five years to provide a suite of capabilities that explore an intellectually broad set of scientific questions related to self-organized systems.

The experimental flexibility and diagnostic sets on SO-Systems experiments make these facilities valuable for predictivemodel validation test beds. FES should take the lead for exploring multi-agency partnering for SO-Systems activities. Diagnostic Measurement Innovations Supporting Recommendation:

FES should manage diagnostic development and measurement innovation in order to have a coordinated cross-cutting set of predictive model validation activities across all DPS subprogram elements—GPS, HEDLP, and SO-Systems.

Diagnostic development and measurement innovation should be a shared, cross-cutting program with easy transitions between subprogram elements to allow rapid development, sometimes starting on small to intermediate-scale devices and, when appropriate, further development of the innovative measurement techniques on BPS Foundations and Long Pulse facilities.

## **DPS and Budget Scenarios**

Because of the FES's stewardship of DPS subprogram elements across year-to-year variations in funding in the series of Presidential budget requests and Congressenacted budgets, the Panel's recommendations for DPS funding levels associated with the Charge Letter's four budget scenarios were done for the DPS subprogram as a whole, rather than for individual DPS subprogram elements (GPS, HEDLP, SO-Systems, and Diagnostic Development and Measurement Innovation).

For the funding associated with the highest-level budget of the Charge Letter's four scenarios (FY14 [\$305M] with Modest Growth), funding is envisioned for the DPS Supporting Recommendations, as well as the DPS Primary Recommendation. The intermediate-scale investments during the Phase I and Phase II (see Executive Summary) should include funding for construction, yearly operations, facility-staff research, and research program user support. Even with the advantage of multi-agency cost sharing, the need will arise for significant investments from FES to provide a suite of intermediate scale facilities as proposed by different plasma subfields within DPS. The addition of new, intermediate-scale facilities should be managed by a peer-reviewed process cognizant of the strategic directions for FES, and by a staged construction approach consistent with the mortgage that each facility will create.

For the funding associated with the lowest-level budget scenario (Scenario 4 [\$266M] with cost of living increases), the Panel recommends reducing the number of DPS plasma subfields in order to maintain the world-class quality of the remaining subfields. The process for restricting which subfields would and would not remain in the DPS portfolio could include criteria that are identified in the NRC Plasma 2010 report, and/or that consider which subfields have a strong focus in other federal agencies. To establish the criteria that would best serve the FES stewardship of plasma science, SC should consider a FESAC review of the wide breadth of plasma subfields and facilities within the DPS portfolio using the criteria of being identified in the NRC Plasma report, of having a strong focus in other federal agencies, and of earning a reputation for excellence. A future FESAC DPS portfolio review will provide an additional and complementary perspective to activities associated with the FESAC Committee of Visitors with the FESAC goal to examine the optimization of a balanced DPS portfolio with leveraged, high-impact discovery science through collaborations on state-of-the-art facilities (Ref. 20, Appendix H).


For the funding associated with the middle-level budgets of the Charge Letter's scenarios ([2]-FY14 [\$305M] with cost of living, and [3]-FY14 [\$305M] flat funding), the Panel recommends a compromise between the high- and low-budget scenarios above.

# DPS, 2025 and Beyond

Leading up to 2025, FES workforce development needs should be integral to all DPS recommendations because of the large percent of DPS projects that involve graduate student PhD thesis research, which directly benefits DPS research. Workforce development also provides the training and experience necessary to develop the next generation of plasma and fusion researchers for all FES subprograms. By 2025, the major FES facilities should have a DPS User Community role per the SC description of User Facilities and User Programs (Ref. 21, Appendix H). This 2025 DPS strategy was not an explicit DPS recommendation because such a strategy would need to be fully integrated into the Foundations and Long Pulse research plans for the major FES facilities.

5

# Partnerships with Other Federal and International Research Programs



# 5

Partnerships with Other Federal and International Research Programs

## Introduction

The DOE Office of Fusion Energy Sciences has a longstanding practice of reaching out to other federal and international research programs to establish partnerships. For example, FES was responsible for the conception and implementation of leadership-class high-performance computing national user facilities, begun 40 years ago with the creation of the National Magnetic Fusion Energy Computer Center, the forerunner to the National Energy Research Scientific Computing Center. In addition to their work on domestic experiments, scientists from the FES program participate in scientific experiments on fusion facilities abroad. International partnerships are needed more than ever today as new state-of-the-art fusion facilities are at a scale that requires capital and operational resources beyond what a single nation can afford.

The Panel was tasked to provide an "assessment of the potential for strengthened or new partnerships with other federal and international research programs that may foster important opportunities otherwise unavailable to U.S. fusion scientists." Such strategic partnerships will be critical to accomplishing the report recommendations, delivering on the full potential of the Initiatives, and realizing Vision 2025.

# **Prioritization Criteria**

The Panel examined a wide range of potential partnerships against the following four criteria:

- Importance and urgency, consistent with Vision 2025;
- Return on FES investment, including cost share, cost avoidance through in-kind contributions, risk reduction, and accelerated progress to meet Vision 2025;
- Sustained and expanded U.S. leadership in strategic areas associated with the four priority Initiatives and Discovery Plasma Science; and
- Clear mutual benefit, which we define as both parties receiving value that they would normally be unable to produce on their own, bringing complementary strengths to the partnership, having a stake in the other's facilities

and program, and respecting each other's cultural differences in how the partnership is justified.

The Panel's findings are summarized in two tables located on pages 38 through 40: Partnership and levering opportunities within other DOE and federal programs (Table 1); and opportunities for U.S. participation in international facilities (Table 2). Detailed descriptions of the partnerships with DOE and federal programs can be found in Appendix G.

## **Federal Partnership Opportunities**

A wide range of federal agencies were considered for possible partnerships by the Panel (Table 1). Extended comments are provided for the most promising opportunities relevant to the proposed 10-year plan.

### **ITER Partnership**

While the ITER project is not part of the DOE Charge, the Panel recognizes the important partnership between the U.S. and ITER, which includes:

- Supporting ITER design and successful completion: In addition to its direct contributions and procurements to ITER, the U.S. is expected to continue being a strong contributor in some areas of ongoing research in support of ITER's design during construction, including deployment and demonstration of the efficacy of scaled prototypes of U.S. deliverables. Some of these areas are disruption prediction, avoidance, and mitigation, ELM control and ELM-free operating scenarios, developing ITER-like operating scenarios, and demonstrating heating, fueling, current drive and plasma control schemes, simulations and modeling.
- Preparing for leading roles in the ITER research program: The U.S. has traditionally been among the leaders in ongoing fusion science research, which serves to prepare scientists to play leading roles in the scientific productivity on ITER. The U.S. has been a major participant in the International Tokamak Physics Activity (ITPA) due in large part to technical contributions from C-Mod, DIII-D, NSTX, and the U.S. theory and simulation subprogram. The U.S.

has also had a major impact on the ITER Test Blanket Module (TBM) Program through leadership in the Test Blanket Working Group and its successor, the TBM Program Committee. Nevertheless, research leading toward and beyond ITER could take advantage of the new capabilities under construction or already in operation in the international landscape. U.S. capabilities over the next decade, together with international collaborations in areas where the U.S. can have a partnering role, will allow the domestic program to advance the Foundationsrelated and Long-Pulse-related Thrusts while preparing and maintaining the workforce that will play a key role in ITER productivity.

 Positioning the U.S. to benefit from the results of the ITER research program: A successful ITER research program, along with parallel progress in the FNS Initiative, will provide much of the basis needed to proceed to a fusion DEMO. To position the U.S. to benefit from ITER results and proceed toward energy development requires growing a strong domestic program in fusion nuclear science. At the same time, the U.S. must maintain leadership in the areas of theory and simulation, materials science, and technology.

# International Partnership Opportunities (Non-ITER)

Two thorough assessments of international collaboration opportunities were conducted by a community task force commissioned by the U.S. Burning Plasma Organization in 2011, and by FESAC in 2012 (Appendix H). Although neither of these studies considered trade-offs between domestic and international programs in the context of constrained FES budgets, their recommended modes of collaboration, research priorities, and evaluation criteria served as a basis for the Panel's strategic planning.

Building upon the 2012 FESAC report, the Panel spent considerable time comparing and contrasting FES international collaborations with those supported by the DOE High Energy Physics (HEP) Program. A majority of high energy physicists in the U.S. perform research at international facilities.

#### Table 1: Federal Agencies with complementary programs relevant to FES<sup>1</sup>

	Federal Program	FES Themes Benefitting	Current Partnership Status	New or Expanded Opportunity Level	Comments
DOE Office of Science					

Advanced Scientific Computing Research (ASCR)	F, LP, DPS	Moderate to Strong	High	Exemplary relationship resulting in U.S. leadership in fusion theory, simulation, and computation. Future SciDAC opportunities for DPS are also evident (cf. Ch. 4).
Basic Energy Sciences (BES)	LP	Moderate	Medium to High	Joint operations of the LCLS MEC Station and longstanding fusion materials irradiation programs using BES reactor neutron sources. Materials Science PI-to-PI interactions evident in core FES programs and BES Energy Frontier Research Centers. Mutual benefits of spallation neutron sources use for fusion materials irradiation studies need to be evaluated.
High Energy Physics (HEP)	LP, DPS	Minimal	Medium	Modest overlap in plasma science (advanced accelerator and HEDLP) and fusion technology (high-temperature superconducting magnets).
Nuclear Physics (NP)	LP	None	Medium	New Nuclear Physics Program identifies Nuclear Engineering and Applications as a primary client for nuclear data.

#### **Other DOE Programs**

Advanced Research Projects Agency- Energy (ARPA-E)	DPS	Minimal	Unknown at this time	New program announced in August 2014.
Energy Efficiency and Renewable Energy (EERE)	LP	None	Medium	Supports fundamental investigations of additive manufacturing for producing high-performance components that would be difficult or impossible to fabricate using conventional means.
Fossil Energy (FE)	LP	Minimal	Medium	Supports leading approach for developing new steels in both fossil and fusion energy systems based on computational thermodynamics and thermomechanical treatments.
Nuclear Energy (NE)	LP	Moderate	High	Provides infrastructure, materials programs, and nuclear regulatory expertise that should be of significant value to FES as it moves toward an FNS Program.
Nat. Nuclear Security Administration (NNSA)	DPS	Moderate	Medium to High	NNSA-ASCR partnership to develop the next generation computing platforms enables fusion scientists to maintain world-leading capability. Significant HEDLP discovery science opportunities exist on world-leading NNSA-operated laser and pulsed-power facilities.

1"F" stands for Foundations, "LP" for Long Pulse, and "DPS" for Discovery Plasma Science. A "low" opportunity corresponds to meeting one of the four Panel prioritization criteria, a "medium" meets two or three criteria, while a "high" meets all four criteria.

Federal Program	FES Themes Benefitting	Current Partnership Status	New or Expanded Opportunity Level	Comments
Other Federal Progra	ms			
Dept. Of Defense (DOD)	DPS	Minimal	Low	DOE supports individual HEDLP and ICF projects on DOD facilities. Otherwise, missions are non-overlapping.
Nat. Aeronautics & Space Administration (NASA)	DPS	None	Low	Non-overlapping missions but shared interest in high-heat flux technologies and high-temperature structural materials.
Nat. Inst. of Standards & Technology (NIST)	DPS	None	Low	Complementary materials R&D spanning nanoscience materials to advanced manufacturing.
Nat. Science Foundation (NSF)	DPS	Strong	High	Exemplary relationship, with further opportunities for new Joint programs for research and intermediate-scale facilities.

In contrast, FES participation in international experiments is an order of magnitude lower.

International collaborations have been useful for the design of fusion neutron sources such as the proposed International Fusion Materials Irradiation Facility (IFMIF), based on an earlier U.S. design. There are potential opportunities for U.S. fusion researchers to gain access to unique foreign facilities, such as:

- large scale corrosion and thermomechanical test loop facilities;
- high heat flux and plasma material interaction facilities, tokamak divertor exposure facilities (WEST, EAST, ASDEX, etc);
- future possible fusion neutron irradiation facilities such as IFMIF: tritium facilities; and
- collaborations with operational, safety and regulatory experts on how to best develop a performance-based regulatory basis for fusion power (Canada, IAEA, JET, ITER).

The Max Planck-Princeton Center for Plasma Physics, which has the mission of making greater use of the synergies between fusion research and astrophysics, is a formal partnership supported by FES that cuts across Foundations and DPS. The table on the adjacent page shows summary and status of partnerships with large international devices.

# **Initiative-Relevant Partnerships**

The Panel acknowledges the informal efforts of fusion scientists who, on their own initiative, collaborate with intellectual leaders from complementary disciplines supported by other federal programs, international facilities, or as part of their own FES-funded research. Such interactions provide important indications of opportunities that could evolve into formal federal strategic partnerships.

For Vision 2025 to be accomplished, strategic federal and international partnerships need to be formed and maintained at a level that optimizes the execution of the Initiatives. For the FES Discovery Science subprogram, partnerships with other DOE offices or federal programs will be important in order for DPS scientists to access relevant existing or new machines in the furtherance of their research.

#### **Transients Initiative**

For this Initiative to be successful, it will be important for U.S. researchers to collaborate in the second half of the 10-year plan on long-pulse tokamak devices such as EAST and KSTAR and, when operational, JT60-SA. The collaborations should cover long-pulse plasma control and sustainment as well as work solely on the elimination of transient events. The Panel views this as a mutually beneficial partnership in that research teams from EAST and KSTAR can be included in ELM, disruption, and plasma control research on short-pulse devices in the U.S. The partnership between EAST and DIII-D appears to be mature, productive, and mutually beneficial. It will be important for FES to continue to support particularly the EAST partnership through maintenance of the appropriate partnership agreements. JT60-SA presents a particularly promising future partnership opportunity due to its increased size relative to EAST and KSTAR, and at the appropriate point in the decade partnership agreements should be established as dictated by strategic need for this and the other Initiatives.

#### **Supporting Recommendation**

Partnerships Initiative:

Develop a mutually beneficial partnership agreement with JT60-SA, similar to those already established on EAST and KSTAR, that will allow U.S. fusion researchers access to this larger-scale, long-pulse device in support of the report Initiatives.

Major Foreign Facilities	First Plasma or Beam on Target	First Plasma after last major upgrade	Current Partnership Status	Initiative Contribution	Comments
ASDEX Upgrade Tokamak (Germany)	1991		Minimal	Predictive	Excellent diagnostics
EAST Tokamak (China)	2007	2014	Strong	Interface, Transients	Superconducting long-pulse tokamak; hot W divertor
JET Tokamak (UK)	1983	2012 (ITER-like Wall)	Minimal	Fusion Nuclear Science	D-T experiments with Be/W wall
JT60 Tokamak (Japan)	1985	2019 JT60-SA	Minimal	Predictive	Advanced superconducting tokamak, size scaling
KSTAR Tokamak (S.Korea)	2008		Moderate	Interface, Transients	Superconducting long-pulse tokamak
LHD Stellarator (Japan)	1998	2013 Helical divertor	Minimal	Interface	Superconducting long-pulse stellarator with helical divertor
MAST Spherical Torus (UK)	1999	2015	Moderate	Interface	Super-X divertor
Tore Supra Tokamak (France)	1988	2015 (WEST)	None	Interface	Superconducting long-pulse tokamak
W7-X Stellarator (Germany)	2015		Strong	Interface, Predictive	Superconducting long-pulse stellarator with island divertor

Table 2: International partnership opportunities<sup>2</sup>

<sup>2</sup>A "major upgrade" is defined as a significant capital project that required at least a one year downtime in user program operations. A "minimal" partnership corresponds to fewer than two scientist and engineer FTEs, "moderate" being between two and five FTEs, and "strong" greater than five FTEs.

#### **Interface Initiative**

The major challenges for Fusion Nuclear Science are to understand the ability of the first wall and divertor to accommodate reactor-level power and particle fluences while allowing the toroidal plasma to be controlled and sustained in a stationary, high pressure state. In addition, increasing research is needed to explore credible options for the structural materials, blanket and tritium production and extraction approaches for a long-pulse fusion nuclear science facility that would be capable of high temperature (reactor relevant) operation at moderate duty cycles.

Strategic international partnerships are therefore required over the next decade to investigate key scientific issues, specifically collaborations that exploit the unique capabilities of superconducting long-pulse tokamaks such as EAST, KSTAR, the JET-sized superconducting tokamak JT-60SA, which will start operation in 2019, and stellarators including LHD and W7-X. A partnership that exploits the divertor studies planned for the smaller-scale superconducting tokamak WEST could also be valuable for resolving critical scientific issues in PMI. Reference to these international facilities can be found in Appendix G.

As mentioned above, a highly collaborative relationship already exists with EAST that can be capitalized on for investigation of divertor issues and other PMI challenges. There is also a formal agreement between the U.S. and W7-X that will be valuable for developing PMI solutions. These partnerships will produce the critical data needed for the next step in designing a Fusion Nuclear Science Facility.

#### **Predictive Initiative**

International partnerships also have an important role to play in this Initiative. Experiments conducted on international facilities that have the requisite diagnostic capability will provide the necessary data for model validation. Collaborations with international theorists through individual exchanges and through formal projects (such as verification exercises coordinated by the International Tokamak Physics Activity) will spur development of key modules. Ultimately, a mature predictive model can provide advance information needed to plan productive experiments on large international devices.

#### **Fusion Nuclear Science Initiative**

An important need for the success of the fusion nuclear science Initiative is the ability to understand the behavior of materials in an intense neutron field. To achieve that understanding, a new fusion materials neutron-irradiation facility that levers an existing MW-level neutron spallation source is envisioned as a highly cost-effective option. Such a facility exists in the BES program (Spallation Neutron Source). This rises to such high importance that the following partnership recommendation is made to FES.

#### **Supporting Recommendation**

Develop a mutually beneficial partnership with BES that would enable fusion materials scientists access to the Spallation Neutron Source for irradiation studies. Such a partnership will require frequent and effective FES-BES communication, strong FES project management that adheres to Office of Science Project Management best practices, and acceptable mitigation of operational risks.

Collaboration with ITER's test blanket module (TBM) program is an important aspect of supporting the FNS Initiative by establishing the science and technology for blanket development, tritium breeding, extraction and fuel-cycle sustainability.

An area that has received little attention is the safety and associated regulations required to operate nuclear fusion devices. However, expertise exists in federal and international programs that FES can leverage to develop the appropriate regulatory approach. These programs include NE, NRC, IAEA, ITER, and JET.

#### **Discovery Plasma Science**

There are mutually beneficial, multi-agency partnership opportunities for DPS research activities. FES could explore an expansion of partnership opportunities between SC and NNSA, as well as across other federal agencies (*e.g.*, NSF, NASA, DOD, NIST, EPA).

Within DOE SC, the highly productive Scientific Discovery through Advanced Computing (SciDAC) partnership is an example of strengths across all six SC offices. SciDAC partnerships between ASCR and FES are directed toward the development and application of computer simulation codes for advancing the science of magnetically confined plasmas. Predictive modeling codes have a pivotal role in all three thematic areas: BPS Foundation, BPS Long Pulse, and Discovery Plasma Science. In addition, there is the Matter at Extreme Conditions (MEC) end station of the Linac Coherent Light Source (LCLS) user facility at the SLAC National Accelerator Laboratory that serves as an example of a successful BES-FES partnership that provides users with access to HED regimes uniquely coupled with a highbrightness x-ray source.

Partnerships also exist within DPS across federal agencies. One is the NSF/DOE Partnership in Basic Plasma Science and Engineering that provides funding opportunities for small-group and single-investigator research activities unrelated to fusion. Although underfunded in the FY15 President's Budget Request (Budget Scenario 4), there is also the NNSA-SC Joint Program in High Energy Density Laboratory Plasmas (HEDLP). The NNSA component of the HEDLP partnership still remains as the Stewardship Science Academic Alliances for academic research in the areas of materials under extreme conditions, low energy nuclear science, radiochemistry, and high energy density physics.

Although the description found in Appendix D of the NRC Plasma 2010 report "Federal Support for Plasma Science and Engineering" points out that plasma research across the various government agencies did not lend itself to a comprehensive view of federal investments, the report listed the following plasma research areas funded by agencies in addition to DOE SC:

- NSF investments in low-temperature plasma science as well as space and astrophysical plasmas,
- NNSA as the primary funding agency for HED physics, and
- NASA support of space and astrophysical plasmas.

One partnership goal that could be fruitful would be in the area of mutually beneficial, intermediate-scale facilities for expanding research into new plasma regimes (also discussed in the NRC Plasma 2010 report), with the option of co-funding for construction, operations, and the corresponding user research program. 6

# **Budgetary Considerations**



# 6

# Budgetary Considerations

### Introduction

Here the Panel considers the actionable items recommended by this report, namely the four Initiatives, and how their implementation is tied to the four budget scenarios specified in the Charge. The Initiatives have been given short titles for convenience: Transients, Interface, Predictions, and Fusion Nuclear Science (FNS). The Initiatives are described in non-scientific terms in the Executive Summary, in integrated form and more detail in Chapter 1, and in scientific detail specific to either Foundations or Long Pulse in Chapters 2 and 3. The four budget scenarios are bounded on the high end by Budget Scenario 1 (\$305M in FY14 with modest growth of 4.1% per year) and on the low end by Budget Scenario 4 (FY15 President's Budget Request of \$266M with cost-of-living increase of 2.1% per year). Over the 10 years considered here, from FY15 through FY24, the total integrated amount between the two bounding cases differs by approximately \$900 million.

The key question is how should the U.S. FES program be optimized under the different budget scenarios so that as much as possible of Vision 2025 is achieved, as many of the four Initiatives are completed, and the U.S. fusion energy community maintains its leadership roles in as many areas as possible?


The approach the Panel took for each budget scenario was to maximize the number of Initiatives undertaken within the constraints outlined below. Note that the Panel did not perform a detailed budget analysis of the budget options prescribed in the Charge. Further analysis by DOE is required to develop a credible, budget-consistent 10-year Plan.

# **Facilities**

Based on community input, the Long Pulse and Foundations subpanels estimated the requirements for each of their contributions to the four Initiatives. Two new experimental facilities and associated operations are implied. One, for the FNS Initiative, is a neutron-irradiation capability. The other, for the Interface Initiative, is a facility or facilities for investigating boundary plasma-materials interactions and their consequences. Cost considerations determined that this aspect of the Interface Initiative was best explored using an iterative process involving data from a new linear divertor simulator, data from one or more of NSTX-U and DIII-D with upgraded tokamak-divertor(s), and results from modeling and simulation. The Panel expects that one U.S. facility for innovative boundary studies with advanced divertor scenarios will be upgraded during the latter half of the 10-year period. This effort will make use of the fundamental studies of plasma-materials interaction in the Long Pulse subprogram, and will transition to steady-state boundary research on long-pulse international superconducting tokamaks, also in the Long Pulse subprogram.

The Panel assumed the funding required for each of the four Initiatives would be obtained by reallocating funds from the budget category Foundations Operations, or possibly from Discovery Plasma Science. Concerning the operation of the existing major tokamak facilities, the Panel proposes the closure of C-Mod as soon as possible, consistent with orderly transition of the staff and graduate students to other efforts, including experiments at other facilities where appropriate. At the same time, the Panel agreed that the associated C-Mod research funds would be maintained in full for research on other facilities, while the operations funding will be redirected to the proposed Initiatives. Prompt closure of C-Mod is necessary to fund as quickly as possible the necessary upgrades at DIII-D, to build the linear divertor simulator, and for the whole-plasma-domain modeling effort in the Predictive Initiative. DIII-D experiments using these upgrades are essential to achieve the Vision 2025 goals. The linear divertor simulator and tokamak-divertor experiments should be started as soon as feasible.

It is imperative for the U.S. Fusion Program that the knowledge, excellence, and leadership of the scientists from the MIT Plasma Science and Fusion Center be maintained and applied to the Initiatives to assure success. In particular, graduate students currently pursuing thesis research on C-Mod need a path to thesis completion. To this end, the Panel recognizes that is the responsibility of DOE to develop a "C-Mod Transition Plan," which describes the plan (including timeline) for shutdown of C-Mod and reassignment of the workforce to other activities described in this report.



#### 45

Beyond the cessation of C-Mod, the Panel reached the following conclusions on facilities:

- Between ~2015 and ~2020, both NSTX-U and DIII-D should be available for ITER-related research, for assessing FNSF magnetic geometry (in particular NSTX-U), and for the Transients Initiative (in particular DIII-D). The Panel expects expanded and new international partnerships to develop.
- Between ~2020 and ~2025, at least one or the other of NSTX-U and DIII-D is required, including for ITER-related research, for the Interface and Predictions Initiatives. The Panel expects new international partnerships on superconducting tokamaks and stellarators to flourish.
- After 2025, one facility is required both for a user facility for DPS and for programmatic fusion research. The best facility for the period beyond 2025 is not necessarily the same as the best facility for the 5 years prior to 2025. If this is the case, then cold storage, *i.e.*, mothballing, should be considered.
- Between 2015 and 2025 the DPS program is strengthened by peer-reviewed university, national laboratory, and industry collaborations. These collaborations would be enhanced by federal partnerships involving cost sharing of collaborative, intermediate-scale facilities in order to realize the broadest range of plasma science discoveries. With such collaborations in place, the DPS program will be able to train the next generation of plasma scientists to ensure continuing U.S. leadership in plasma science.

# Implementation

For each of the budget scenarios, it was assumed that the scientific workforce was retained in the event of a facility closure. In reallocating funds to the Initiatives there were obvious problems with time histories as facility closures result in sudden funding reductions, and the adoption of new Initiatives require a more gradual funding increase. Again, a more detailed analysis by DOE is required to generate an accurate 10-year budget.

For the first 5 years (2015 to 2020) the number of run weeks of the two operating facilities (NSTX-U and DIII-D) should be kept high (significantly higher than in the recent past). Between 2020 and 2025, the number of facilities would be at least one, with the date of any shut down (or cold storage/ mothball) being budget-dependent. In addition, if two facilities were maintained (perhaps possible only in Budget Scenario 1), the operational availability of one but not both could be reduced.

# **Findings**

The Panel performed a preliminary examination of funding scenarios for the MFE-ReNeW Thrusts, based on the community input, in order to derive approximate funding requirements for the highest priority research activities. Key points from this examination and the Panel's analysis are the following:

- The Panel developed nominal budget breakouts between Foundations, Long Pulse and Discovery Plasma Science (DPS) for the modest growth case (Scenario 1). For this case, the Panel recommends a significant shift in resources from Foundations to Long Pulse over the next ten years, with escalation but no shift applied to DPS. For context, a significant fraction of the FES program devoted to Foundations is transitioned to Long Pulse. This shift is the major strategic budget recommendation of this panel.
- The Panel estimated the needed funds for BP-Long Pulse for all scenarios and believes the 10-year total should range from approximately \$1.3B (for the modest growth case) to approximately \$1B (in Scenario 4).
- It must be emphasized again the Panel did not perform a detailed budget analysis, including facility "ramp-downs" and "ramp-ups." This would be the responsibility of FES in generating a credible, budget-consistent 10-year plan.
- Impacts of the various scenarios are discussed below. Note that the Panel only considered the impact of the scenarios on the four Initiatives, major tokamak availability, and operations of the divertor and neutron-irradiation capability. The Panel did not consider the overall sustainability of the FES Program and the degree to which the U.S. maintains world leadership. The Panel strongly

believes the strategic changes in the Program direction, discussed above and elsewhere in the report, will ensure the U.S. is in a position to exert long-term leadership roles within and among each of the three Fusion Energy Sciences subprograms specified in the Charge.

Panel members developed the conclusions/budget impacts shown below, organized by the highest to lowest budget scenarios. All dates are to be taken as approximate.

# Budget Scenario 1: Modest growth of appropriated FY14 (\$305M) at 4.1%

This scenario has the highest integrated funding. Vision 2025 has an acceptable probability of being achieved. Both NSTX-U and DIII-D facilities operate for 5 years and possibly 10 years with reduced availability possible in Phase II, with one upgraded divertor and a neutron-irradiation capability. If funding only one of the facilities is possible, it is not yet clear which is optimal. After 10 years, it is expected that only one facility will be required, but it is not clear which one. All four Initiatives go forward, informing the design of FNSF. The linear divertor simulator, the upgraded tokamak-divertor, and the neutron-irradiation facility are providing data. The U.S. Fusion Program features prominently in four areas: Transients, Interface, Predictions, and, importantly, FNS.

#### Budget Scenario 2: FY14 with 2.1% cost of living

This scenario has the second highest integrated funding, but at the end of FY24 these integrated funds are approximately \$400M less than in Budget Scenario 1. There is a lower probability that Vision 2025 can be met. One of the two remaining major tokamak facilities, DIII-D or NSTX-U, will be closed or mothballed between 2020 and 2025. One linear divertor simulator, the upgrade tokamak-divertor, the neutronirradiation facility, and/or DPS funds may be affected. Only one major tokamak facility is required beyond 2025. One of the two remaining major tokamak facilities, DIII-D and NSTX-U, will be closed or mothballed between 2020 and 2025. All four Initiatives go forward, with three (Transients, Interface, Predictions) being emphasized. If necessary, the Tier 2 Initiative FNS is slowed down. The U.S. Fusion Program features prominently in at least three Initiative areas (Transients, Interface, Predictions), with the possibility of featuring prominently in the FNS Initiative. While the U.S. program will remain influential in niche areas, the prospect for U.S. leadership in the frontiers of fusion nuclear science leading to energy development beyond the ten-year vision is diminished, and progressively so as the budget is reduced.

#### **Budget Scenario 3: FY14 flat**

This scenario has the third highest integrated funding, but at the end of FY24 these integrated funds are approximately \$780M less than the highest budget, Budget Scenario 1. Vision 2025 will be only partially met. One of the two remaining facilities, DIII-D or NSTX-U, will be closed or mothballed between 2020 and 2025, earlier than in the Budget Scenario 2. DPS funds will be reduced slightly in addition to a small further reduction in Foundations funds, e.g., the linear divertor simulator and the upgraded tokamak-divertor are operating, but the neutron-irradiation facility may not be possible in spite of closing a second major facility sooner. The two Tier 1 Initiatives (Transients, Interface) and one Tier 2 Initiative (Predictions) go forward, but the Tier 2 Initiative FNS is slowed further. The U.S. Fusion Program features prominently in two areas, Transients and Interface, or possibly three, the third being the Predictive Initiative. Maintaining U.S. leadership in any broad emerging area by the end of the ten-year plan would be compromised, as the fusion nuclear science component represents the key new element of U.S. entry into fusion science development near the end of the ten-year plan, even as the challenges addressed by the Transients and Interface Initiatives would be pursued.

# Budget Scenario 4: FY15 request with 2.1% cost of living

Integrated funding over the 10-year period is approximately \$900M less than Budget Scenario 1. Vision 2025 will be partially met, but a second Initiative is lost. One of the two remaining facilities, DIII-D or NSTX-U, will be closed or mothballed around 2020, which may be earlier than in the Budget Scenario 3. DPS funds will be reduced slightly in addition to a small further reduction in Foundations funds, *e.g.*, one or both of the linear divertor simulatior and the upgraded tokamak-divertor may not be possible in spite of closing a second major facility around 2020. The neutronirradiation facility cannot be funded. It is expected that the U.S. will be influential in the research fields encompassed by the two Tier 1 Initiatives, specifically Transients and Interface. The necessary delay to the FNS and Predictive Initiatives will leave significant obstacles in the path to fusion power precisely where the U.S. is best situated to lead the way. While the U.S. could maintain a significant role in resolving the two Tier 1 Initiatives, the delay to the other two Initiatives cedes the leading role in these areas to the international programs. The U.S. would be in a weak position to proceed as an innovative center of fusion science beyond 2025.

An additional consideration in the lower budget scenarios is how to best utilize any mid-year augmentation that might be appropriated in a single fiscal year. For a small one-time increase, priority should be given to making whole any reductions to the Tier 2 Predictive Initiative. For a larger increase, both Tier 2 Initiatives, Predictive and FNS, should be augmented. Any increase large enough to beneficially influence FNS would simultaneously extend benefits to the Predictive Initiative, which is less expensive overall than the FNS Initiative. The Panel concluded that, under the circumstances of an even larger one-time increase, building and operating the neutron-irradiation facility would be strategically important for exerting long-term world leadership in FNS.

# Appendices



Appendix A:	Summary of Initiatives and Recommendations	51
Appendix B:	Charge Letter	56
Appendix C:	Panel Roster	58
Appendix D:	Panel Process and Meetings	59
Appendix E:	Community White Papers received for Status and Priorities, and Initiatives	60
Appendix F:	Community Workshops and Presentations	69
Appendix G:	Leveraging and Partnership Opportunities with DOE and	74
	other Federal and International Partners	
Appendix H:	References	80

# Appendix A: Summary of Initiatives and Recommendations

Each subpanel identified candidate initiatives, primary and supporting recommendations, and minimum funding requirements to meet Vision 2025.

For Foundations and Long Pulse, priorities were determined by considering the following set of metrics:

- Importance: Necessity of the activity for ensuring that the U.S. is in a position to exert long-term leadership roles within the fusion energy mission as extrapolated from present knowledge.
- Urgency: Necessity of the activity that is required immediately and in the near future.
- Generality: Breadth of activity across FES subprograms and subprogram elements and necessity of the activity for resolving generic issues across different designs or approaches for ITER, FNSF, or DEMO, the demonstration fusion reactor facility.
- Leadership Sustainment: Necessity of investment in order to sustain leading U.S. influence on progress of the field.
- Leadership-Loss Mitigation: Necessity of investment in order to mitigate loss of U.S. leadership (short and long term) where the U.S. now leads.
- Opportunity Reaching: Necessity of investment in order to turn a scientific gap into a U.S. leadership opportunity for the long term.
- ITER/FNS Need: Necessity of investment in order to address the need to establish the scientific basis for advancing fusion nuclear science.
- Leverage and Partnering: Necessity of investment in order to strengthen or create new partnerships with other federal and international research programs that may foster important scientific opportunities otherwise unavailable to U.S. fusion scientists.
- Efficiency: All criteria above, normalized by required magnitude of additional emphasis or investment.

For DPS, priorities were determined by considering the following set of metrics (further details in Chapter 4):

- Advancing the frontiers of plasma innovation and plasma applications;
- Forming collaborations between universities, national laboratories and industry, and across federal agencies; and
- Achieving cross-cutting benefits to all FES subprograms, especially in training the next generation of plasma scientists.

The Partnership and Leverage subpanel determined priorities using the following four criteria (further details are in Chapter 5):

- Importance and urgency consistent with Vision 2025;
- Return on FES investment;
- Sustained and expanded U.S. leadership; and
- Clear mutual benefit.

The Panel integrated and iterated these findings, resulting in four high priority Initiatives that could be accommodated over ten years under a majority of the budget scenarios. These Initiatives were further ranked into upper and lower tiers, with an understanding that those in the lower tier would be delayed under the lower budget scenarios. **2025 Vision:** (1) Enable U.S. leadership in burning plasma science and fusion power production research, including programs planned for ITER—the world's premier upcoming fusion facility, (2) Provide the scientific and technological basis for a U.S. Fusion Nuclear Science Facility (FNSF)—a critical

next step towards commercial fusion power, and (3) Continue U.S. leadership in discovery plasma science, fusion related technology, and other areas needed to realize the promise of fusion energy and develop the future fusion workforce.

#### Tier 1 Initiatives: Four Primary Recommendations Control of Burning Plasmas: The FES experimen-Control deleterious transient events: Undesirable transients in plasmas are ubiquitous but tolerable occurrences in most present-day tokamak experiments but could prevent tal program needs an integrated and prioritized regular operation of a burning plasma experiment on the scale of ITER without frequent approach to achieve significant leading participashutdown for repairs. To reduce the threat of disruptions to tolerable levels in upcoming tion by the U.S. on ITER. Specifically, new proposed nuclear experiments, both passive and active control techniques, as well as preemptive solutions will be applied to two long-standing and plasma-shut-down, will be employed. The resolution of this long-standing challenge ubiquitous issues, relevant to tokamak-based within this ten-year period would open up the pathway to robust pursuit of fusion burning plasma. energy development in the tokamak configuration, the leading option for performing fusion nuclear science research. The issues are: · Dealing with unwanted transients; and Taming the plasma-material interface: The critically important boundary region of a · Dealing the interaction between the plasma fusion plasma involves the transition from the high-temperature plasma core to the boundary and material walls. surrounding material. Understanding the specific properties of this boundary region that determine the overall plasma confinement is a priority. At the same time, the properties of this boundary region control the heat and particle fluxes incident on material surfaces. The response of the material surfaces influences the boundary and core plasma characteristics. Understanding, accommodating, and controlling this complex interaction—including selecting materials to withstand this harsh environment while maintaining high confinement—is a prerequisite for ITER success and for designing FNSF. The Panel concluded that the most cost-effective path to the plasmamaterials-interface challenge requires a new high-power and high-fluence linear divertor simulator. Results from this facility will be iterated with experimental results on

#### **Discovery Plasma Science (DPS)**

numerical simulations.

In concert with the two tiers of Initiatives, Discovery Plasma Science can provide transformational new ideas for plasma topics. DPS research seeks to address a wide range of fundamental science, including fusion, as outlined by the NRC Plasma 2010 report. DPS activities are synergistic with the missions of other federal agencies, and significant opportunities exist to broaden the impact of DPS through the development and expansion of strategic partnerships between FES and other agencies.

suitably-equipped domestic and international tokamaks and stellarators, as well as in

FES stewardship of basic plasma research should be accomplished through peer-reviewed university, national laboratory, and industry collaborations. In order to achieve the broadest range of plasma science discoveries, the research should be enhanced through federal-agency partnerships that include cost-sharing of intermediate-scale collaborative facilities.

BPS Foundations Supporting Recommendations	BPS Long Pulse Supporting Recommendations	Partnerships Supporting Recommendations
<b>Supporting Recommendation:</b> Maintain the strong experimental U.S. focus on eliminating and/or mitigating destructive transient events to enable the high-performance operation of ITER. Develop improved predictive modeling of plasma behavior during controlled transient events to explore the basis for the disruption-free sustained tokamak scenario for FNSF and DEMO.		<b>Supporting Recommendation:</b> Develop a mutually beneficial partnership agreement with JT60-SA, similar to those already established on EAST and KSTAR, that will allow U.S. fusion researchers access to this larger-scale, long-pulse device in support of the report's Initiatives.
Supporting Recommendation: Undertake a technical assessment with community experts to ascertain which existing facility could most effectively address the key boundary physics issues.	Supporting Recommendation: Design and build an advanced multi-effects linear divertor sim- ulator to support the Interface Initiative.	

DPS Supporting Recommendations for GPS, HEDLP, SO-systems, and Diagnostic Innovation

DPS **GPS Supporting Recommendation:** FES should take the lead in exploring multi-agency partnering for GPS activities. This effort should including funding for intermediate-scale facilities (as discussed in the NRC Plasma 2010 report) with funding for construction, operations, facility-staff research, and the corresponding user research program.

DPS **HEDLP Supporting Recommendation:** FES should avail itself of leveraging opportunities at both SC and NNSA high-energy-densityphysics user facilities, within the context of the NNSA-SC Joint Program in HEDLP, especially for the FES HEDLP community researchers who have been awarded experimental shot time.

DPS **Self-Organized Systems Supporting Recommendation**: FES should manage the elements of SO-Systems using subprogram-wide metrics with peer reviews occurring every 3 to 5 years to provide a suite of capabilities that explore an intellectually broad set of scientific questions related to SO Systems.

DPS **Diagnostic Measurement Innovations Supporting Recommendation:** FES should manage diagnostic development and measurement innovation in order to have a coordinated cross-cutting set of predictive model validation activities across all DPS subprogram elements—GPS, HEDLP, and SO-Systems.

#### Tier 2 Initiatives:

**Experimentally Validated Integrated Predictive Capabilities:** The coming decade provides an opportunity to break ground in integrated predictive understanding that is urgently required as the ITER era begins and plans are developed for the next generation of facilities. Traditionally, plasma theory and simulation provide models for isolated phenomena based on mathematical formulations that have restricted validity regimes. However, there are a growing number of situations where coupling between the validity regime and the phenomena is required in order to account for all relevant phenomena. To understand and predict these situations requires expanded computing capabilities strongly coupled to enhancements in analytic theory and the use of applied mathematics. This effort must be strongly connected to a spectrum of plasma experimental facilities supported by a vigorous diagnostics subprogram in order to provide crucial tests of theory and allow for validation.

**Fusion Nuclear Science:** Several important near-term decisions will shape the pathway toward practical fusion energy. The selection of the plasma magnetic configuration (an advanced tokamak, spherical torus, or stellarator) and plasma operational regimes needs to be established based on focused domestic and international collaborative long-pulse, high-power research. Another need is the identification of a viable approach to a robust plasma-materials interface that provides acceptably high heat flux capability and low net erosion rates without impairing plasma performance or resulting in excessive tritium entrapment. Materials science research needs to be expanded to comprehend and mitigate fusion neutron-irradiation effects, and fundamental research is needed to develop a feasible tritium generation and power-conversion blanket/first-wall concept. A new fusion materials neutron-irradiation facility that leverages an existing MW-level neutron spallation source is envisioned as an attractive option.

#### Four Primary Recommendations


**Fusion Predictive Modeling:** The FES theory and simulation subprogram should develop the modeling capability to understand, predict, and control (a) burning, long pulse fusion plasmas and (b) plasma-facing components. Such a capability when combined with experimental operational experience will maximize the U.S. operational contribution and interpretation of ITER results for long pulse, burning plasmas, as well as the U.S. contribution to the design requirements for future fusion facilities. This endeavor must encompass the regions from plasma core through the surrounding materials and requires coupling nonlinear, multi-scale, multi-disciplinary phenomena, in experimentally validated, theory-based models.

**Fusion Nuclear Science:** A fusion nuclear science subprogram should be created to provide the science and technology understanding for informing decisions on the preferred plasma confinement, materials, and tritium fuel-cycle concepts for a Fusion Nuclear Science Facility (FNSF), a proposed U.S.- based international centerpiece, beyond 2025. FNSF's mission would be to utilize an experimental plasma platform having a long duration (up to one million seconds) for and complex integration and for the convergence of fusion plasma science and fusion nuclear science.

BPS Foundations Supporting Recommendations		BPS Long Pulse Supporting Recommendations	Partnerships Supporting Recommendations	
	Supporting Recommendation: Maintain and strengthen existing base theory and SciDAC sub- programs to maintain world leadership and leverage activities with the broader applied mathematics and computer science communities. Supporting Recommendation: Ensure excel- lence in the Predictive Initiative with a peer- reviewed, competitive proposal process to define the scope and implementation strategy for realizing a whole-device predictive model.		<b>Supporting Recommendation:</b> Develop a mutually beneficial partnership agreement with JT60-SA, similar to those already established on EAST and KSTAR, that will allow U.S. fusion researchers access to this larger-scale, long-pulse device in support of the report's Initiatives.	
		Supporting Recommendation: Design and build a new fusion materials neutron-irradiation facility that leverages an existing MW-level neutron spallation source to support the Fusion Nuclear Sciences Initiative. Supporting Recommendation: Invest in a research subprogram element and associated facilites on blanket technologies and tritium sustainability that will advance studies from single to multiple effects and interactions.	<b>Supporting Recommendation:</b> Develop a mutually beneficial partnership with BES that would enable fusion materials scientists access to the Spallation Neutron Source for irradiation studies. Such a partnership will require frequent and effective FES-BES communication, strong FES project management that adheres to Office of Science Project Management best practices, and acceptable mitigation of operational risks.	

## Appendix B: Charge Letter

	Department of Energy Office of Science Washington, DC 20585	
		Office of the Director
	April 8, 2014	
Professor Mark Koepke Chair Fusion Energy Sciences Advi Department of Physics – Whi West Virginia University 1315 Willey Street		
Morgantown, WV 26506		
Dear Professor Koepke:		
Committee (FESAC) at this in	cepting the task of chairing the Fusion Energy mportant time for the Fusion Energy Science I that will require thoughtful, informed advi i in the United States.	es (FES) program. We
	opriations Act requires the Department to su 2015 with the following guidance:	abmit a strategic plan for
for the domestic fusio year 2014 enacted lev growth based only on flat funding. The Jan priorities for nuclear p	ould assume U.S. participation in ITER and in program based on three funding scenario rel as the funding baseline: (1) modest gr a cost-of-living-adjusted fiscal year 2014 uary 2013 Nuclear Science Advisory Com physics used similar funding scenarios and ciorities for the fusion program."	os with the fiscal owth, (2) budget budget, and (3) nmittee report on
	e asking FESAC to address the following the domestic program as the baseline (\$305M)	
(1) Modest growth (use + 2015 through FY 2024	2.0 percentage points above the published ( 4)	DMB inflators for FY
(2) Cost of living (use the	published OMB inflators for FY 2015 thro	ugh FY 2024)
(3) Flat funding		
We are also asking FESAC to for the domestic program as the	consider a fourth scenario with the FY 201 he baseline (\$266M):	5 President's Request
(4) Cost of living (use the	published OMB inflators for FY 2015 thro	ugh FY 2024)
	Printed with soy link on recycled paper	



## **Appendix C: Panel Roster**

Kevin Bowers Los Alamos National Laboratory (guest scientist)

**Troy Carter** University of California, Los Angeles

**Don Correll** Lawrence Livermore National Laboratory

Arati Dasgupta Naval Research Laboratory

Chris Hegna University of Wisconsin, Madison

William "Bill" Heidbrink University of California, Irvine

Stephen Knowlton Auburn University (retired)

Mark Koepke (Panel Chair) West Virginia University

**Douglas Kothe** Oak Ridge National Laboratory

**Stan Milora** Oak Ridge National Laboratory (retired)

**David E. Newman** University of Alaska

Gert Patello Pacific Northwest National Laboratory

**Don Rej** Los Alamos National Laboratory Susana Reyes Lawrence Livermore National Laboratory

John Steadman University of South Alabama

Karl A. Van Bibber University of California, Berkeley

Alan Wootton University of Texas, Austin (retired)

Minami Yoda Georgia Institute of Technology

Steve Zinkle (Panel Vice Chair) University of Tennessee, Knoxville

## **Appendix D: Panel Process and Meetings**

Week 1	April 14–18	Finalize SP panel membership, initiate invitation process
Week 3	April 28 – May 02	<b>1st SP Teleconference on April 30:</b> Plans for Process and Gathering Input
Week 6	May 19-23	2nd SP Teleconference on May 20: Gathered Input-relevant reports
Week 8	June 02–06	<b>1st SP Meeting:</b> Mon 18:30 to Fri 13:30, with 3 days of talks
Week 13	July 07–11	<b>2nd SP Meeting:</b> Mon 09:00 to Fri 13:30, with 3 days of talks
Week 19	August 18–22	<b>3rd SP Teleconference on August 20</b> : Priority Assessment
Week 20	August 25–29	<b>4th SP Teleconference on August 28</b> : Budget Scenarios
Week 21	September 02-05	<b>3rd SP Meeting:</b> Tues 18:30 to Fri 17:00, with no talks
Week 24	September 22-26	FESAC SP Panel Report Approval Meeting on September 22–23
Week 26	October 10	FESAC SP Panel Report Approval Conference Call

# Appendix E: Community White Papers received for Status and Priorities, and Initiatives

Author(s)	Title or Subject
Mohamed Abdou, Alice Ying, Sergey Smolentsev, and Neil B. Morley of UCLA	Scientific Framework for Advancing Blanket/FW/Tritium Fuel Cycle Systems towards FNSF & DEMO Readiness — Input to FESAC Strategic Plan Panel on Blanket/FW Research Initiatives
Ed Barnat, Sandia National Laboratories, Albuquerque, N.M.	Dynamic Exploratory Clusters: Facilitating Interdisciplinary Discovery Driven Research
L. R. Baylor, G. L. Bell, T. S. Bigelow, J. B. Caughman, R. H. Goulding, G. R. Hanson, and D. A. Rasmussen, ORNL, J. C. Hosea, G. Taylor, and R. Perkins, PPPL, J. M. Lohr, P. B. Parks, and R. I. Pinsker, GA, G. Nusinovich, University of Maryland, M. A. Shapiro and R. J. Temkin, MIT	Plasma Controlling and Actuation Technologies that Enable Long Pulse Burning Plasma Science—Status and Priorities
R. Boivin (GA), M. Austin (UT), T. Biewer (ORNL), D. Brower (UCLA), E. Doyle (UCLA), G. McKee (UWisc), P. Snyder (GA)	Enhanced Validation of Performance—Defining Physics through Measurement Innovation
Dylan Brennan, President, UFA, Phil Ferguson, ORNL, Raymond Fonck, UWisc, Miklos Porkolab, MIT, Stewart Prager, PPPL, Ned Sauthoff, U.S. ITER, Tony Taylor, GA	Perspectives on Ten-Year Planning for the Fusion Energy Sciences Program
USBPO Diagnostics Topical Group: David L. Brower, Leader, Theodore M. Biewer, Deputy, with R. Boivin, R. Moyer, C. Skinner, D. Thomas, K. Tritz, and K. Young	A Burning Plasma Diagnostic Initiative for the U.S. Magnetic Fusion Energy Science Program
M. R. Brown, representing P. M. Bellan, S. A. Cohen, D. Hwang, E. V. Belova, Swarthmore College	The Role of Compact Torus Research in Fusion Energy Science
Tom Brown, PPPL, A Personal View	U.S. Next Step Strategy for Magnetic Fusion
C. Denise Caldwell, NSF MPS-PHY	NSF's Plasma Physics Program
R. W. Callis, A. Garofalo, V. Chan, H. Guo, GA	Applied Scientific Research to Prepare the Technology for Blanket and Nuclear Components to Enable Design of the Next-Step Burning Plasma Device (Status)

Author(s)	Title or Subject
R. W. Callis, A. Garofalo, V. Chan, H. Guo, GA	Applied Scientific Research to Prepare the Technology for Blanket and Nuclear Components to Enable Design of the Next-Step Burning Plasma Device (Initiative)
C. S. Chang, Princeton Plasma Physics Laboratory	First-Principles Simulation of the Whole Fusion Physics on Leadership Class Computers, in Collaboration with ASCR scientists
B. Coppi, MIT Physics	The High Field Compact Line of Experiment: From Alcator to Ignitor and Beyond
R. Paul Drake, UMich	Opportunities and Challenges in High-Energy-Density Laboratory Plasmas
Philip C. Efthimion, PPPL OFES	Stewardship of Plasma Science and its Partnering and Leveraging Discovery Science
R. Fonck, UWisc, G. McKee, GA, D. Smith, PPPL	Revitalizing University and National Facility Integration in Fusion Energy Science
W. Fox, A. Bhattacharjee, H. Ji, K. Hill, I. Kaganovich, and R. Davidson, PPPL, A. Spitkovsky, Princeton U., D. D. Meyerhofer, R. Betti, D. Froula, and P. Nilson, U. Rochester, D. Uzdensky and C. Kuranz, UMich, R. Petrasso and C. K. Li, MIT PSFC, S. Glenzer, SLAC	Laboratory Astrophysics and Basic Plasma Physics with High-Energy-Density, Laser-Produced Plasmas
E. Fredrickson, PPPL	Some Recent Advances in Understanding of Energetic Particle Driven Instabilities and Fast-Ion Confinement
Andrea M. Garofalo and Tony S. Taylor, GA	Leveraging International Collaborations to Accelerate Development of the Fusion Nuclear Science Facility (FNSF)
S. H. Glenzer, SLAC National Accelerator Laboratory	U.S. Leadership in Discovery Plasma & Fusion Science
R. Goldston, PPPL, B. LaBombard, D. Whyte, M. Zarnstorff, MIT PSFC	A Strategy for Resolving the Problems of Plasma-Material Interaction for FNSF
C. M. Greenfield for the U.S. Burning Plasma Organization	Positioning the U.S. to Play a Leading Role in and Benefit from a Successful ITER Research Program
Martin Greenwald, A Personal View	Implications and Lessons from 2007 Strategic Planning Activity and Subsequent Events

Author(s)	Title or Subject
H. Y. Guo, E. A. Unterberg, S. L. Allen, D. N. Hill, A. W. Leonard, P. C. Stangeby, D. M. Thomas and DIII-D BPMIC Team	Developing Heat Flux and Advanced Material Solutions for Next-Step Fusion Devices
W. Guttenfelder, E. Belova, N. N. Gorelenkov, S. M. Kaye, J. E. Menard, M. Podesta, Y. Ren, and W. X. Wang, PPPL, D. L. Brower, N. Crocker, W. A. Peebles, T. L. Rhodes, and L. Schmitz, UCLA, J. Candy, G. M. Staebler, and R. E. Waltz, GA, J. Hillesheim, CCFE, C. Holland, UCSD, J. H. Irby and A. E. White, MIT, J. E. Kinsey, CompX, F. M. Levinton and H. Yuh, Nova Photonics, M. J. Pueschel, UWisc	Validating Electromagnetic Turbulence and Transport Effects for Burning Plasmas
G. W. Hammett, PPPL, with input from C. S. Chang, S. Kaye, and A. H. Hakim, PPPL, A. Pletzer and J. Cary, Tech-X	An Advanced Computing Initiative To Study Methods of Improving Fusion
R. J. Hawryluk, PPPL, H. Berk, UTexas, B. Breizman, UTexas, D. Darrow, PPPL, R. Granetz, MIT, D. Hillis, ORNL, A. Kritz, Lehigh U., G. Navrati, Columbia U., T. Rafiq, Lehigh U., S. Sabbagh, Columbia U., G. Wurden, LANL, and M.C. Zarnstorff, PPPL	U.S. Collaboration on JET D-T Experiments
David N. Hill, LLNL	Develop the Basis for PMI Solutions for FNSF and DEMO
Matthew M. Hopkins, Sandia National Laboratories	Overcoming Cultural Challenges to Increasing Reliance on Predictive Simulation
W. Horton, H. L. Berk, C. Michoski, and D. Meyerson, UTexas-Austin, I. Alvarado and L. Wenzel, National Instruments, Austin, Texas, A. Molvik, D. Ryutov, T. Simonen, and B. Hooper, LLNL, J. F. Santarius, UWisc	Fusion Science Facility to Evaluate Materials for Fusion Reactors
P. W. Humrickhouse, M. Shimada, B. J. Merrill, L. C. Cadwallader, and C. N. Taylor, Idaho National Laboratory	Tritium Research Needs in Support of Long-Pulse Burning Plasmas: Gaps, Status, and Priorities
P. W. Humrickhouse, M. Shimada, B.J. Merrill, L.C. Cadwallader, and C.N. Taylor, Idaho National Laboratory	Tritium Research Needs in Support of Long-Pulse Burning Plasmas: New Initiatives

Author(s)	Title or Subject
T. R. Jarboe, C. J. Hansen, A. C. Hossack, G. J. Marklin, K. D. Morgan, B. A. Nelson, D. A. Sutherland, and B. S. Victor	Helicity Injected Torus (HIT) Current Drive Program
Thomas R. Jarboe PI, Richard Milroy Co-PI, Brian Nelson Co-PI, and Uri Shumlak Co-PI, UWash, Carl Sovinec PI, UWisc, Eric Held, Utah State, Vyacheslav Lukin, NRL	Plasma Science and Innovation Center (PSI-Center) at Washington, Wisconsin, Utah State, and NRL
T. R. Jarboe, C. J. Hansen, A. C. Hossack, G. J. Marklin, K. D. Morgan, B. A. Nelson, R. Raman, D. A. Sutherland, B. S. Victor, and S. You	An Imposed Dynamo Current Drive Experiment: Studying and Developing Efficient Current Drive with Sufficient Confinement at High Temperature
For SciDAC: S. Jardin, PPPL, N. Ferraro, GA, A. Glasser, UWash, V. Izzo, UCSD, S. Kruger TechX, C. Sovinec, HRS Fusion, H. Strauss, UWisc	Increased Understanding and Predictive Modeling of Tokamak Disruptions
H. Ji for the WOPA Team	Initiative for Major Opportunities in Plasma Astrophysics in Discovery Plasma Science in Fusion Energy Sciences
H. Ji, PPPL, C. Forest, UWisc, M. Mauel, Columbia U., S. Prager, PPPL, J. Sarff, PPPL, and E. Thomas, Auburn U.	Initiative for a New Program Component for Intermediate- Scale Experiments in Discovery Plasma Science in Fusion Energy Sciences
C. E. Kessel, P. W. Humrickhouse, N. Morley, S. Smolentsev, M. E. Rensink, T. D. Rognlien	Critical Fusion Nuclear Material Science Activities Required Over the Next Decade to Establish the Scientific Basis for a Fusion Nuclear Science Facility
C. E. Kessel, J. P. Blanchard, A. Davis, L. El-Guebaly, N. Ghoniem, P. W. Humrickhouse, A. Khodak, S. Malang, B. Merrill, N. Morley, G. H. Neilson, F. M. Poli, M. E. Rensink, T. D. Rognlien, A. Rowcliffe, S. Smolentsev, L. Snead, M. S. Tillack, P. Titus, L. Waganer, A. Ying, K. Young, Y. Zhai	Fusion Nuclear Material Science Activities Required Over the Next Decade to Establish the Scientific Basis for a Fusion Nuclear Science Facility
Mike Kotschenreuther, Swadesh Mahajan, Prashant Valanju, Brent Covele, and Francois Waelbroeck, IFS, University of Texas; Steve Cowley, UKAEA, John Canik, ORNL, Brian LaBombard, MIT, Houyang Guo, GA	Taming the Heat Flux Problem, Advanced Divertors Towards Fusion Power

Author(s)	Title or Subject
Predrag Krstić, Institute for Advanced Computational Science, SBU, Igor Kaganovich, Daren Stotler, Bruce Koel, PPPL	Priorities: Integrated Multi-Scale Divertor Simulation Project
Predrag Krstić, Institute for Advanced Computational Science, SBU, Igor Kaganovich, Daren Stotler, Bruce Koel PPPL	Initiatives: Integrated Multi-Scale Divertor Simulation Project
Mark J. Kushner, UMich, EECS, Co-Submitted by 28 other scientists at 22 other locations	A Low Temperature Plasma Science Program: Discovery Science for Societal Benefit
Brian LaBombard, MIT PSFC	High Priority Divertor and PMI Research on the Pathway to FNSF/DEMO
<ul> <li>B. LaBombard, E. Marmar, J. Irby, J. Terry, R. Vieira,</li> <li>D. G. Whyte, S. Wolfe, S. Wukitch, N. Asakura, W. Beck,</li> <li>P. Bonoli, D. Brower, J. Doody, L. Delgado-Aparicio,</li> <li>R. Ellis, D. Ernst, C. Fiore, R. Granetz, M. Greenwald,</li> <li>Z. S. Hartwig, A. Hubbard, J. W. Hughes, I. H. Hutchinson,</li> <li>C. Kessel, M. Kotschenreuther, S. Krasheninnikiov,</li> <li>R. Leccacorvi, Y. Lin, B. Lipschultz, S. Mahajan,</li> <li>J. Minervini, R. Nygren, R. Parker, F. Poli, M. Porkolab,</li> <li>M.L. Reinke, J. Rice, T. Rognlien, W. Rowan, D. Ryutov,</li> <li>S. Scott, S. Shiraiwa, D. Terry, C. Theiler, P. Titus,</li> <li>G. Tynan, M. Umansky, P. Valanju, F. Waelbroeck,</li> <li>G. Wallace, A. White, J.R. Wilson, S. J. Zweben</li> </ul>	ADX: A High Field, High Power Density Advanced Divertor Tokamak Experiment. Mission: Develop and Demonstrate Plasma Exhaust and PMI Physics Solutions that Scale to Long Pulse at FNSF/ DEMO Divertor Parameters
T. C. Luce, R. J. Buttery, C. C. Petty, M. R. Wade, GA	Preparing the Foundations for Burning Plasmas and Steady-State Tokamak Operation
T. C. Luce, GA	Missions and Priorities for the US Fusion Program—The Role of Burning Plasma and Steady-State Tokamak Physics
N. C. Luhmann, Jr., A.V. Pham (UC-Davis), T. Munsat (UColorado)	Advanced Electronics Development for Fusion Diagnostics
R. Maingi, M. A. Jaworski, R. Kaita, R. Majeski, C. H. Skinner, and D. P. Stotler, PPPL, J. P. Allain, D. Andruczyk, D. Currelli, and D. N. Ruzic, Princeton U., B. E. Koel, UIUC	A Liquid Metal PFC Initiative

Author(s)	Title or Subject
E. S. Marmar, on behalf of the MIT Alcator Team	Priorities and Opportunities, White Paper for MIT/PSFC 10-Year Research Plan
E. S. Marmar, on behalf of the MIT Alcator Team	Initiatives led by the MIT Plasma Science and Fusion Center: Successful Completion of Alcator C-Mod and Transition to a New, Advanced Divertor High-Field Tokamak Facility
M. Mauel, D. Garnier, J. Kesner, P. Michael, M. Porkolab, T. Roberts, P. Woskov, Dept. of Applied Physics and Applied Math, Columbia U., MIT PSFC	Multi-University Research to Advance Discovery Fusion Energy Science using a Superconducting Laboratory Magnetosphere
J. Menard, R. Fonck, R. Majeski for the NSTX-U, Pegasus, and LTX research teams	U.S. Spherical Tokamak Program Initiatives for the Next Decade
T. Munsat (UColorado), N. C. Luhmann, Jr. (UC-Davis), B. Tobias (PPPL)	Center for Imaging and Visualization in Tokamak Plasmas
R. R. Parker, G-S. Baek, P. T. Bonoli, B. LaBombard, Y. Lin, M. Porkolab, S. Shiraiwa, G. M. Wallace, S. J. Wukitch, D. Whyte, MIT PSFC	RF Actuators for Steady-State Tokamak Development
R. D. Petrasso, R. P. Drake, and R. C. Mancini, members of the Omega Laser Facility User Group (OLUG)	Oppositely Directed Laser Beams at the OMEGA-EP Facility for Advancing HED Physics: A Finding and Recommendation of the Omega Laser Facility Users Group to FESAC
C. K. Phillips, PPPL and P. T. Bonoli, MIT, L. A. Berry, XCEL, N. Bertelli, PPPL, D. D'Ippolito, Lodestar, D. L. Green, ORNL, R. W. Harvey, CompX, E. F. Jaeger, XCEL, J. Myra, Lodestar, Y. Petrov, CompX, M. Porkolab, S. Shiraiwa, MIT, D. N. Smithe, TechX, E. J. Valeo, PPPL, and J. C. Wright, MIT	International Collaborative Initiative for RF Simulation Models in support of ITER and the ITER Integrated Modeling Program: Status and Priorities
C. K. Phillips, PPPL and P. T. Bonoli, MIT, L. A. Berry, XCEL, N. Bertelli, PPPL, D. D'Ippolito, Lodestar, D. L. Green, ORNL, R. W. Harvey, CompX, E. F. Jaeger, XCEL, J. Myra, Lodestar, Y. Petrov, CompX, M. Porkolab, S. Shiraiwa, MIT, D. N. Smithe, TechX, E. J. Valeo, PPPL, and J. C. Wright, MIT	International Collaborative Initiative for RF Simulation Models in support of ITER and the ITER Integrated Modeling Program: Proposed Initiative
Leanne Pitchford, LAPLACE, CNRS and University of Toulouse III, France	The Plasma Data Exchange Project and the LXCat Platform

Author(s)	Title or Subject
Leanne Pitchford, LAPLACE, CNRS and University of Toulouse, France	Resource request for the Plasma Data Exchange Project and the LXCat platform
M. Podesta, D. Darrow, E. Fredrickson, G.Y. Fu, N. Gorelenkov, J. Menard, and R. White, PPPL, J. K. Anderson, UWisc, W. Boeglin, FIU, B. Breizman, UTexas, D. Brennan, Princeton U., A. Fasoli, CRPP/EPFL, Z. Lin, UCLA Irvine, S. D. Pinches and J. Snipes, ITER, S. Tripathi, UCLA LA, M. Van Zeeland, GA	Development of Tools for Understanding, Predicting and Controlling Fast Ion Driven Instabilities in Fusion Plasmas
S. Prager, Princeton Plasma Physics Laboratory	The PPPL Perspective on Ten Year Planning in Magnetic Fusion
R. Prater, R. I. Pinsker, V. Chan, A. Garofalo, C. Petty, M. Wade, GA	Optimize Current Drive Techniques Enabling Steady-State Operation of Burning Plasma Tokamaks
R. Raman, UWash, T. R. Jarboe, UWash, J. E. Menard, S. P. Gerhardt, and M. Ono, PPPL	Development of a Fast Time Response Electromagnetic Disruption Mitigation System
R. Raman, UWash, T. R. Jarboe, and B. A. Nelson, UWash, T. Brown, J. E. Menard, D. Mueller, and M. Ono, PPPL	Simplifying the ST and AT Concepts
J. Rapp, D. L. Hillis, J.P. Allain, J. N. Brooks, H. Y. Guo, A. Hassanein, D. Hill, R. Maingi, D. Ruzic, O Schmitz, E. Scime, G. Tynan	Material Facilities Initiative: MPEX and FMITS
S. A. Sabbagh and J. M. Hanson, Columbia U., N. Commaux, ORNL, N. Eidietis, R. La Haye, and M. Walker, GAVE, S. P. Gerhardt, E. Kolemen, J. E. Menard, PPPL, B. Granetz, MIT, V. Izzo, UCSD, R. Raman, UWash, S. Woodruff, Woodruff Scientific	Critical Need for Disruption Prediction, Avoidance, and Mitigation in Tokamaks
Alla Safronova, Physics Department, UNevada	Significance of Atomic Physics for Magnetically Confined Fusion and High-Energy-Density Laboratory Plasmas, Status, Priorities, and Initiatives White Paper
J. S. Sarff, A. F. Almagri, J. K. Anderson, D. L. Brower, B. E. Chapman, D. Craig, D. R. Demers, D. J. Den Hartog, W. Ding, C. B. Forest, J. A. Goetz, K. J. McCollam, M. D. Nornberg, C. R. Sovinec, P. W. Terry, and collaborators	Opportunities and Context for Reversed Field Pinch Research

Author(s)	Title or Subject
Ann Satsangi, OFES DOE	Discovery Plasma Science: A Question on Facilities
T. Schenkel, P. Seidl, W. Waldron, A. Persaud, LBNL, John Barnard and Alex Friedman, LLNL, E. Gilson, I. Kaganovich, and R. Davidson, PPPL, A. Minor and P. Hosemann, UC-Berkeley	Discovery Science with Intense, Pulsed Ion Beams
Peter Seidl, Thomas Schenkel, Arun Persaud, and W. L. Waldron, LBNL, John Barnard and Alex Friedman, LLNL, Erik Gilson, Igor Kaganovich, and Ronald Davidson, PPPL	Heavy-Ion-Driven Inertial Fusion Energy
David R. Smith, UWisc	Data Science and Data Accessibility at National Fusion Facilities
E. J. Strait, GA	Establishing the Basis for Sustained Tokamak Fusion through Stability Control and Disruption Avoidance: (I) Present Status
E. J. Strait, GA	Establishing the Basis for Sustained Tokamak Fusion through Stability Control and Disruption Avoidance: (II) Proposed Research
William Tang, PPPL	Validated Integrated Fusion Simulations Enabled by Extreme Scale Computing
P. W. Terry, UWISC, Peter Catto MIT, Nikolai Gorelenkov, PPPL, Jim Myra, LODESTAR, Dmitri Ryutov, LLNL, Phil Snyder, GA, and F. Waelbroeck, UTexas	Role of Analytic Theory in the U.S. Magnetic Fusion Program
The University Fusion Association	The Role of Universities in Discovery Science
Mickey R. Wade, GA, for the DIII-D Team	Developing the Scientific Basis for the Burning Plasma Era and Fusion Energy Development (A10-Year Vision for DIII-D)

Author(s)	Title or Subject
Anne White, Paul Bonoli, Bob Granetz, Martin Greenwald, Zach Hartwig, Jerry Hughes, Jim Irby, Brian LaBombard, Earl Marmar, Miklos Porkolab, Syun'ichi Shiraiwa, Rui Vieira, Greg Wallace, and Graham Wright, MIT, David Brower, Neal Crocker, and Terry Rhodes, UCLA, Walter Guttenfelder, PPPL, Chris Holland, UCSD, Nathan Howard, ORISE, George McKee, UWisc	A New Research Initiative for "Validation Teams"
G. Wurden, S. Hsu, T. Intrator, C. Grabowski, J. Degnan, M. Domonkos, P. Turchi, M. Herrmann, D. Sinars, M. Campbell, R. Betti, D. Ryutov, B. Bauer, I. Lindemuth, R. Siemon, R. Miller, M. Laberge, M. Delage	Magneto-Inertial Fusion
D. Whyte, MIT Plasma Science and Fusion Center	Exploiting high magnetic fields from new superconductors will provide a faster and more attractive fusion development path
X.Q. Xu, LLNL	International collaboration on theory, validation, and integrated simulation
J. Freidberg, E. Marmar, MIT, H. Neilson , M. Zarnstorff, PPPL	The Case for QUASAR (NCSX)
Thomas Klinger, Hans-Stephan Bosch, Per Helander, Thomas Sunn Pedersen, Robert Wolf, Max-Planck Institute for Plasma Physics	A Perspective on QUASAR
Thomas Klinger, Hans-Stephan Bosch, Per Helander, Thomas Sunn Pedersen, Robert Wolf, Max-Planck Institute For Plasma Physics	Status and Prospects of the U.S. Collaboration with the Max-Planck Institute for Plasma Physics on Stellarator Research on the Wendelstein 7-X Device
H. Neilson, D. Gates, M. Zarnstorff, S. Prager, PPPL	Management Strategy for QUASAR
Members of the National Stellarator Coordinating Committee	Control of High-Performance Steady-State Plasmas: Status of Gaps and Stellarator Solutions
Oliver Schmitz, UWisc, on behalf of U.S. stellarator collaborators	Development of 3D divertor solutions for stellarators through coordinated domestic and international research
Matt Landreman, University of Maryland, on behalf of the U.S. Stellarator Coordinating Committee	3D Theory and Computation: A Cost-Effective Means to Address "Long-Pulse" and "Control" Gaps

## Appendix F: Community Workshops and Presentations

Week 8 (June 2–6): 1st Panel Meeting Mon 18:30 to Fri 13:00, with 3 days of talks

Week 13 (July 7–11): 2nd Panel Meeting Mon 18:30 to Fri 13:00, with 3 days of talks

#### June 3-5

Gaithersburg Marriott Washingtonian Center, 301-590-0044 9751 Washingtonian Boulevard, Gaithersburg, MD 20878

"Heat Fluxes, Neutron Fluences, Long Pulse Length" [i.e., Burning Plasma: Long Pulse]

#### Tuesday (12 talks)

08:30	Fonck	Perspectives on 10-Year Planning for the Fusion Energy Sciences Program
09:00	Kessel	Critical Fusion Nuclear Material Science Activities Required Over the Next Decade to Establish the Scientific Basis for a Fusion Nuclear Science Facility
09:30	Abdou	Scientific Framework for Advancing Blanket/FW/Tritium Fuel Cycle Systems towards FNSF & DEMO Readiness
10:00	Wirth	An Integrated, Component-Level Approach to Fusion Materials Development
10:30	Break	

10:45	Hill	Develop the Basis for PMI Solutions for FNSF
11:15	Callis	Applied Scientific Research for Blanket and Nuclear Components to Enable Design of the Next-Step BP Device
11:45	Lunch	
13:45	Zarnstorff	U.S. strategies for an Innovative Stellarator-Based FNSF
14:15	Buttery	Establishing the Physics Basis for Sustaining a High BP in Steady-State
14:45	Prater	Optimize Current Drive Techniques Enabling S-S Operation of BP Tokamaks
15:15	Break	
15:35	Garofalo	Leveraging International Collaborations to Accelerate FNSF Development
16:05	Harris	Alternatives and Prospects for Development of the U.S. stellarator program
16:35	Landreman	3D Theory & Computation as a Majo Driver for Advances in Stellarators
for l		enomena, Plasma Control Important lications" [i.e., Discovery Science] s)
08:40	Glenzer	High-Energy Density Science at

09:10	Seidl	Heavy-Ion-Driven Inertial Fusion Energy
09:40	Schenkel	Discovery Science with Intense, Pulsed Ion Beams
10:10	Break	
10:30	Jarboe	A Pre-Proof-of-Principle Experiment of a Spheromak Formed and Sustained by Imposed Dynamo Current-Drive (IDCD)
11:00	Ji	Major Opportunities in Plasma Astrophysics
11:30	Lunch	
13:15	Petrasso	Oppositely directed laser beams at OMEGA-EP for advancing HED Physics: A Finding & Recommendation of the Omega Laser Users Group
13:45	Fox	Lab Astrophysics & Basic Plasma Physics with HED, Laser-Produced Plasmas
14:15	Drake, R.P.	Challenges and Opportunities in High-Energy-Density Lab Plasmas
14:45	Break	
15:05	Kushner	Science Issues in Low Temperature Plasmas: Overview, Progress, Needs
15:35	Raitses	Plasma Science Associated with Modern Nanotechnology
16:05	Donnelly	Ignition Delays in Pulsed Tandem Inductively Coupled Plasmas System
15:35	Kaganovich	DOD's Multi-Institution Collaborations for Discovery Science

### "Discovery Science, Advanced Measurement for Validation" [i.e., Discovery Science]

#### Thursday (12 talks)

08:40	Wurden	Long-Pulse Physics via International Stellarator Collaboration
09:10	Schmitz	Development of 3D Divertor Solutions for Stellarators through Coordinated Domestic and International Research
09:40	Krstić	Multiscale, Integrated Divertor Plasma-Material Simulation
10:10	Break	
10:30	Sarff	Opportunities and Context for Reversed Field Pinch Research
11:00	Mauel	Multi-University Research to Advance Discovery Fusion Energy Science using a Superconducting Laboratory Magnetosphere
11:30	Lunch	
13:15	Ji	Importance of Intermediate-scale Experiments in Discovery Plasma Science
13:45	Efthimion	Office of Science Partnerships and Leveraging of Discovery Science
14:15	Brennan	The Role of Universities in Discovery Science in the FES Program
14:45	Break	

15:05	Whyte	Exploiting High Magnetic Fields from New Superconductors will Provide a Faster and More Attractive Fusion Development Path
15:35	Minervini	Superconducting Magnets Research for a Viable U.S. Fusion Program
16:05	Parker	RF Actuators for Steady-State Tokamak Development
16:35	LaBombard	A Nationally Organized, Advanced Divertor Tokamak Test Facility is Needed to Demonstrate Plasma Exhaust and PMI Solutions for FNSF/DEMO

#### July 8–10

Gaithersburg Marriott Washingtonian Center, 301-590-0044 9751 Washingtonian Boulevard, Gaithersburg, MD 20878

Tuesday (16 talks)		
08:30	Zohm	ASDEX-Upgrade
09:05	Horton	JET
09:40	Guo	EAST
10:15	Break	
10:45	Kwak	KSTAR
11:20	Kamada	The JT-60SA Research Regimes for ITER and DEMO
11:55	Litaudon	EUROfusion Roadmap
12:25	Litaudon	WEST Facility

13:00	Lunch	
14:15	Menard	NSTX-U: ST Research to Accelerate Fusion Development
14:45	Majeski	Exploring the Advantages of Liquid Lithium Walls
15:15	Fonck	Initiatives in Non-Solenoidal Startup and Edge Stability Dynamics at Near-Unity Aspect Ratio in the PEGASUS Experiment
15:45	Break	
16:00	Marmar	Successful Completion of Alcator C-Mod, and Transition to a New, Advanced Divertor Facility (ADX) to Solve Key Challenges in PMI and Development of the Steady-State Tokamak: Maintaining World- Leadership on the High Magnetic Field Path to Fusion
16:30	Wade	DIII-D 10-year Vision: Develop the Scientific Basis for Burning Plasma Experiments and Fusion Energy Development
17:00	Raman	Simplifying the ST and AT Concepts
17:30	Guo	Developing Plasma-Based Divertor Solutions for Next Step Devices
18:00	Соррі	The High-Field Compact Line of Experiments: From Alcator to Ignitor & Beyond
18:30	Freidberg	MIT-PSFC Makes the Case for QUASAR
19:00	Public meet	ting adjourns for the day

#### Wednesday (15 talks)

08:30	Greenwald	Implications and Lessons from 2007 Strategic Planning Activity and Subsequent Events: A Personal View
09:00	Meade	U.S. Road Map Activity
09:30	Taylor	A U.S. Domestic Program in the ITER era
10:00	Greenfield	USBPO High Priority Research in Support of ITER
10:30	Break	
11:00	Boivin	Enhanced Validation of Performance- Defining Physics through Measurement Innovation
11:30	White	Advanced Diagnostics for Validation in High-Performance Toroidal Confinement Experiments
12:00	Crocker	Validating Electromagnetic Turbulence and Transport Effects for Burning Plasmas
12:30	Brower	A Burning Plasma Diagnostic Technology Initiative for the U.S. Magnetic Fusion Energy Science Program
13:00	Lunch	
14:45	Petty	Preparing for Burning Plasma Operation and Exploitation in ITER
15:15	Sabbagh	Critical Need for Disruption Prediction, Avoidance, and Mitigation in Tokamaks
15:45	Strait	Stability Control, Disruption Avoidance, and Mitigation

16:15	Jardin	Increased Understanding and Predictive Modeling of Tokamak Disruptions
16:45	Break	
17:00	Podesta	Development of Tools for Understanding, Predicting and Controlling Fast-Ion-Driven Instabilities in Burning Plasmas
17:30	Fu	Integrated Simulation of Performance- Limiting MHD and Energetic Particle Instabilities with Micro-Turbulence
18:00	Goldston	A Strategy for Resolving Problems of Plasma-Material Interaction for FNSF
18:30	Public mee	ting adjourns for the day

#### Thursday (16 talks)

08:30	Tang	Validated Integrated Fusion Simulations Enabled by Extreme Scale Computing
09:00	Snyder	Crossing the Threshold to Prediction- Driven Research and Device Design
09:30	Hammett	Integrated Computing Initiative to Predict Fusion Device Performance and Study Possible Improvements
10:00	Chang	First-Principles Simulation of Whole Fusion Device on Leadership Class High-Performance Computers in Collaboration with ASCR Scientists
10:30	Break	
11:00	Xu	International Collaboration on Theory, Validation, and Integrated Simulation

11:30	Phillips	International Collaborative Initiative for RF Simulation Models in Support of ITER and the ITER Integrated Modeling Program
12:00	Catto	Unique Opportunities to Advance Theory and Simulations of RF Heating & Current Drive and Core & Pedestal Physics at Reactor Relevant Regimes in the Advanced Divertor Experiment
12:30	Terry	Role of Analytic Theory in the U.S. Magnetic Fusion Program
13:00	Lunch	
14:15	Hillis	Materials Facilities Initiative
14:45	Unterberg	Advanced Materials Validation in Toroidal Systems for Next-Step Devices
15:15	Maingi	A Liquid-Metal Plasma-Facing- Component Initiative
15:45	Jaworski	Liquid Metal Plasma-Material Interaction Science and Component Development Toward Integrated Demonstration
16:15	Allain	Establishing the Surface Science and Engineering of Liquid-Metal Plasma-Facing Components
16:45	Break	
17:00	Baylor	Plasma Controlling and Sustainment Technologies that Enable Long-Pulse Burning Plasma Science
17:30	Gekelman	The Basic Plasma Science Facility: Upgrade for the Next Decade & Beyond

18:00	Prager	The PPPL Perspective on the Charge
		to the FESAC Strategic Planning
		Panel

18:30 Public meeting adjourns for the day

## Appendix G: Leveraging and Partnership Opportunities with DOE and other Federal and International Partners

#### **Narratives**

In Chapter 5, concerning leveraging and partnership opportunities, the Panel summarized opportunities for the U.S. fusion energy program by means of two tables, relegating more detailed discussion to this appendix. Below are descriptions of each of these opportunities, organized by the respective offices within DOE Science (ASCR, HEP, NP, BES), other DOE programs (FE, EERE, NE, NNSA), other non-DOE federal programs (NSF, NIST, DOD, NASA), and international partnerships.

#### **DOE Office of Science Programs**

#### Advanced Scientific Computing Research (ASCR)

The U.S. is recognized as the world leader in magnetic fusion theory, simulation, and computation. This capability would not be as strong without the FES-ASCR partnership, which is exemplary within the Office of Science. The partnership of vibrant collaborations is enabled by the jointlysponsored Scientific Discovery through Advance Computing (SciDAC) Program and the use of ASCR high-performance computer facilities at Oak Ridge, Argonne, and Berkeley. SciDAC contributes to the FES goal of developing the predictive capability needed for a sustainable fusion energy source by exploiting the emerging capabilities of petascale computing and associated progress in software and algorithm development. The partnership has resulted in projects that develop applications of high physics fidelity simulation codes to advance the fundamental science of magnetically confined plasmas. Potential new partners include the ASCR Applied Mathematics, Computer Science, and Uncertainty Quantification (UQ) Programs, and their Exascale Co-Design Centers (e.g., the Center for Exascale Simulation of Advanced Reactors led by Argonne National Laboratory).

#### **Basic Energy Sciences (BES)**

FES and BES have established a successful partnership with the construction and operation of the Materials in Extreme Conditions (MEC) end station at the Linac Coherent Light Source, a BES National User Facility at SLAC. Despite HEDLP program reductions within Discovery Plasmas Science, FES has maintained this partnership.

In addition, there has been a 30-year fusion materials irradiation program, in collaboration with Japan, which uses the HFIR Reactor, a BES National User Facility. Accomplishments include studies of low activation ferritic steels irradiated up to 120 displacements per atom, and advanced radiation resistant silicon carbide composites and ODS steels that have high resistance to high temperature creep. The silicon carbide and ODS steels also benefit advanced fission reactors.

Important new opportunities include high fidelity characterization of irradiated materials and in-situ corrosion mechanisms using BES materials characterization user facilities. There are potentially important synergies between fusion materials research and fundamental BES research programs on defects in materials and mechanical properties. Fusion-specific conditions (relevant Helium dpa irradiations, etc.) will generally only be supported by FES, but important fundamental radiation effects information may be gleaned from some BES projects. Other opportunities include access to characterize irradiated materials at synchrotron beam lines (including neutron irradiated and possible in situ ion irradiation), and world class electron microscopy characterization facilities have also been heavily utilized by fusion materials researchers over the years.

The most cost-effective approach to develop a fusion materials irradiation facility is to use one of the existing MW-level spallation sources. FES has supported an engineering design study for a Fusion Materials Irradiation Test Stand (FMITS) at the Spallation Neutron Source at Oak Ridge that is operated by BES. The benefits to FES are substantial, while the benefits to BES are not apparent. Acceptable risk levels for SNS operations must be achieved.

#### **High Energy Physics (HEP)**

Superconducting magnets are a critical technology for longpulse experiments and will determine the freedom in design parameters, manufacturability, and cost of an actual fusion plant. Currently the magnet program within the Office of Fusion Energy Sciences (FES) is modest but has benefited from a collaborative relationship with the Office of High Energy Physics (HEP) for many years, which has a deeper and better funded magnet effort as part of its General Accelerator R&D program. Historically, the coordination on Nb3Sn-based magnets has been strong where FES and HEP have exchanged expertise in reviews and jointly funded Small Business Innovative Research solicitations. One driver for HEP's magnet development in recent years has been the Muon Ionization Cooling Experiment (MICE), which the recent P5 report has recommended for early termination. Nevertheless, the U.S. LHC Accelerator Research Program (U.S. LARP) continues to support magnet development at BNL, FNAL, and LBNL.

In regard to High Temperature Superconductor (HTS) research, FES and HEP have collaborated fruitfully in the past, but their fundamental interests in HTS are diverging (higher field ring magnets for HEP, lower cryopower requirements for FES) and consequently so are their specific pursuits in conductors. Nevertheless, there is interest in sharing conductor testing and testing facilities. In light of the LHC upgrade, CERN represents a potentially interesting partner for FES. The National High Magnetic Field Laboratory (NHMFL), supported by the NSF, performs research on very high field HTS magnets, and some of that work is strongly congruent with the interests of FES. In fact, the Magnet Lab has adopted the cable-in-conduit conductor (CICC) for the design of all their large bore high field magnets.

#### **Nuclear Physics (NP)**

Improved fast-neutron cross sections are a pressing need for fusion reactor materials. As an example, it is important to reduce the error bars in the fast neutron cross sections for tungsten, the material chosen for the ITER divertor. Recently the Nuclear Data Program in the DOE Office of Nuclear Physics undertook a program-wide review and a radical updating of their mission and modus operandi, the end of which represents a significant opportunity for the Fusion Energy Program. In contrast to how the Nuclear Data Program operated in the past (curation and archiving of published data largely by A-chain [mass number]), the new program identifies Nuclear Engineering and Applications as a primary client for nuclear data, prioritizes the evaluation of nuclear data according to community needs, and supports experimentation to fill in critical missing data. The new mission includes the support of education and training of students and will ensure the continuity of nuclear data expertise for coming generations. This is a welcome development and the fusion community should take advantage of the opportunity by doing an internal prioritization of their nuclear data needs and communicate with the Nuclear Data Office.

## Other DOE Programs

#### Fossil Energy (FE)

Fusion materials systems based on advanced ferritic/ martensitic steels share several of the high performance structural materials issues encountered in recent supercritical Rankine cycle and proposed ultra-supercritical Rankine cycle fossil energy plants. These issues include development of new steels that are resistant to aging and thermal creep degradation at high temperatures, as well as some aspects of thermal creep-fatigue structural design criteria. Indeed, the current leading approach for developing new high performance steels in both fossil and fusion energy systems is based on computational thermodynamics to identify promising new compositions and thermomechanical treatments that will produce ultra-fine scale, highly stable precipitates. Much of the steel production, joining, and mechanical testing infrastructure, as well as some of the corrosion test equipment, are directly relevant for fusion. The FE Carbon Capture Simulation Initiative at NETL is a hub-like entity that should have some synergies with FES, such as the linear and nonlinear partial differential equation solvers, parallel communication constructs and

libraries, verification and validation and uncertainty quantification tools and methodologies, build and testing tools, and data analytics.

#### Energy Efficiency & Renewable Energy (EERE)

Advanced materials processing studies performed for EERE programs are directly relevant to fusion structural materials applications. These studies include fundamental investigations on the utility of additive manufacturing for producing highperformance components that would be difficult or impossible to fabricate using conventional means, and explorations of incorporating embedded sensors and other "smart material" systems. The EERE studies are complementary to BES materials research in that they typically focus on industrialscale practical issues, similar to the case for FE programs.

The EERE Critical Materials Institute (CMI) Hub, led by the Ames Laboratory, is focused on searching for replacement materials for rare earth magnets that are less relevant to fusion. However, the Hub construct could offer a better way to manage future FES large and complex programs. The CMI brings together scientists and engineers from diverse disciplines to address challenges in critical materials, including mineral processing, manufacture, substitution, efficient use, and end-of-life recycling. The institute also integrates scientific research, engineering innovation, manufacturing and process improvements in order to find a holistic solution to the materials challenges facing the nation.

#### Nuclear Energy (NE)

NE investments in the past several decades in infrastructure and materials research will be of significant value to FES as it moves toward a Fusion Nuclear Science (FNS) Program. These investments include hot cell facilities across the DOE complex, modeling and simulation, fast reactor materials development, and waste management.

Several leveraging opportunities exist between fusion and fission technologies. In particular, many of the structural materials and coolant systems for fusion and Generation IV fission reactor concepts are common to both (*e.g.*,

ferritic/martensitic steels, oxide dispersion strengthened steels, ceramic matrix composites, liquid lead alloy and alkali metal coolants, and helium-cooled systems). The structural materials for fusion and Generation IV fission concepts share qualitatively similar requirements to withstand high displacement damage and high operating temperature environments and require comparably high performance specifications. Valuable information on operating large nuclear reactors is also of practical importance for fusion designs.

Additional opportunities exist with NE development and application of advanced modeling and simulation tools for nuclear fuel, nuclear reactors, fuel cycle, etc. The most prominent are the Consortium for Advanced Simulation of Light Water Reactors (CASL) Hub, led by Oak Ridge National Laboratory, and the Nuclear Energy Advanced Modeling and Simulation (NEAMS) program, led by Argonne National Laboratory. Additionally, there are the Light Water Reactor Sustainability and Fuel Cycle R&D Programs. FES connections would include infrastructure, multi-physics coupling, V&V/UQ, material science, and radiation transport.

Finally, NE could be a useful interface with the NRC in managing fusion nuclear safety and regulatory requirements. Future fusion power plants will offer a fundamentally different safety paradigm compared with fission reactors and should follow a tailored licensing approach very different from fission; otherwise this could be a barrier to fusion energy development. At present, no country has a fusionspecific regulatory framework for power plant construction and operation, although DOE has safety guidelines for U.S. experimental fusion facilities, as does France for the ITER facility. Consultation with regulatory experts (NRC, DOE, utilities, foreign regulatory bodies) is needed to understand options for a U.S. fusion regulatory approach.

#### National Nuclear Security Administration (NNSA)

NNSA has two significant partnerships with the Office of Science relevant to FES mission—Advanced Scientific

Computing (ASC) and High Energy Density Laboratory Plasmas (HEDLP). High performance computer (HPC) platforms have been developed for visualization and data analytics, multi-physics coupling, MHD, plasma physics, turbulence, charged particle transport, and radiation transport. The NNSA-ASCR partnership to develop the next generation HPC (TRINITY-NERSC-8) will enable fusion scientists to maintain world-leading performance. There is also the NNSA Predictive Science Academic Alliance Program created to establish validated, large-scale, multidisciplinary, simulation-based "Predictive Science" as major academic and applied research programs.

An important element of the FES HEDLP program is the Joint NNSA-SC program, which supports discovery plasma science research addressing critical issues in inertial fusion energy sciences and non-mission-driven high energy density plasmas. The program also explores ways to create, probe, and control new states of matter at very high energy densities. However, this partnership has suffered in recent years from reduced FES support. Remaining FES program resources are focused on the FES LCLS MEC Station. Significant HEDLP discovery science opportunities exist on several world-leading NNSA-operated laser and pulsed-power facilities. FES support of academic research teams to use NNSA-supported facilities represents a costeffective option for FES discovery science. FES potential funding of the users of these facilities would go a long way toward building FES's reputation and engaging NNSA in HEDLP science workforce development.

#### **Non-DOE Federal Programs**

#### **National Science Foundation (NSF)**

The NSF/DOE Partnership in Basic Plasma Science and Engineering was developed in part in response to the 1995 National Research Council report, Plasma Science, that reaffirmed plasma science as a fundamental discipline covering a broad set of scientific and technological areas. The purpose of the partnership is to encourage synergy and complementarity between the research programs supported by the two agencies, provide enhanced opportunities for university-based research in fundamental processes in plasma science and engineering, stimulate plasma science and engineering education in U.S. universities, and avoid duplication of effort. Research activities directly related to fusion energy are excluded.

Support by both agencies is excellent as evidenced by joint program announcements and reviews of proposals and project performances. The agencies also share oversight and support for the operation of the world's only basic plasma physics user facility, the Large Plasma Device at UCLA. This facility enables a broad group of plasma researchers to carry out experiments that would not be possible on smaller facilities at their respective institutions. Mutual benefits include credibility in basic plasma science pursuits and stewardship, synergistic budget elasticity, and the ability to conduct joint General Plasma Science programs with DOE Laboratories and university Plasma Science Centers.

#### National Institute of Standards & Technology (NIST)

In general, NIST offers the potential for complementary materials R&D that spans everything from nanoscience to advanced manufacturing. Currently there are efforts being made to establish a strong collaboration with NIST, and the opportunity should be pursued.

Since the early 1960s, NIST has been a leading center in plasma spectroscopy. Critical compilations of energy levels, wavelengths, and atomic transition probabilities, as well as benchmark experimental measurements of atomic data, have set a standard that is now embodied in the online Atomic Spectra Database and associated bibliographic databases. This resource serves in excess of 70,000 separate requests for data every month. Many of the requests come from researchers who use the data for fusion plasma diagnostics or simulations related to fusion energy. The database has been supported by NIST and DOE since 1975. NIST plasma-relevant programs are miniscule compared to FES, so NIST could significantly increase its efforts on plasma-related atomic spectroscopy with a small DOE-FES investment (less than \$1M/year). This investment could have high impact on specific research problems for discovery plasma science, specifically low-temperature plasmas.

#### Department Of Defense (DOD)

FES-DOD partnerships have been challenging because of the defense agency's mission approach to funding research. Several DOD branches have capabilities and infrastructure complementary to those of FES. For example, the Computational Research and Engineering Acquisition Tools and Environments (CREATE) program, started by a former FES principal investigator, is designed to improve DOD acquisition with advanced computational engineering design tools. Synergy with FES includes infrastructure, multi-physics, and V&V/UQ.

The Air Force Office of Scientific Research has been a strong supporter of applied plasma science, most notably high-power microwaves, novel acceleration mechanisms, and electrodynamics, through their Plasma and Electro-Energetic Physics Program. Infrastructure at the Air Force Research Laboratory (AFRL) has been used by the FES HEDLP subprogram and the FES Plasma Science Centers subprogram.

The Naval Research Laboratory (NRL) is involved in activities related to the understanding of HEDLP produced by pulsed power generators or high intensity, short pulse lasers. It has made significant contributions to the design, development, prediction, and analysis of intense plasma x-ray radiation sources by employing state-of-the-art atomic physics, radiation physics and magneto-hydrodynamics modeling. NRL is also working on interactions of an ultra-intense short pulse laser with solid and cluster targets. NRL also has research efforts in the science and technologies of inertial confinement fusion (supported by NNSA), the development and applications of high-power pulsed electron beams, and high-energy lasers pumped by such beams. The Defense Threat Reduction Agency (DTRA) also supports individual grants to FES principle investigators in HED Physics.

#### National Aeronautics & Space Administration (NASA)

FES and NASA share an interest in high-heat flux technologies and high-temperature structural materials. Currently there are no active FES-NASA collaborations, but there has been some limited mutually beneficial research on development of ceramic matrix composites such as SiC/SiC.

NASA also represents an opportunity for advancing discovery in plasma science. Taking advantage of this opportunity does not require a partnership because NASA issues funding opportunity announcements of its own. While the plasma-relevant programs of NASA outweigh DOE-FES in terms of strength, the Panel was informed that FES outreach to NASA has not been successful, possibly because of different missions, cultures, and the lack of obvious and practical mutual benefits.

#### International Partnership Opportunities

Thorough assessments of international collaboration opportunities were performed by a community task force commissioned by the U.S. Burning Plasma Organization in 2011 and by FESAC in 2012 (Appendix H). Although these studies did not consider trade-offs between domestic and international programs in the context of constrained FES budgets, their evaluation criteria, recommended modes of collaboration, and research priorities (extending high-performance regimes to long pulse, development and integration of plasma wall solutions for fusion, and burning plasma research in advance of ITER) remain valid.

Building on the 2012 FESAC report, the Panel also spent considerable time comparing FES international collaborations with those supported by the DOE HEP program. Analogies can be drawn between large FES and HEP facilities, *e.g.*, a particle physics detector and a fusion diagnostic, and particle physics accelerator system (*e.g.*, vacuum, cavities, magnets, RF, instrumentation and controls, targets and beam stops, modeling and simulation) and tokamak systems (e.g., vacuum, neutral beam injectors, fueling, magnets, RF, instrumentation and controls, first walls and divertors, modeling and simulation). While mutually beneficial international opportunities to produce fusion science on leading edge fusion facilities were apparent, the Panel noted some reluctance from the fusion community to seize those opportunities. A similar reaction occurred with the HEP community physicists several years ago, but those international collaborations are now welcomed, with a significant fraction of personnel time and effort occurring at home institutions designing, building, testing, and calibrating detector and accelerator systems and sub-systems, and performing remote shifts, modeling, and analysis of international facility data.

While a majority of high energy physicists in the U.S. perform research at various global facilities, FES participation in international experiments is an order of magnitude lower. Moreover, non-ITER international partnership trends over the past several years reveal a reduction in FES support at a time when there have been no new MFE U.S. facilities and only one major upgrade in the last 15 years. At the same time, several new and upgraded fusion facilities have, or will, become available in Asia and Europe (Table 2). Lessons and practices reported in the 2012 International Collaborations FESAC Report provide a good starting point. The Panel insists, however, that a good strategic plan should not stipulate "our" machine or "their" machine but the "right" machine—the U.S. should engage in international experiments where there is a compelling need for specific data.

In addition to the large fusion plasma experimental facilities, there have been numerous long-standing effective international collaborations, ranging from information sharing via IEA working groups that has accelerated the development of several high performance fusion materials to cost-sharing formal bilateral collaborations with JAEA and MEXT researchers that utilize unique U.S. facilities such as the RTNS-II D-T fusion neutron facility, the Tritium Science Test Assembly, and high flux fission reactors and advanced hot cell facilities. Similar international collaborations have been useful for the design of fusion neutron sources such as the proposed International Fusion Materials Irradiation Facility (IFMIF), based on an earlier U.S. design. There are potential opportunities for U.S. fusion researchers to gain access to unique foreign facilities such as large scale corrosion and thermomechanical test loop facilities, high heat flux and plasma material interaction facilities, tokamak divertor exposure facilities (WEST, EAST, ASDEX, etc.), tritium facilities, and operational, safety, and regulatory experts on how to best develop a performance-based regulatory basis for fusion power (Canada, IAEA, JET, ITER).

Finally, the Panel recognizes FES partnerships enabled by the International Energy Agency (IEA) and by the International Atomic Energy Agency (IAEA), which facilitates international communication via its biannual Nuclear Fusion Conference, its journal, and other relevant activities. As a member of the IAEA, the U.S. benefits from information collected and shared at the IAEA fusion biannual conference and journal, workshops, committees, and coordinated research projects (CRPs). Leveraging this type of international coordinated research with domestic programs would enable greater impact for FES investments. Some fusion science CRPs have been performed on several topics relevant to next-step fusion devices, ODS steels and irradiation facilities. In addition to the materials working group, the IEA has a large number of working groups in nearly all areas of fusion science, including the fusion technology and environment, safety, and economics. The working groups typically meet at least annually.

## **Appendix H: References**

In Chapter 4: Discovery Plasma Science, 21 citations to prior reports, prior studies, and various websites are made. They are listed here.

- NRC Plasma 2010 Plasma Science Committee report (National Research Council. Plasma Science: Advancing Knowledge in the National Interest. Washington, DC: The National Academies Press, 2007, Copyright © National Academy of Sciences)
- For a description of NSF/DOE Partnership in Basic Plasma Science and Engineering, see http://www. nsf.gov/funding/pgm\_summ.jsp?pims\_id=5602
- Low Temperature Plasma Science Workshop report (2007) details available at http://science.energy.gov/ fes/news-and-resources/workshop-reports/
- Research Opportunities in Plasma Astrophysics report (2011) details available at http://w3.pppl.gov/conferences/2010/WOPA/index.html
- 5. See BaPSF publication list at http://plasma.physics. ucla.edu/page/publications.html
- See Center for Predictive Control of Plasma Kinetics: Multi-phase and Bounded Systems at the University of Michigan Research Highlights at http://doeplasma. eecs.umich.edu/research
- For more information about the LCLS MEC, see https:// portal.slac.stanford.edu/sites/lcls\_public/Instruments/ mec/Pages/default.aspx
- See the LCLS MEC publication list at https://portal. slac.stanford.edu/sites/lcls\_public/Pages/Publications\_ MEC.aspx
- FESAC Toroidal Alternates Panel report (2008) details available at http://science.energy.gov/fes/fesac/reports and at https://fusion.gat.com/tap/
- 10. For background information about MST, see http://plasma. physics.wisc.edu/viewpage.php?id=mst
- See MST publication list at http://plasma.physics.wisc. edu/publications/publications-for-experiment. php?experiment=MST

- 12. The most recent HTPD conference website with links to papers presented can be viewed at http://web.ornl.gov/sci/fed/HTPD2014/
- Details about the NSF's Major Research Instrumentation Program can be found at http://www.nsf.gov/funding/ pgm\_summ.jsp?pims\_id=5260
- 14. For background information on BAPSF, see http://plasma. physics.ucla.edu/index.html
- 15. For background information on FLARE, see http://mrx. pppl.gov
- 16. For background information on MPDX, see http://plasma. physics.wisc.edu/mpdx
- 17. For background information on MDPX, see http://psl. physics.auburn.edu/research/magnetized-dustyplasmas.html
- The HEDLP Basic Research ReNeW report can be found at http://science.energy.gov/fes/news-and-resources/ workshop-reports/
- 19. FESAC Panel on HEDLP Report (January 2009) details available at http://science.energy.gov/fes/fesac/reports/
- 20. For details about the "Committees of Visitors" see http://science.energy.gov/sc-2/committees-of-visitors/
- 21. For the SC description of User Facilities and User Programs see http://science.energy.gov/user-facilities

A major reference for the Panel is the 2009 Report of the Research Needs Workshop (ReNeW) for Magnetic Fusion Energy Sciences, which identified the research frontiers of the fusion program and outlined eighteen Thrust activities that will most effectively advance those frontiers. References used are listed here, with website links available on the FESAC Strategic Planning Panel website and elsewhere: https://www.burningplasma.org/activities/?article=2014%20 FESAC%20Strategic%20Planning%20Panel

FESAC Report on Magnetic Fusion Energy Program Priorities (2012)

FESAC Prioritization of Scientific User Facilities during 2014–2024 (2013)

China CFETR Plan (2013)

Fusion Electricity: A roadmap to the realisation of fusion energy (EU, November 2012)

Annexes to Fusion Electricity: A roadmap to the realisation of fusion energy (EU, 2012)

FESAC Fusion Materials Sciences and Technology Opportunities in the ITER Era (2012)

FESAC Opportunities and Modes of International Collaboration During the ITER Era (2012)

Fusion Nuclear Science Pathways Assessment (2011)

Workshop on Opportunities for Plasma Astrophysics report (2010)

High-Energy-Density Laboratory Plasmas (HEDLP) Basic Needs Workshop Report (2009)

Magnetic Fusion Energy Sciences Research Needs Workshop (ReNeW) Study (2009)

Low Temperature Plasma Science Workshop Report (2008)

FESAC Priorities, Gaps and Opportunities Report (2007)

The National Academies report "Plasma Science: Advancing Knowledge in the National Interest" (2007)

Fusion Simulation Project Research Needs Workshop Report (2007) Strategic Program Plan for Fusion Energy Sciences (2004)

FESAC A Plan for the Development of Fusion Energy (2003)

#### Credit

Editor James Dawson of Typeset Editorial Services

Art Direction, Design and Typography Michael Branigan and Allyson Gibbs of Sandbox Studio, Chicago

#### Illustrator

Anastasia Kozhevnikova



December 23, 2014

Dr. Patricia M. Dehmer Acting Director Office of Science U. S. Department of Energy 1000 Independence Avenue, S. W. Washington, DC 20585

Dear Dr. Dehmer:

As FESAC members who oppose approval of the FESAC Strategic Planning Panel Report, we are writing to explain our concerns.

We appreciate the hard work of our colleagues who worked on the report, and their willingness to make difficult decisions. However, we think acting on the recommendations of the report would be damaging to fusion and plasma science both in the short term and in the long run. To summarize the overarching points, we think the report recommends a narrowing of research goals in fusion plasma physics that is unwarranted by the current state of knowledge, that it gives short shrift to the broader category of Discovery Plasma Science (DPS) that is critical to plasma physics in general and fusion plasma physics in particular, and that it recommends the abrupt transfer of resources to preparing for a Fusion Nuclear Science Facility (FNSF) without appropriate scientific justification for the goal itself or the short term disruptions that would ensue. These problems are exacerbated, in our view, by the implied selection of certain facilities without peer review and on over-reliance on interagency partnerships and international collaborations for which there exist little foundation. To amplify:

The underlying strategic vision is fundamentally flawed. A primary metric used to dictate the future of the fusion program is unnecessarily focused on a single facility, FNSF. The precise mission and scope of FNSF has yet to be defined. As such, it is difficult to advocate for this step without widespread community support and proper articulation of its role in fusion energy development. We feel strongly that a vision statement for OFES should be focused on addressing scientific challenges facing our field and not on specific facilities.

While it is clear an increased emphasis on nuclear technology will emerge as we near the dawn of the fusion energy era, there is no technical demonstration of sufficient maturity in the fusion science to warrant the wholesale reorientation of the program. The report advocates a narrowing of the plasma and fusion science research program to a few key initiatives that would lead to lost opportunities for continued or strengthened US leadership in other important areas of science and technology. Moreover, the proposed enhancements in nuclear technology at the expense of fusion science suggests a plan focused on fusion energy development, a vision that is conflict with OFES's home in the Office of Science.

A much stronger case should be made for fundamental plasma science and engineering. The Discovery Plasma Science (DPS) program element supports impactful, innovative research into a broad range of plasma science and engineering questions. This work builds the fundamental science foundation that enables progress in mainline fusion energy research and provides opportunities for the development of transformational new ideas. In addition, research supported by DPS leverages laboratory plasma and fusion science research to make important progress in other related areas, such as astrophysics and space physics, raising the visibility of fusion science research in other communities. Several FESAC and national academy reviews have strongly encouraged OFES to lead the stewardship of plasma physics. This report is a step backwards in this regard. DPS should be protected and targeted for growth within DOE OFES. Reliance on other federal agencies for growth opportunities puts the stewardship of plasma science at risk. In addition, the panel report places far too much emphasis on the role of DPS in workforce development. The engagement of university faculty, researchers, and students is absolutely essential across all areas of OFES, not just in DPS. Training the next generation of scientists is important in a long-term effort such as fusion energy development. However, implying that workforce development is a primary justification for support of fundamental plasma science and engineering within the federal complex marginalizes this important and vibrant area of research. Plasma physics is a fundamental physical science and should be treated as such.

While the panel did make tough choices in response to the charge, the program choices made are not supported by strong scientific cases. The programmatic decisions are largely driven by a need to fit within the specific budget, not driven by the need for innovative fusion science elements. While the existence of various program elements are justified by their connectivity to ITER and FNSF, the specific logic for each specific choice is missing. Moreover, there is a lack of symmetry in the report with regard to using competitive, peer-reviewed processes to initiate new program elements. Regardless of the programmatic choices, the highest scientific integrity must be maintained in the fusion program.

Finally, we commend the fusion community for offering an exciting array of challenging and provocative scientific topics in the form of white papers and presentations to the FESAC sub-panel. Little of the scientific vitality of this collection of presentations is captured in the report. Hopefully, OFES will be able to harness the excitement of the integrated vision of the entire fusion community to motivate a 10-year plan that frames a challenging and vibrant fusion science program.

Sincerely yours,

mi

Chris Hegna Professor of Engineering Physics and Physics

Ellen Zweibel W. L. Kraushaar Professor of Astronomy and Physics University of Wisconsin-Madison University of Wisconsin-Madison

**Troy Carter** Professor of Physics University of California, Los Angeles

mar

Robert Rosner William E. Wrather Distinguised Service Professor Depts. of Astronomy & Astrophysics and Physics The University of Chicago