Opportunities and Context for Reversed Field Pinch Research

John Sarff

A. Almagri, J. Anderson, D. Brower, B. Chapman, D. Demers,D. Den Hartog, W. Ding, C. Forest, J. Goetz, K. McCollam,M. Nornberg, C. Sovinec, P. Terry

and

Collaborators

FESAC Strategic Planning Meeting • Gaithersburg, MD • June 5, 2014

The Reversed Field Pinch magnetic configuration

- Magnetic field is generated primarily by the plasma current
- Small externally applied field:
 - Advantages for fusion: ohmic ignition, minimized field at magnet surfaces
 - Explores complementary parameter space w.r.t. the tokamak and stellarator, e.g., large magnetic shear and weaker toroidicity
 - Basic science: magnetic self-organization and connections to astrophysics





E. Synakowski, FESAC, Apr 9, 2014



MST research (and RFP generally) is highly collaborative, with ~ 60 researchers involved

- UCLA advanced interferometry, Faraday rotation, studies of confinement and magnetic self-organization
- Xantho Technologies heavy ion beam probe, studies of electrostatic turbulence and transport
- Wheaton College, IL advanced spectroscopic diagnostics, studies of magnetic self-organization
- LANL RFP theory, CMSO
- ORNL RFP theory (energetic ion physics, 3D equilibrium physics)
- Conzorio RFX, Italy (RFX-mod) joint RFP experiments
- Royal Institute of Technology, Sweden (Extrap-T2R) joint RFP experiments
- Kyoto Institute of Technology, Japan (RELAX) joint RFP experiments, validation studies
- University of Science and Technology, China (KTX) development of new RFP program
- Budker Institute, Russia neutral beam-based diagnostics and heating: MSE on GDT
- Florida A&M University neutral particle analyzer, magnetic turbulence
- Auburn University V3FIT 3D equilibrium reconstruction
- University of Strathclyde, Scotland atomic modeling, ADAS
- CompX, Inc. Fokker-Planck modeling
- General Atomics Thomson scattering, plasma control system
- National Institute for Fusion Science, Japan fast Thomson scattering
- University of Chicago links to astrophysics, CMSO
- Princeton U and PPPL links to astrophysics, CMSO
- Swarthmore College links to astrophysics, CMSO
- Pegasus, HSX (UW-Madison) diagnostics, EBW
- UW Astronomy CMSO



collaborators with FES funding under "MST Research" umbrella

Other RFP Expts





Three synergistic research mission goals capture the RFP's opportunities in fusion and plasma science

- Advance the physics and control of the RFP plasma configuration
 - MST is one of two large RFP experiments
 - Centerpiece of U.S.'s proof-of-principle program
- Advance the predictive capability of fusion science
 - Physics closely related to tokamak and stellarator, leveraged by RFP geometry
 - Validation of key physics models and codes
 - Development and application of advanced diagnostics
- Discover basic plasma physics and its links to astrophysics
 - Magnetic self-organization
 - Processes: magnetic reconnection, particle energization, momentum transport, magnetic turbulence



RFP's fusion advantages derive from the concentration of magnetic field within the plasma and small applied toroidal field

- - 1/10th the magnetic pressure at the magnets compared to high safety factor (e.g., tokamak)

$$- \frac{B_{\text{coil}}}{\langle B \rangle} \sim \frac{2}{3} \quad (\text{and } B_{\text{T,coil}} \longrightarrow 0)$$

- Large fusion beta demonstrated:

$$-\beta_{\text{fusion}} \sim \langle p \rangle / B_{\text{coil}}^2 = 28\%, \ \langle \beta \rangle = 10\%$$

- Large plasma current density
 - Ohmic ignition is possible
 - No plasma-facing auxiliary heating components
 - High particle density limit, $n_{\rm GW} \sim I_{\rm p}$ / πa^2

These features promote the reliability and maintainablity of a fusion power system





Resolution of the key scientific issues for the RFP advances fundamental understanding of fusion science more generally

- Prioritized issues for the RFP identified in FESAC TAP and ReNeW:
 - MST research is directed at these
 - Identify transport mechanisms and establish confinement scaling
 - Current sustainment
 - Integration of current sustainment and improved confinement
 - Plasma boundary interactions
 - Energetic particle effects
 - Determine beta-limiting mechanisms

 - Self-consistent reactor scenarios
- European RFP's have made tremendous progress in RWM control



RFP scientific issues are similar to those for the tokamak and stellarator

E. Synakowski FESAC, Apr 9, 2014

Understanding transport processes and plasma control are major themes in current RFP research

- Minimize tearing instability and magnetic transport using inductive profile control
- Optimize the stellarator-like spontaneous 3D helical equilibrium



RFP research advances predictive fusion science

- Important physics processes advanced through experiment, theory, and modeling
 - Transport in a stochastic magnetic field
 - Transport from electrostatic turbulence at low q with reversed magnetic shear
 - 3D effects, particularly the stellarator-like quasi-single-helicity regime
 - Density and beta limiting mechanisms
- Advanced diagnostic development has broad impact, e.g., FIR polarimetry, pulseburst Thomson scattering, HIBP
- Validation of models and codes
 - Nonlinear MHD and extended MHD (e.g., NIMROD)
 - MHD with kinetic effects from energetic particles
 - Micro-instabilities and gyrokinetics (e.g., GENE)
- Opportunities noted in recent planning documents:
 - ReNeW, especially Thrust 6, "Develop predictive models for fusion plasmas..."
 - "Report of the FESAC Subcommittee on the Priorities of the Magnetic Fusion Energy Sciences Program", R. Rosner, et al, 2013

Excellent opportunities for validation of important physics models and codes



MST's advanced diagnostic set provides crucial data

Control tools yield several distinct operating regimes



NBI



Investigation of high-*k* instabilities is already challenging established theory and modeling



MST's neutral beam injection drives energetic particle modes (unique for RFP)



RFP behavior has been a major inspiration for the basic plasma physics concept of magnetic self-organization

• Processes are important in plasma astrophysics: magnetic reconnection, particle energization, magnetic turbulence, dynamo and momentum transport



Recommendation and outlook for RFP research

- A vigorous program (experiment, theory, computation) is needed to maintain U.S. leadership in RFP research and exploit MST's unique capabilities
 - A 5-year renewal proposal was submitted to FES in April
 - Rigorous validation, in particular, demands well-diagnosed, well-controlled plasmas and strong collaboration with theory and computation (current resources marginal)
 - Current MST Research funding of \$5.7M is 20% smaller than the \$7M level in FY 2011
- Modest investments can bring the MST facility to its intrinsic limits
 - Programmable power supplies to optimize inductive control (high leverage in the RFP)
 - Support for advanced diagnostics to enable rigorous validation (hardware, personnel)
- MST/RFP creates a fantastic environment for mentoring graduate students and postdocs, best done in a state-of-the-art research environment
- Planning for a next-step RFP should begin now:
 - Proof-of-principle metrics (1998) are achieved
 - Higher current is required to resolve key issues
 - Near-term emphasis on validation will continue to strengthen the scientific basis
 - Rudimentary development path is discussed in FESAC TAP and ReNeW Thrust 18

